BURNETT OIL CO., INC. EMERGENCY NOTIFICATION LIST

Burnett's New Mexico Office

(575) 677-2313

Belton Mathews

BOCI District Superintendent

CELL (575) 703-9601

BURNETT OIL HOME OFFICE (817) 332-5108

Mark Jacoby BOCI ENGINEERING MANAGER

CELL (817) 312- 2751

EDDY COUNTY SHERIFF

NEW MEXICO STATE POLICE

OR (575) 746-9888

(575) 746-2701

Loco Hills Fire Department (VOLUNTEER ONLY) For Medical and Fire

911

911 OR (575) 677 2349 (575) 746-2701 (ARTESIA)

Flight for Life Air Ambulance (LUBBOCK)

(806) 743-9911

Aerocare Air Ambulance Med Flight Air Ambulance

(LUBBOCK) (ALBUQ)

(806) 747-8923 (505) 842-4433

S B Med Svc Air Ambulance (ALBUQ)

(505) 842-4949

US Bureau of Land Management Carlsbad

(575) 361-2822

(575) 234-5972

New Mexico Oil Conversation Division

ARTESIA

(575) 748-1283

New Mexico Emergency Response Commission **New Mexico State Emergency Operation Center** 24 HR

(575) 827-9126 (575) 476-9635

Local Emergency Planning Committee (Artesia)

(575) 746-2122

National Emergency Response Center (Washington, DC)

(800) 424-8802

Boots & Coots IWC

(800) 256-9688

Cudd Pressure Control Halliburton Svc

(432) 570-5300 (575) 746-2757

B J Svc

(575) 746-2293

THIS MUST BE POSTED AT THE RIG WHILE ON LOCATION.

Burnett Office 87 SQUARE LAKE ROAD (CR #220), Loco Hills, New Mexico 88255 (Loco Hills, New Mexico (2 MILES East of Loco Hills On US Hwy 82 TO C#220 Then North On CR# 220 Approx One Mile To Office.).

DRILLING EXHIBIT A

HYDROGEN SULFIDE (H2S) CONTIGENCY PLAN

ASSUMED 100 PPM ROE = 3000'

Emergency Procedures

In the event of a release of gas containing H2S, The first responder(s) must

- * Isolate the area and prevent entry by other persons into the 100 PPM ROE.
- * Evacuate any public places encompassed by 100 PPM ROE.
- * Be equipped with H2S monitors and air packs in order to control release.
- * Use the "buddy system" to ensure no injuries occur during the response.
- * Take precautions to avoid personal injury during this operation.
- * Have received training in the following:
 - 1. H2S detection
 - 2. Measures for protection against this gas
 - 3. Equipment used for protection and emergency response.

Ignition of Gas Source

Should control of the well be considered lost and ignition considered, take care to protect against exposure to Sulfur Dioxide (SO2.) Intentional ignition must be coordinated with the NMOCD and local officials. Additional the New Mexico State Police may become involved. NM State Police shall be the incident command on scene of any major release. Take care to protect downwind whenever there is an ignition of gas.

Characteristics of H2S and SO2

Common Name	Chemical Formula	Specific Gravity	Threshold Limit	Hazardous Limit	Lethal Concentration
Hydrogen Sulfide	H2S	1.189 Air =1	10 ppm	100 ppm/hr	600 ppm
Sulfur Dioxide	SO2	2.21 Air = 1	2 ppm	NA	1000 ppm


Contacting Authorities

Burnett Oil Co., Inc. personal must liaison with local and state agencies to ensure a proper response to a major release. Additionally, the OCD must be notified of the release as soon as possible but no later than 4 hours. Agencies will ask for information such as type and volume of release, wind and direction, location of release, etc. Be sure all is written down and ready to give to contact list (Drilling Exhibit A.) Directions to the site are below. Burnett's response must be in coordination with the State of New Mexico's Hazardous Materials Emergency Response Plan.

Burnett Office 87 SQUARE LAKE ROAD (CR #220), Loco Hills, New Mexico 88255 (Loco Hills, New Mexico (2 MILES East of Loco Hills On US Hwy 82 TO C#220 Then North On CR# 220 Approx One Mile To Office

BURNETT OIL CO., INC.

DRILLING EXHIBIT B



NOSLER FEDERAL #3

Located 890' FSL and 1190' FEL

Section 24, Township 17 South, Range 31 East,
N.M.P.M., Eddy County, New Mexico.



P.O. Box 1786 1120 N. West County Rd. Hobbs, New Mexico 88241 (575) 393-7316 - Office (575) 392-2206 - Fox basinsurveys.com


W.O. Number: JMS 23967

Survey Date: 01-24-2011

Scale: 1" = 2 Miles

Date: 01-25-2011

BURNETT OIL COMPANY, INC.



NOSLER FEDERAL #3

Located 890' FSL and 1190' FEL


Section 24, Township 17 South, Range 31 East,
N.M.P.M., Eddy County, New Mexico.



P.O. Box 1786 1120 N. West County Rd. Hobbs, New Mexico 88241 (575) 393-7316 - Office (575) 392-2206 - Fax basinsurveys.com W.O. Number: JMS 2396

Scale: 1" = 2000'

YELLOW TINT — USA LAND BLUE TINT — STATE LAND NATURAL COLOR — FEE LAND BURNETT OIL COMPANY, INC.



YESO



GBSA

Nosler Fed 3 Proposed Well Location (Map Reflects Burnett Operated Wells Only) Eddy County, New Mexico

Author:		Dute:
CLK. Eng Tech		February 7, 2011
	Scale:	
l	1" = 750"	J

Well Names

PN = Puckett North

PA = Puckett A


PB = Puckett B


3500' flow line Surface Exhibit B

Nosler Fed 3

T17S, R31E, Sect 24, Unit P NMLC029415(b) 890' FSL. 1190' FEL

Lat/Long: 32.815252, -103.817888






NOSLER FEDERAL #3
Located 890' FSL and 1190' FEL
Section 24, Township 17 South, Range 31 East,
N.M.P.M., Eddy County, New Mexico.




P.O. Box 1786 1120 N. West County Rd. Hobbs, New Mexico 88241 (575) 393-7316 - Office (575) 392-2206 - Fox basinsurveys.com

W.O.	Number:	JMS	23967	
Surve	y Date:	01-	24-2011	
Scale	: 1" = 2	000,		
Date:	01-25-	-2011		Ĭ

BURNETT OIL COMPANY, INC.






SURFACE EXHIBIT D

Nosler Federal #3 Drill Site Layout Surface Exhibit D

Saved as: S:\prod\\eslie\mark stuff\well pad plan layout



Nosler Feederal #3 Surface Use Plan Reclamation Exhibit F