

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

OCD-ARTESIA

FORM APPROVED
OMB NO. 1004-0137
Expires: January 31, 2004

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

5. Lease Serial No.
NM-14758

1a. Type of Well ☒ Oil Well ☐ Gas Well ☐ Dry Other
b. Type of Completion: ☒ New Well ☐ Work Over ☐ Deepen ☐ Plug Back ☐ Diff. Resrv.
Other _____

2. Name of Operator

Mewbourne Oil Company 14744

3. Address

PO Box 5270 Hobbs, NM 88240

3a. Phone No. (include area code)

575-393-5905

4. Location of Well (Report location clearly and in accordance with Federal requirements)*

At surface 1650' FSL & 1650' FEL, Unit Letter J

At top prod. interval reported below

At total depth 1708' FSL & 342' FWL, Unit Letter L

6. If Indian, Allottee or Tribe Name

7. Unit or CA Agreement Name and No.

8. Lease Name and Well No.

Long Draw 4 JL Fed #1H

9. API Well No.

30-015-37585

10. Field and Pool, or Exploratory

N. Seven Rivers Glorieta Yeso 97565

11. Sec., T., R., M., on Block and Survey
or Area Sec 4-T20S-R25E

12. County or Parish

Eddy County

13. State

NM

14. Date Spudded

11/22/10

15. Date T.D. Reached

12/02/10

16. Date Completed 01/23/11

☐ D & A ☒ Ready to Prod.

17. Elevations (DF, RKB, RT, GL)*

3481' GL

18. Total Depth: MD 5605'
TVD 2493'19. Plug Back T.D.: MD 5575'
TVD 2493'20. Depth Bridge Plug Set: MD
TVD

21. Type Electric & Other Mechanical Logs Run (Submit copy of each)

Gyro / GR / CN

22. Was well cored? ☒ No ☐ Yes (Submit analysis)
Was DST run? ☒ No ☐ Yes (Submit report)
Directional Survey? ☐ No ☒ Yes (Submit copy)

23. Casing and Liner Record (Report all strings set in well)

Hole Size	Size/Grade	Wt. (#/ft.)	Top (MD)	Bottom (MD)	Stage Cementer Depth	No. of Sk. & Type of Cement	Slurry Vol. (BBL)	Cement Top*	Amount Pulled
12 1/4"	9 5/8" J55	36	0	945'		630	155	surface	NA
8 3/4"	5 1/2"	17	0	2767'	FOC @ 1984'				
7 7/8"	4 1/2"	11.6	2767	5587		400	168	surface	NA

24. Tubing Record

Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)
2 7/8"	2083'	NA						

25. Producing Intervals

Formation	TOP	Bottom	Perforated Interval	Size	No. Holes	Perf. Status
A) Yeso	2489' TVD	2544' TVD	2855' - 5561' (MD)	4"	15	open
B)			2544' - 2493' (TVD)			
C)						
D)						

27. Acid, Fracture, Treatment, Cement Squeeze, Etc.

Depth Interval	Amount and Type of Material
2855' to 5561' (MD)	Frac w/15000 gals 15% HCl & 1,567,750 gals gel carrying 720,000# 20/40 Sand.
2544' to 2493' (TVD)	

28. Production - Interval A

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
01/23/11	01/30/11	24	→	270	138	589	37.8	0.77	Pumping
Choke Size	Tbg. Press. Flwg. SI	Csg. Press	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas: Oil Ratio	Well Status	
NA	80	80	→	270	138	589	511	open	

28a. Production - Interval B

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
			→						
Choke Size	Tbg. Press. Flwg. SI	Call Press	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas: Oil Ratio	Well Status	
			→						

(See instructions and spaces for additional data on next page)

RECEIVED
FEB 25 2011
NMOCD ARTESIAACCEPTED FOR RECORD
FEB 22 2011
/s/ Dustin Winkler
BUREAU OF LAND MANAGEMENT
CARLSBAD FIELD OFFICE

28b. Production - Interval C

Date First Produced	Test Date	Hours Tested	Test Production →	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
Choke Size	Tbg Press Flwg. SI	Csg. Press	24 Hr. Rate →	Oil BBL	Gas MCF	Water BBL	Gas: Oil Ratio	Well Status	

28c. Production - Interval D

Date First Produced	Test Date	Hours Tested	Test Production →	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
Choke Size	Tbg Press Flwg. SI	Csg. Press	24 Hr. Rate →	Oil BBL	Gas MCF	Water BBL	Gas: Oil Ratio	Well Status	

29. Disposition of Gas (Sold used for fuel, vented, etc.)

SOLD

30. Summary of Porous Zones (Include Aquifers):

Show all important zones of porosity and contents thereof: Cored intervals and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures and recoveries.

31. Formation (Log) Markers

Formation	Top	Bottom	Descriptions, Contents, etc.	Name	Top
					Meas. Depth
				Grayburg	475'
				San Andres	769'
				Glorieta	2230'
				Yeso	2489'
				TD (MD)	5605'
				TD (TVD)	2493'
Bureau of Land Management RECEIVED FEB 07 2011 Carlsbad Field Office Carlsbad, N.M.					

32. Additional remarks (include plugging procedure):

33. Circle enclosed attachments:


- ① Electrical/Mechanical Logs (1 full set req'd.) 2 Geologic Report 3 DST Report ④ Directional Survey
 5 Sundry Notice for plugging and cement verification 6 Core Analysis ⑦ Other: Comp Sundry, Dev Rpt, C104, C-144 CLEZ Closure, Pkr port

34. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records (see attached instructions)*

Name (please print) Jackie Lathan

Title Hobbs Regulatory

Signature



Date 02/03/11

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212 make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false fictitious or fraudulent statements or representations as to any matter within its jurisdiction.