


30-015-38229


## LIMOUSINE 15 FE FED 1H PATTERSON-UTI 101

Page 1/1




# LIMOUSINE 15 EF FED 1H PATTERSON-UTI 101

Page 1/1




# LIMOUSINE 15 EF FED 1H PATTERSON-UTI 101

Page 1/1




# LIMOUSINE 15 EF FED 1H PATTERSON-UTI 101

Page 1/1



# LIMOUSINE 15 EF FED 1H PATTERSON-UTI 101

Page 1/1




## Page 1/1


[illegible]

# LIMOUSINE 15 EF FED 1H PATTERSON-UTI 101

Page 1/1




LIMOUSINE 15 EF FED 1H PATTERSON-UTI 101




# LIMOUSINE 15 EF FED 1H PATTERSON-UTI 101

Page 1/1




# LIMOUSINE 15 EF FED 1H PATTERSON-UTI 101

Page 1/1




# LIMOUSINE 15 EF FED 1H PATTERSON-UTI 101

Page 1/1




# LIMOUSINE 15 EF FED 1H PATTERSON-UTI 101

Page 1/1



# LIMOUSINE 15 EF FED 1H PATTERSON-UTI 101

Page 1/1



# LIMOUSINE 15 EF FED 1H PATTERSON-UTI 101

Page 1/1

| DEPTH<br>FEET | WT. ON BIT<br>KLBS                          | HOOK LOAD<br>KLBS | PRESSURE<br>PSI | ROP<br>FT/HR | 11/13/10 |
|---------------|---------------------------------------------|-------------------|-----------------|--------------|----------|
|               | 0 80                                        | 0 200             | 0 2000          | 0 3281       | 06:01    |
| 907           |                                             |                   |                 |              |          |
| 1011          |                                             |                   |                 |              |          |
| 1208          |                                             |                   |                 |              | 07:00    |
| 1255          | ZWOB from DHC                               |                   |                 |              |          |
| 2250          | BIT DEPTH CHANGED TO 2249.9 FEET            |                   |                 |              |          |
| 2263          | INITIALLY: HOLE DEPTH SET TO 2263.1         |                   |                 |              | 08:00    |
|               | ZWOB from DHC                               |                   |                 |              |          |
|               |                                             |                   |                 |              | 09:00    |
|               | ZWOB from DHC                               |                   |                 |              |          |
|               | INITIALLY: HOLE DEPTH SET TO 2295.0         |                   |                 |              | 10:00    |
|               | SURVEY MD 2246 INC.40 AZM 90.2 TVD 2245.7   |                   |                 |              |          |
| 2300          |                                             |                   |                 |              | 11:00    |
|               |                                             |                   |                 |              |          |
| 2327          | INITIALLY: HOLE DEPTH SET TO 2326.8         |                   |                 |              | 12:00    |
|               | SURVEY @ 2276 INC-3.7 AZM-268.2             |                   |                 |              |          |
|               | SURVEY MD 2277 INC 3.7 AZM 268.2 TVD 2276.7 |                   |                 |              |          |
|               | HOOK LOAD WAS RECALIBRATED                  |                   |                 |              |          |
| 2350          | ZWOB from DHC                               |                   |                 |              | 13:00    |
|               | ZDIFF from DHC                              |                   |                 |              |          |
|               | MAX BLOCK HEIGHT RECALIBRATED TO 115.0 FEET |                   |                 |              |          |
|               | INITIALLY: HOLE DEPTH SET TO 2358.7         |                   |                 |              | 14:00    |
|               | DEPTH RECALIBRATED TO -0.0341726616         |                   |                 |              |          |
| 2389          | INITIALLY: HOLE DEPTH SET TO 2358.7         |                   |                 |              |          |
| 2400          | INITIALLY: HOLE DEPTH SET TO 2358.7         |                   |                 |              | 15:00    |
|               | SURVEY MD 2308 INC 7.1 AZ 266.4 TVD 2307.5  |                   |                 |              |          |
| 2422          | INITIALLY: HOLE DEPTH SET TO 2390.3         |                   |                 |              |          |
|               | SURVEY MD 2340 INC 9.1 AZ 265.5 TVD 2339.3  |                   |                 |              | 16:00    |
|               | INITIALLY: HOLE DEPTH SET TO 2422.0         |                   |                 |              |          |
| 2450          | SURVEY MD 2371 INC 12.8 AZ 268.1 TVD 2369.7 |                   |                 |              |          |
| 2452          | ZWOB from DHC                               |                   |                 |              | 17:00    |
|               | ZWOB from DHC                               |                   |                 |              |          |
|               | INITIALLY: HOLE DEPTH SET TO 2453.8         |                   |                 |              |          |

# LIMOUSINE 15 EF FED 1H PATTERSON-UTI 101

Page 1/1

| DEPTH<br>FEET | WT. ON BIT<br>KLBS                            | HOOK LOAD<br>KLBS | PRESSURE<br>PSI | ROP<br>FT/HR | 11/13/10<br>18:01 |
|---------------|-----------------------------------------------|-------------------|-----------------|--------------|-------------------|
| 2483          | IN TALLY: HOLE DEPTH SET TO 2485.7            |                   |                 |              |                   |
|               | SURVEY MD-2435 INC-18.6 AZM-276.4 TVD-2431.22 |                   |                 |              | 19:00             |
| 2500          | ZWOB from DHC                                 |                   |                 |              |                   |
| 2514          | IN TALLY: HOLE DEPTH SET TO 2517.3            |                   |                 |              | 20:00             |
|               | SURVEY MD-2467 INC-21.6 AZM-279.8 TVD-2461.23 |                   |                 |              |                   |
|               | ZWOB from DHC                                 |                   |                 |              | 21:00             |
|               | IN TALLY: HOLE DEPTH SET TO 2549.2            |                   |                 |              |                   |
| 2550          | SURVEY MD-2499 INC-23.7 AZM-274.6 TVD-2490.79 |                   |                 |              | 22:00             |
|               | ZDIFF from DHC                                |                   |                 |              |                   |
|               | ZWOB from DHC                                 |                   |                 |              |                   |
| 2580          | IN TALLY: HOLE DEPTH SET TO 2580.7            |                   |                 |              | 23:00             |
|               | SURVEY MD-2530 INC-26.4 AZM-271.8 TVD-2518.98 |                   |                 |              |                   |
| 2600          | ZDIFF from DHC                                |                   |                 |              |                   |
|               | ZDIFF from DHC                                |                   |                 |              | 11/14             |
| 2612          | ZWOB from DHC                                 |                   |                 |              |                   |
|               | IN TALLY: HOLE DEPTH SET TO 2612.7            |                   |                 |              | 01:00             |
|               | SURVEY MD-2562 INC-28.3 AZM-271.7 TVD-2547.35 |                   |                 |              |                   |
|               | IN TALLY: HOLE DEPTH SET TO 2644.5            |                   |                 |              | 02:00             |
| 2650          | SURVEY MD-2594 INC-31.1 AZM-271.2 TVD-2575.12 |                   |                 |              |                   |
| 2672          | IN TALLY: HOLE DEPTH SET TO 2676.2            |                   |                 |              | 03:00             |
|               | SURVEY MD-2626 INC-34.4 AZM-271.7 TVD-2602.60 |                   |                 |              |                   |
|               | ZWOB from DHC                                 |                   |                 |              | 04:00             |
| 2700          | IN TALLY: HOLE DEPTH SET TO 2707.7            |                   |                 |              |                   |
|               | SURVEY MD-2657 INC-38.3 AZM-272.3 TVD-2626.96 |                   |                 |              | 05:00             |
|               | ZWOB from DHC                                 |                   |                 |              |                   |
|               | IN TALLY: HOLE DEPTH SET TO 2739.5            |                   |                 |              |                   |


# LIMOUSINE 15 EF FED 1H PATTERSON-UTI 101

Page 1/1

| DEPTH<br>FEET | WT. ON BIT<br>KLBS                            | HOOK LOAD<br>KLBS | PRESSURE<br>PSI | ROP<br>FT/HR | 11/14/10<br>06:01 |
|---------------|-----------------------------------------------|-------------------|-----------------|--------------|-------------------|
|               | 0 80                                          | 0 200             | 0 2000          | 0 3281       |                   |
| 2750          |                                               |                   |                 |              |                   |
| 2770          | IN TALLY: HOLE DEPTH SET TO 2771.4            |                   |                 |              | 07:00             |
|               |                                               |                   |                 |              |                   |
| 2800          | IN TALLY: HOLE DEPTH SET TO 2803.2            |                   |                 |              | 08:00             |
| 2802          |                                               |                   |                 |              |                   |
|               |                                               |                   |                 |              | 09:00             |
| 2826          | IN TALLY: HOLE DEPTH SET TO 2834.6            |                   |                 |              |                   |
|               | SURVEY MD-2784 INC-52.8 AZ-271.9 TVD-2715.61  |                   |                 |              | 10:00             |
| 2850          |                                               |                   |                 |              |                   |
| 2865          | IN TALLY: HOLE DEPTH SET TO 2866.2            |                   |                 |              |                   |
|               | SURVEY MD-2816 INC-56.9 AZ-271.2 TVD-2734.03  |                   |                 |              | 11:00             |
|               |                                               |                   |                 |              |                   |
|               | IN TALLY: HOLE DEPTH SET TO 2893.0            |                   |                 |              | 12:00             |
| 2900          |                                               |                   |                 |              |                   |
|               |                                               |                   |                 |              |                   |
| 2928          | IN TALLY: HOLE DEPTH SET TO 2929.6            |                   |                 |              | 13:00             |
|               | SURVEY MD-2879 INC-65.5 AZM-270.0 TVD-2764.34 |                   |                 |              |                   |
| 2950          |                                               |                   |                 |              |                   |
| 2961          | IN TALLY: HOLE DEPTH SET TO 2961.3            |                   |                 |              | 14:00             |
|               | IN TALLY: HOLE DEPTH SET TO 2961.3            |                   |                 |              |                   |
|               | SURVEY MD-2911 INC-69.4 AZM-269.7 TVD-2776.61 |                   |                 |              | 15:00             |
|               |                                               |                   |                 |              |                   |
| 3000          | IN TALLY: HOLE DEPTH SET TO 2993.3            |                   |                 |              | 16:00             |
|               | SURVEY MD-2943 INC-72.9 AZM-269.9 TVD-2787.05 |                   |                 |              |                   |
|               |                                               |                   |                 |              |                   |
| 3020          | IN TALLY: HOLE DEPTH SET TO 3025.1            |                   |                 |              | 17:00             |
|               | SURVEY MD-2975 INC-75.1 AZM-270.0 TVD-2795.98 |                   |                 |              |                   |
| 3050          |                                               |                   |                 |              |                   |


# LIMOUSINE 15 EF FED 1H PATTERSON-UTI 101

Page 1/1



# LIMOUSINE 15 EF FED 1H PATTERSON-UTI 101

Page 1/1



# LIMOUSINE 15 EF FED 1H PATTERSON-UTI 101

Page 1/1

| DEPTH<br>FEET | WT. ON BIT<br>KLBS                            | HOOK LOAD<br>KLBS | PRESSURE<br>PSI | ROP<br>FT/HR | 11/15/10<br>18:01 |
|---------------|-----------------------------------------------|-------------------|-----------------|--------------|-------------------|
| 3251          | ZDIFF from DHC                                |                   |                 |              |                   |
|               | ZDIFF from DHC                                |                   |                 |              |                   |
|               | ZWOB from DHC                                 |                   |                 |              |                   |
| 3300          | SURVEY MD-3216 INC-92.5 AZM-268.5 TVD-2814.53 |                   |                 |              | 19:00             |
| 3316          | IN TALLY: HOLE DEPTH SET TO 3292.1            |                   |                 |              |                   |
|               | ZDIFF from DHC                                |                   |                 |              |                   |
| 3350          | SURVEY MD-3245 INC-94.3 AZM-268.8 TVD-2812.81 |                   |                 |              | 20:00             |
| 3351          | ZWOB from DHC                                 |                   |                 |              |                   |
| 3376          | IN TALLY: HOLE DEPTH SET TO 3320.3            |                   |                 |              |                   |
|               | SURVEY MD-3273 INC-95.0 AZM-269.2 TVD-2819.54 |                   |                 |              | 21:00             |
| 3401          | ZDIFF from DHC                                |                   |                 |              |                   |
|               | ZWOB from DHC                                 |                   |                 |              |                   |
| 3430          | IN TALLY: HOLE DEPTH SET TO 3350.6            |                   |                 |              | 22:00             |
|               | ZDIFF from DHC                                |                   |                 |              |                   |
| 3451          | ZWOB from DHC                                 |                   |                 |              |                   |
|               | SURVEY MD-3303 INC-93.9 AZM-269.5 TVD-2808.21 |                   |                 |              | 23:00             |
|               | IN TALLY: HOLE DEPTH SET TO 3379.1            |                   |                 |              |                   |
|               | ZDIFF from DHC                                |                   |                 |              |                   |
|               | SURVEY MD-3332 INC-92.2 AZM-270.0 TVD-2806.67 |                   |                 |              | 11/16             |
| 3523          | IN TALLY: HOLE DEPTH SET TO 3407.8            |                   |                 |              |                   |
|               | ZDIFF from DHC                                |                   |                 |              |                   |
| 3550          | ZWOB from DHC                                 |                   |                 |              | 01:00             |
|               | SURVEY MD-3360 INC-92.1 AZM-269.8 TVD-2805.62 |                   |                 |              |                   |
| 3582          | IN TALLY: HOLE DEPTH SET TO 3437.9            |                   |                 |              |                   |
| 3600          | SURVEY MD-3390 INC-91.7 AZM-270.0 TVD-2804.62 |                   |                 |              | 02:00             |
| 3611          | ZWOB from DHC                                 |                   |                 |              |                   |
|               | IN TALLY: HOLE DEPTH SET TO 3466.6            |                   |                 |              |                   |
|               | SURVEY MD-3419 INC-91.8 AZM-269.5 TVD-2803.74 |                   |                 |              | 03:00             |
| 3651          | ZWOB from DHC                                 |                   |                 |              |                   |
| 3667          | ZWOB from DHC                                 |                   |                 |              |                   |
|               | SURVEY MD-3449 INC-92.1 AZM-270.7 TVD-2802.72 |                   |                 |              | 04:00             |
|               | IN TALLY: HOLE DEPTH SET TO 3525.4            |                   |                 |              |                   |
| 3701          | ZWOB from DHC                                 |                   |                 |              |                   |
| 3726          | SURVEY MD-3478 INC-91.9 AZM-271.2 TVD-2801.71 |                   |                 |              | 05:00             |
|               | IN TALLY: HOLE DEPTH SET TO 3555.4            |                   |                 |              |                   |
| 3751          | ZWOB from DHC                                 |                   |                 |              |                   |
|               | SURVEY MD-3508 INC-91.7 AZM-271.3 TVD-2800.70 |                   |                 |              |                   |

# LIMOUSINE 15 EF FED 1H PATTERSON-UTI 101

Page 1/1

| DEPTH<br>FEET | WT. ON BIT<br>KLBS                            | HOOK LOAD<br>KLBS | PRESSURE<br>PSI | ROP<br>FT/HR | 11/16/10 |
|---------------|-----------------------------------------------|-------------------|-----------------|--------------|----------|
|               | 0 80                                          | 0 200             | 0 2000          | 0 3281       | 06:01    |
|               | INITIALLY: HOLE DEPTH SET TO 3789.7           |                   |                 |              |          |
| 3800          | ZDIFF from DHC                                |                   |                 |              |          |
| 3819          | ZWOB from DHC                                 |                   |                 |              | 07:00    |
|               | SURVEY MD 3742 INC-93.1 AZM-272.5 TVD-2792.20 |                   |                 |              |          |
|               | INITIALLY: HOLE DEPTH SET TO 3821.2           |                   |                 |              |          |
|               | ZDIFF from DHC                                |                   |                 |              | 08:00    |
| 3901          | ZWOB from DHC                                 |                   |                 |              |          |
|               | SURVEY MD-3774 INC-92.9 AZM-272.7 TVD-2790.53 |                   |                 |              |          |
|               | INITIALLY: HOLE DEPTH SET TO 3853.2           |                   |                 |              | 09:00    |
|               | ZDIFF from DHC                                |                   |                 |              |          |
|               | ZWOB from DHC                                 |                   |                 |              |          |
|               | SURVEY MD-3806 INC-92.8 AZM-272.4 TVD-2788.94 |                   |                 |              |          |
| 4001          | INITIALLY: HOLE DEPTH SET TO 3884.8           |                   |                 |              | 10:00    |
| 4003          | ZDIFF from DHC                                |                   |                 |              |          |
| 4043          | ZWOB from DHC                                 |                   |                 |              |          |
|               | SURVEY MD-3901 INC-92.3 AZM-271.5 TVD-2784.74 |                   |                 |              | 11:00    |
|               | INITIALLY: HOLE DEPTH SET TO 3916.7           |                   |                 |              |          |
|               | ZDIFF from DHC                                |                   |                 |              | 12:00    |
| 4101          | ZWOB from DHC                                 |                   |                 |              |          |
| 4107          | HOLE DEPTH CHANGED TO 3948.6 FEET             |                   |                 |              |          |
|               | HOLE DEPTH CHANGED TO 3916.6 FEET             |                   |                 |              |          |
| 4127          | ZDIFF from DHC                                |                   |                 |              | 13:00    |
|               | ZDIFF from DHC                                |                   |                 |              |          |
|               | ZDIFF from DHC                                |                   |                 |              |          |
| 4202          | INITIALLY: HOLE DEPTH SET TO 3948.2           |                   |                 |              | 14:00    |
|               | ZDIFF from DHC                                |                   |                 |              |          |
| 4229          | ZWOB from DHC                                 |                   |                 |              |          |
|               | INITIALLY: HOLE DEPTH SET TO 3980.1           |                   |                 |              | 15:00    |
|               | ZDIFF from DHC                                |                   |                 |              |          |
|               | ZWOB from DHC                                 |                   |                 |              |          |
| 4301          | INITIALLY: HOLE DEPTH SET TO 4011.9           |                   |                 |              | 16:00    |
|               | ZDIFF from DHC                                |                   |                 |              |          |
|               | ZWOB from DHC                                 |                   |                 |              |          |
| 4318          | SURVEY MD-3964 INC-92.6 AZM-271.5 TVD-2782.38 |                   |                 |              | 17:00    |
|               | INITIALLY: HOLE DEPTH SET TO 4043.5           |                   |                 |              |          |
|               | ZWOB from DHC                                 |                   |                 |              |          |
| 4401          | ZDIFF from DHC                                |                   |                 |              |          |

# LIMOUSINE 15 EF FED 1H PATTERSON-UTI 101

Page 1/1

| DEPTH<br>FEET | WT. ON BIT<br>KLBS                            | HOOK LOAD<br>KLBS | PRESSURE<br>PSI | ROP<br>FT/HR | 11/16/10 |
|---------------|-----------------------------------------------|-------------------|-----------------|--------------|----------|
|               | 0 80                                          | 0 200             | 0 2000          | 0 2000       | 18:01    |
| 4400          | SURVEY MD-4345 INC-91.6 AZM-269.4 TVD-2769.52 |                   |                 |              |          |
|               | ZWOB from DHC                                 |                   |                 |              |          |
| 4424          | IN TALLY: HOLE DEPTH SET TO 4424.5            |                   |                 |              | 19:00    |
|               | ZDIFF from DHC                                |                   |                 |              |          |
|               | ZWOB from DHC                                 |                   |                 |              |          |
|               | ZDIFF from DHC                                |                   |                 |              |          |
|               | IN TALLY: HOLE DEPTH SET TO 4456.1            |                   |                 |              | 20:00    |
|               | SURVEY MD-4409 INC-92.7 AZM-269.8 TVD-2767.12 |                   |                 |              |          |
| 4500          | ZWOB from DHC                                 |                   |                 |              |          |
| 4518          | IN TALLY: HOLE DEPTH SET TO 4488.4            |                   |                 |              | 21:00    |
|               | ZDIFF from DHC                                |                   |                 |              |          |
|               | ZWOB from DHC                                 |                   |                 |              |          |
|               | IN TALLY: HOLE DEPTH SET TO 4519.5            |                   |                 |              | 22:00    |
| 4600          | ZWOB from DHC                                 |                   |                 |              |          |
| 4611          | SURVEY MD-4472 INC-92.7 AZM-270.2 TVD-2764.16 |                   |                 |              |          |
|               | IN TALLY: HOLE DEPTH SET TO 4551.4            |                   |                 |              | 23:00    |
|               | ZDIFF from DHC                                |                   |                 |              |          |
|               | ZWOB from DHC                                 |                   |                 |              |          |
| 4701          | IN TALLY: HOLE DEPTH SET TO 4583.0            |                   |                 |              | 11/17    |
|               | ZDIFF from DHC                                |                   |                 |              |          |
|               | ZDIFF from DHC                                |                   |                 |              |          |
|               | ZWOB from DHC                                 |                   |                 |              | 01:00    |
| 4740          | SURVEY MD-4536 INC-92.6 AZM-270.1 TVD-2761.20 |                   |                 |              |          |
|               | IN TALLY: HOLE DEPTH SET TO 4614.7            |                   |                 |              | 02:00    |
|               | ZDIFF from DHC                                |                   |                 |              |          |
|               | ZWOB from DHC                                 |                   |                 |              |          |
| 4801          | IN TALLY: HOLE DEPTH SET TO 4646.5            |                   |                 |              |          |
| 4809          | ZDIFF from DHC                                |                   |                 |              | 03:00    |
|               | ZWOB from DHC                                 |                   |                 |              |          |
|               | SURVEY MD-4599 INC-92.3 AZM-270.2 TVD-2758.58 |                   |                 |              |          |
| 4901          | IN TALLY: HOLE DEPTH SET TO 4678.2            |                   |                 |              | 04:00    |
|               | ZDIFF from DHC                                |                   |                 |              |          |
| 4930          | ZWOB from DHC                                 |                   |                 |              |          |
|               | IN TALLY: HOLE DEPTH SET TO 4710.0            |                   |                 |              | 05:00    |
|               | SURVEY MD-4663 INC-92.2 AZM-270.2 TVD-2755.99 |                   |                 |              |          |
|               | ZDIFF from DHC                                |                   |                 |              |          |
|               | ZDIFF from DHC                                |                   |                 |              |          |


# LIMOUSINE 15 EF FED 1H PATTERSON-UTI 101

Page 1/1

| DEPTH<br>FEET | WT. ON BIT<br>KLBS                            | HOOK LOAD<br>KLBS | PRESSURE<br>PSI | ROP<br>FT/HR | 11/17/10 |
|---------------|-----------------------------------------------|-------------------|-----------------|--------------|----------|
|               | 0 80                                          | 0 200             | 0 2000          | 0 3281       | 06:01    |
| 5001          | Connection at 4996.0                          |                   |                 |              |          |
| 5031          | Connection at 5028.0                          |                   |                 |              |          |
|               | SURVEY MD-4980 INC 92.2 AZM-271.8 TVD-2744.04 |                   |                 |              | 07:00    |
|               | IN TALLY: HOLE DEPTH SET TO 5059.8            |                   |                 |              |          |
|               | Connection at 5059.8                          |                   |                 |              |          |
|               | IN TALLY: HOLE DEPTH SET TO 5091.4            |                   |                 |              | 08:00    |
| 5100          | Connection at 5091.4                          |                   |                 |              |          |
| 5107          | SURVEY MD-5044 INC 92.2 AZM-271.8 TVD-2741.70 |                   |                 |              |          |
|               | IN TALLY: HOLE DEPTH SET TO 5123.1            |                   |                 |              | 09:00    |
|               | Connection at 5123.1                          |                   |                 |              |          |
|               | IN TALLY: HOLE DEPTH SET TO 5154.9            |                   |                 |              |          |
|               | Connection at 5154.9                          |                   |                 |              | 10:00    |
|               | IN TALLY: HOLE DEPTH SET TO 5186.9            |                   |                 |              |          |
|               | CIRCULATE SWEEP                               |                   |                 |              |          |
| 5140          |                                               |                   |                 |              | 11:00    |
| 4826          |                                               |                   |                 |              |          |
| 4412          |                                               |                   |                 |              |          |
| 4026          |                                               |                   |                 |              | 12:00    |
| 3704          |                                               |                   |                 |              |          |
| 3528          |                                               |                   |                 |              |          |
| 3329          |                                               |                   |                 |              |          |
| 3108          |                                               |                   |                 |              | 13:00    |
| 2713          |                                               |                   |                 |              |          |
| 2304          |                                               |                   |                 |              |          |
| 2031          |                                               |                   |                 |              | 14:00    |
| 1606          |                                               |                   |                 |              |          |
| 1101          |                                               |                   |                 |              |          |
| 714           |                                               |                   |                 |              | 15:00    |
|               |                                               |                   |                 |              |          |
|               |                                               |                   |                 |              | 16:00    |
|               |                                               |                   |                 |              |          |
|               |                                               |                   |                 |              | 17:00    |
|               |                                               |                   |                 |              |          |
| 411           |                                               |                   |                 |              |          |


# LIMOUSINE 15 EF FED 1H PATTERSON-UTI 101

Page 1/1



LIMOUSINE 15 EF FED 1H PATTERSON-UTI 101 Page 1/1

Page 1/1



# LIMOUSINE 15 EF FED 1H PATTERSON-UTI 101

Page 1/1

