

Submit 1 Copy To Appropriate District
Office

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
October 13, 2009

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-015-21189 ✓
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/> ✓
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name Achen Frey DM ✓
8. Well Number 2 ✓
9. OGRID Number 025575 ✓
10. Pool name or Wildcat Eagle Creek San Andres

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH
PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other

2. Name of Operator
Yates Petroleum Corporation ✓

3. Address of Operator
105 South Fourth Street, Artesia, NM 88210

4. Well Location
Unit Letter L : 330 feet from the West line and 2310 feet from the South line
Section 13 Township 17S Range 25E NMPM Eddy County

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
3465' GR

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

**Notify OCD 24 hrs. prior
To any work done.**

OTHER: ☐ OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

1. MIRU WSC. Rig up any safety equipment as necessary.
2. Set CIBP at 1313'. Spot a 30 sx class "C" cement plug from 895'-1313' and then spot a 120 sx class "C" cement plug from 895' to the surface. This will fill the entire well bore up from the CIBP to the surface. WOC and tag plug.
3. Cut off wellhead and install dry hole marker. Clean up location as per regulations.

**SEE ATTACHED
CONDITIONS OF
APPROVAL**

Rig Release Date:

RECEIVED
MAY 13 2011
NMOCD ARTESIA

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Craig Aton TITLE Regulatory Compliance Technician DATE May 12, 2011


Type or print name Craig Aton E-mail address: caton@yatespetroleum.com PHONE: 575-748-4385
For State Use Only

APPROVED BY: [Signature] TITLE Approval Granted providing work DATE 5/16/2011
Conditions of Approval (if any): is complete by 8/16/2011

WELL NAME: Achen-Frey DM #2 FIELD: Eagle Creek
 LOCATION: 660' FNL & 1,980' FEL of Section 13-17S-25E Eddy Co., NM
 GL: 3,465' ZERO: 12' KB: 3,477
 SPUD DATE: 4/27/74 COMPLETION DATE: 5/9/74
 COMMENTS: API No.: 30-015-21189

CASING PROGRAM

10-3/4" 32#	337'
7" 23/26#	1,191'
5-1/2" (884')	
4-1/2 (646')	1,541'



Before


SA **TOPS** 740'

Not to Scale
 4/6/11
 DC/Hill

WELL NAME: Achen-Frey DM #2 FIELD: Eagle Creek
 LOCATION: 660' FNL & 1,980' FEL of Section 13-17S-25E Eddy Co., NM
 GL: 3,465' ZERO: 12' KB: 3,477
 SPUD DATE: 4/27/74 COMPLETION DATE: 5/9/74
 COMMENTS: API No.: 30-015-21189

CASING PROGRAM

10-3/4" 32#	337'
7" 23/26#	1,191'
5-1/2" (884')	
4-1/2" (646')	1,541'



After

TOPS
SA 740'

Not to Scale
4/6/11
DC/Hill