INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or despende well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, the vertical depths shall also be reported. For multiple completions, Items 30 through 34 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See flue 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico

Northwestern New Mexico

		T Oio Alamo	T. Penn. "B"				
T. Anhy	T. Canyon	T. Vistland Emitland	T. Penn. ''B'' T. Penn. ''C'' T. Penn. ''D''				
B. Salt	T. Atoka	T. Fictures cities	_ T. Penn. ''D''				
	//48	T Menelee					
		T Point Lookout	_ 1				
~ ~ ~ ~ ~		Base Greenhorn	_ 1. Granice				
		T Dakota					
		Morrison					
	T Datawara Sand	T. Entrada					
F 200							
	m (T. Chinle	I				
T. Penn 6633	. 1	T Penn "A"	T				
	280 00 170	E CANNS HR JUNES					
No. 1 (rom 6831	to 6834	No. 4, from	to				
No. 2. from		No. 5, from					
No. 3, from	to	No. 6, from					
IMPORTANT WATER SANDS							
Include data on rate of water inflow and elevation to which water rose in hole.							

No. 1	, fr	omto	
No. 2	, fr	omtoto	
No. 3	, fr	emto	
No. 4	. fi	to	
		FORMATION RECORD (Attach additional sheets if necessary)	

From	To	Thickness in Feet	Formation	From	То	Thickness in Feet	Formation
0 664 800 1923 3153 5380 6633 7198	6633 7198	136 1123 1230 2227 1253	Red Beds Salt & Anhydrite Anhy., Sand & Dolo Dolo & Anhy. Dolo, Sand & Anhy Shale & Dolo Lime, Shale & Chert Dolo				