

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYSUBMIT IN
(Other Instr.
verse side)PLICATE*
ds on reForm approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

N M 13986

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Trigg Fed.

9. WELL NO.

1 Y

10. FIELD AND POOL, OR WILDCAT
Wildcat11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREA

26-T13S-R27E

12. COUNTY OR PARISH

Chaves

13. STATE

N M

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)1. OIL WELL ☐ GAS WELL ☒ OTHER Drilling Well

2. NAME OF OPERATOR

Mountain States Petro. Corp. ✓

3. ADDRESS OF OPERATOR

P O Box 1936 Roswell, N Mex 88201

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.
See also space 17 below.)
At surface

660' FNL & 2320" FWL

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

3565 GL

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any
proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones perti-
nent to this work.)*

3-17-78 Ran 312.33' of 32# 8-5/8" Set at 313' GR. Ran cement basket at 234'.
Pumped 47 bbls water w/2 sxs (50#) floseal, no circulation. Pumped
45 sxs class C with 2% CaCl and pumped plug @ 2 P.M. Ran 1" pipe
to 225', pumped 25 sxs class C w/4% CaCl. Pulled 60' of 1" and
pumped 40 sxs class C w/2% CaCl, circulated cement. Pulled 135' of 1".
Cement fell about 10'. Pumped 15 sxs class C w/2% CaCl with estimated
5 sxs to pit. Pumped total 124 sxs class C.

3-18-78 7 A.M. Cement tagged at 55' in annulus of 8-5/8". Filled with 2 yds.
of redimix.

RECEIVED
MAR 21 1978
U. S. GEOLOGICAL SURVEY
ARTESIA, NEW MEXICO

18. I hereby certify that the foregoing is true and correct

SIGNED

TITLE Geologist

DATE

3/20/78

(This space for Federal or State office use)

APPROVED BY

TITLE

ACTING DISTRICT ENGINEER

DATE

APR 4 - 1978

CONDITIONS OF APPROVAL, IF ANY: