

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

JIL CONSERVATION DIVISION
2040 Pacheco St.
Santa Fe, NM 87505

WELL API NO. 30 005-10545
5. Indicate Type of Lease STATE ☐ X FE
6. State Oil & Gas Lease No.

| SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.) | | 7. Lease Name or Unit Agreement Name O'brien <u>2219</u> |
|---|--|---|
| 1. Type of Well: OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER | 2. Name of Operator Willow Pipeline Company | 8. Well No. <u>19-2</u> |
| 3. Address of Operator P.O. Box 131 Weatherford, Oklahoma 73096 | 9. Pool name or Wildcat twin lakes | |
| 4. Well Location Unit Letter <u>0</u> : <u>330</u> Feet From The <u>South</u> Line and <u>7210</u> Feet From The <u>East</u> Section <u>19</u> Township <u>8S</u> Range <u>29E</u> NMPM Chavez Co | | |
| 10. Elevation (Show whether DF, RKB, RT, GR, etc.) | | |

| 11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data | | | |
|---|---|---|--------------------|
| NOTICE OF INTENTION TO: | | SUBSEQUENT REPORT OF: | |
| PERFORM REMEDIAL WORK <input type="checkbox"/> | PLUG AND ABANDON <input type="checkbox"/> | REMEDIAL WORK <input checked="" type="checkbox"/> | ALTERING CASING |
| TEMPORARILY ABANDON <input type="checkbox"/> | CHANGE PLANS <input type="checkbox"/> | COMMENCE DRILLING OPNS. <input type="checkbox"/> | PLUG AND ABANDONME |
| PULL OR ALTER CASING <input type="checkbox"/> | | CASING TEST AND CEMENT JOB <input type="checkbox"/> | |
| OTHER: <input type="checkbox"/> | | OTHER: <input type="checkbox"/> | |

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Between March 1, 1996 and September 30, 1997 the following remedial work was performed on the above named well:

1. Rods and tubing were pulled and laid down.
2. Fluid level was checked by using mechanical bailer.
3. Total Depth of well bore was checked by tagging bottom with Bailer.
4. Well bore was cleaned out to bottom of perforations by sand pump.
5. Well bore was bailed to check fluid fill level and oil cut.
6. Rods, tubing and pump run in, well spaced out, POP.
7. This well has now had the rods part four times. The rods have been changed out to 3/4" rods for the first 1,000 feet.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Gary Millspaugh TITLE President DATE 9-18-98
TYPE OR PRINT NAME Gary Millspaugh 530-772-1111 TELEPHONE NO.

(This space for State Use)

APPROVED BY Jim W. Gurn TITLE District Supervisor DATE 9-25-98

CONDITIONS OF APPROVAL, IF ANY: