

Submit 3 Copies To Appropriate District
Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 South First, Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
2040 South Pacheco, Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
2040 South Pacheco
Santa Fe, NM 87505

Form C-103
Revised March 25, 1999

WELL API NO.
30005-60597

5. Indicate Type of Lease
STATE ☐ FEE ☒

6. State Oil & Gas Lease No. ☒

7. Lease Name or Unit Agreement Name:
Twin Lakes San Andres Unit

7. Well No. 14

8. Pool name or Wildcat
Twin Lakes; San Andres (Assoc)

10. Elevation (Show whether DR, RKB, RT, GR, etc.)
3954.3 GR

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well
Oil Well ☒ Gas Well ☐ Other ☐ Injection ☐

2. Name of Operator
Concho Oil & Gas Corp.

3. Address of Operator
110 W. Louisiana Ste 410; Midland, Tx 79701

4. Well Location
Unit Letter N : 330 Feet from the South line and 1650 feet from the West line
Section 30 Township 8S Range 29E NMPM Chaves County

11. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

- PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
- TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
- PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐
- OTHER: ☐

SUBSEQUENT REPORT OF:

- REMEDIAL WORK ☐ ALTERING CASING ☐
- COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐
- CASING TEST AND CEMENT JOB ☐
- OTHER: ☐

12. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Concho Oil & Gas Corp. respectfully requests approval to plug and abandon the TLSAU #14 well according to the following procedure:

1. Notify NMOCD Artesia 24 hrs prior to commencement of procedure.
2. Set 150' cmt plug from 225-2845'. WOC. Tag.
3. Circ hole w/ mud. 2547
4. Cut csg @ 2020' & POOH.
5. Set 100' cmt plug @ 1970-2070'. WOC. Tag.
6. Set 100' cmt plug @ 1570-1670'. 1400' to 1500'
7. Set 100' cmt plug @ 890-990'.
8. Circ cmt from 170' to surface.
9. Cut off wellhead & install dry hole marker.



I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Terri Stathem TITLE Production Analyst DATE 9-28-01

Type or print name Terri Stathem Telephone No. 915/683-7443

(This space for State use)
APPROVED BY John Doe TITLE John Doe DATE 10-12-01

Conditions of approval, if any:

Well TWIN LAKES SM UNIT 11
Unit N Section 30 Township Range 29
API # 30-005-60597

- Salt gel mud consisting of 10# brine with 25# of gel per barrel must be placed between each plug
- Install Dry Hole Marker

* Notify OCD 24 hrs. prior to any work done

