

OIL CONSERVATION DIVISION

P. O. BOX 2088
SANTA FE, NEW MEXICO 87501

Form C-101
Revised 10-1-78

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	1
FILE	1
U.S.G.S.	
LAND OFFICE	
OPERATOR	1

MAY - 1 1980

O. C. D.

5a. Indicate Type of Lease	
State <input type="checkbox"/>	For <input checked="" type="checkbox"/>
5. State Oil & Gas Lease No.	

SUNDRY NOTICES AND REPORTS ON WELLS, OFFICE

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>	7. Unit Agreement Name
2. Name of Operator Union Oil Company of California	8. Farm or Lease Name O'Brien
3. Address of Operator P. O. Box 671 - Midland, Texas 79702	9. Well No. 1
4. Location of Well UNIT LETTER N 660 FEET FROM THE South LINE AND 1980 FEET FROM THE West LINE, SECTION 1 TOWNSHIP 8 South RANGE 28 East NMPM.	10. Field and Pool, or Wildcat Undesignated San Andres
15. Elevation (Show whether DF, RT, GR, etc.) 4058' GR.	12. County Chaves

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOBS <input type="checkbox"/>	OTHER Completion Progress <input checked="" type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

- 2- 8-80 - Perforated San Andres with 1 J.S.P.F. from 2,720' to 2,748' (29 holes).
- 2- 9-80 - Acidized with 350 gals. 15% HCl acid, swabbed and tested well.
- 2-12-80 - Acidized with 3,500 gals. 20% HCl acid, swabbed and tested.
- 2-15-80 - Perforated San Andres with 1 J.S.P.F. at intervals from 2,585' to 2,618', (29 holes).
- 2-16-80 - Acidized with 250 gals. 15% HCl acid.
- 2-18-80 - Acidized with 6,000 gals. 20% HCl acid.
- 2-19-80 to 4-19-80 - Testing and evaluating well.
- 4-21-80 - Sand-Water Fraced with 20,000 gals. gelled water, 24,000 lbs. sand, and 500 gals. 15% HCl acid.
- 4-22-80 - Put well to pumping. Testing and evaluating well.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED J.R. Hughes TITLE District Drilling Supt. DATE April 28, 1980

APPROVED BY W.A. Gussert TITLE SUPERVISOR, DISTRICT II DATE MAY - 5 1980

CONDITIONS OF APPROVAL, IF ANY: