

STATE OF NEW MEXICO  
ENERGY AND MINERALS DEPARTMENT

OIL CONSERVATION DIVISION

P. O. BOX 2088

SANTA FE, NEW MEXICO 87501

Form C-103  
Revised 10-1-78

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	<input checked="" type="checkbox"/>
FILE	<input checked="" type="checkbox"/>
U.S.G.S.	<input type="checkbox"/>
LAND OFFICE	<input type="checkbox"/>
OPERATOR	<input checked="" type="checkbox"/>

RECEIVED BY  
AUG -7 1986

5a. Indicate Type of Lease	
State <input checked="" type="checkbox"/>	Fee <input type="checkbox"/>
5. State Oil & Gas Lease No.	
LG 4898	

SUNDRIY NOTICES AND REPORTS ON WELLS  
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR REDEVELOP OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PROPOSAL" IN FORM C-103 FOR SUCH PROPOSALS.)

1. OIL <input type="checkbox"/> GAS <input type="checkbox"/> OTHER- P&A	7. Unit Agreement Name
2. Name of Operator Yates Petroleum Corporation	8. Farm or Lease Name Nine Mile LV State Com
3. Address of Operator 105 South 4th St., Artesia, NM 88210	9. Well No. 1
4. Location of Well UNIT LETTER I, 1650 FEET FROM THE South LINE AND 990 FEET FROM THE East LINE, SECTION 31 TOWNSHIP 14S RANGE 28E NMPM.	10. Field and Pool, or Wildcat Buffalo Valley Penn
15. Elevation (Show whether DF, RT, GR, etc.) 3544' GR	12. County Chaves

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data	
NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	CASING TEST AND CEMENT JOBS <input type="checkbox"/>
OTHER <input type="checkbox"/>	OTHER <input type="checkbox"/>
PLUG AND ABANDON <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
CHANGE PLANS <input type="checkbox"/>	PLUG AND ABANDONMENT <input checked="" type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Plugged well as follows:

Set 75 sx Cl H w/1% CaCl2 plug at 8460-7100'. Tagged plug at 7300'.  
Cut 4-1/2" casing at 6400' and pulled 6400'.  
Spotted 100' cement plug at 6400' (50' in and out). WOC 3 hrs. Tagged plug at 6290'.  
Set plugs as follows:  
6290-6250' w/35 sx Cl H w/3% CaCl2.  
5250-5150' w/35 sx Cl H Neat  
2930-2830' w/35 sx Cl H Neat  
1775-1675' w/35 sx Cl H Neat w/3% CaCl2. Tagged plug at 1670'.  
360-260' w/25 sx Class H Neat  
63'-Surface w/10 sx Class Neat

Installed regulation abandonment marker. Plugging witnessed by NMOCD.  
Plugging completed 8-5-86.

Post ID-2  
8-15-86  
P+A

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Joy Anita Zouillet TITLE Production Supervisor DATE 8/6/86

APPROVED BY Danell Moore TITLE Geologist DATE 4/9/87

CONDITIONS OF APPROVAL, IF ANY: