

NO. OF COPIES RECEIVED		
DISTRIBUTION		
SANTA FE	1	
FILE	1	✓
U.S.G.S.		
LAND OFFICE		
OPERATOR	1	

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

SUNDRY NOTICES AND REPORTS ON WELLS <small>(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)</small>		RECEIVED JUL 30 1980
1. OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER-		5a. Indicate Type of Lease State <input checked="" type="checkbox"/> Fee <input type="checkbox"/>
2. Name of Operator Yates Petroleum Corporation		5. State Oil & Gas Lease No. L-4606
3. Address of Operator 207 S. 4th, Artesia, NM 88210		8. Farm or Lease Name Sink Hole NR State Com
4. Location of Well UNIT LETTER G , 1980 FEET FROM THE North LINE AND 1980 FEET FROM THE East LINE, SECTION 8 TOWNSHIP 10S RANGE 26E NMPM.		9. Well No. 1
15. Elevation (Show whether DF, RT, GR, etc.) 3800 GL, 3811 KB		10. Field and Pool, or Wildcat Wildcat
12. County Chaves		

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/> TEMPORARILY ABANDON <input type="checkbox"/> PULL OR ALTER CASING <input type="checkbox"/> OTHER <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/> CHANGE PLANS <input type="checkbox"/> OTHER <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/> COMMENCE DRILLING OPNS. <input type="checkbox"/> CASING TEST AND CEMENT JOBS <input type="checkbox"/> OTHER <input checked="" type="checkbox"/> Perforate & Treat	ALTERING CASING <input type="checkbox"/> PLUG AND ABANDONMENT <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

WIH w/Steel Strip gun and perforated 4714-68' w/11 .50" holes as follows: 4714, 16, 17-1/2, 19, 21, 22-1/2, 25, 64, 65, 66 & 68. Acidized perforations 4764-68' w/1000 gallons 15% Spearhead acid and nitrogen w/RBP @4795' & packer @4745'. Recovered load & swabbed dry. No show of oil or gas. Acidized perforations 4714-25' w/1500 gallons 10% moroflo acid and nitrogen w/RBP @4748' and packer @4675'. Flowed well back & swabbed dry. No show of gas. WIH w/Steel Strip gun on wireline & perforated 4131-4679' w/20 .50" holes as follows: 4131, 32, 33, 34 & 35' (5 holes) 4441, 42, 47, 64 & 73' (5 holes) 4542-1/2, 59, 74 & 85' (6 holes) 4670, 73, 76 & 79 (4 holes). Treated perfs 4670-79' w/750 gallons moroflo and 1000 scf nitrogen/bbl w/RBP @4696' & packer @4665'. Swabbed dry - no show of gas. Treated perfs 4542-4585' w/1250 gallons 10% moroflo w/1000 scf nitrogen per bbl w/RBP @4665' and packer @4510'. Recovered load water and no gas. Treated perforations 4441-73' w/1000 gallons moroflo & nitrogen w/RBP @4480' and packer @4418'. Flowed well back & swabbed dry. Treated perfs 4131-35' w/2000 gallons 10% moroflo & nitrogen w/RBP @4144' and packer @4083'. Flowed well back and swabbed dry. No shows of oil or gas. Plan to plug and abandon well.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Albert R. Stahl TITLE Engineer DATE 7/29/80

APPROVED BY M. K. Williams TITLE OIL AND GAS INSPECTOR DATE JUL 31 1980

CONDITIONS OF APPROVAL, IF ANY: