

STATE OF NEW MEXICO
ENERGY AND MINERALS DEPARTMENT

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	1
FILE	1
U.S.G.S.	
LAND OFFICE	
OPERATOR	1

IL CONSERVATION DIVISION
P. O. BOX 20
SANTA FE, NEW MEXICO 87501

Form C-103
Revised 10-1-78

SEP 20 1982

O. C. D.

ARTESIA, OFFICE

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.
USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

5a. Indicate Type of Lease State <input type="checkbox"/> Fee <input checked="" type="checkbox"/>	
5. State Oil & Gas Lease No. N/A	
7. Unit Agreement Name N/A	
8. Farm or Lease Name Graves	
9. Well No. 1- 14	
10. Field and Pool, or Wildcat Railroad Mtn. (San Andres)	
12. County Chaves	

1. OIL <input type="checkbox"/> GAS <input checked="" type="checkbox"/> OTHER <input type="checkbox"/>	
2. Name of Operator Sidwell Oil & Gas, Inc.	
3. Address of Operator P.O. Box 2475 Pampa, TX 79065	
4. Location of Well UNIT LETTER <u>D</u> <u>990</u> FEET FROM THE <u>North</u> LINE AND <u>990</u> FEET FROM THE <u>West</u> LINE, SECTION <u>14</u> TOWNSHIP <u>8S</u> RANGE <u>28E</u> N.M.P.M.	
15. Elevation (Show whether DF, RT, GR, etc.) 4039.2' GR	

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input checked="" type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOBS <input type="checkbox"/>	OTHER <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Set CIBP @ 2590' (Perf. 2594'-2612') - Dump Bail 3 sxs. cement (35' cap)

Circulate 100' plug across cut-off top of production casing (est. @ 1625')
50' in casing - 50' in open hole (25 sxs) Tag top of plug.

Circulate 100' plug (35 sxs) across Queen (1420'-1520')

Circulate 100' plug (35 sxs) across Yates (880'-980')

Circulate 100' plug (35 sxs) 200'-300'. Tag top of plug.

Spot 50' (18 sxs) surface plug 0'-50'

Salt Gel Mud to be left between all plugs.

Steel marker set as specified in State rules.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Mike Rimmerhail TITLE Field Operations Manager DATE 9-10-82

APPROVED BY M. S. Walker TITLE OIL AND GAS INSPECTOR DATE SEP 28 1982

CONDITIONS OF APPROVAL, IF ANY:

Notify N.M.O.C.C. in sufficient time to witness