

WIRELINE
SERVICES

TRACER SURVEY

RECORDED

FILE NO. 108083 H

COMPANY MICHELLEAN OIL COMPANY

WELL "H" Federal #1

FIELD Wildcat

COUNTY Chaves

STATE NM

LOCATION 1980' FSL & 660' FWL

JOE NO.

SEC 5 TWP 9S RGE 26-E

PERMANENT DATUM Ground Level KB 5

LOG MEASURED FROM KB 5

DATE 10-9-80

TYPE LOG One

DEPTH-DRILLER 4808

DEPTH-LOGGER 4786

BOTTOM LOGGED INTERVAL 4785

TOP LOGGED INTERVAL 4550

TYPE FLUID IN HOLE Water

SALINITY PPM CL

DENSITY

LEVEL Full

MAX. REC. TEMP. DEG. F 2

OPERATING RIG TIME 2

RECORDED BY J. McClellan

WITNESSED BY

RUN

NO BIT FROM TO

SIZE 2 3/8

WGT 0

FROM 0

TO 4657

TD 10.5

PERCENT PER INTERVAL

10 20 30 40 50 60 70 80 90

BASE

TRACER

13%

29%


29%

21%

PERCENT OF INPUT

5 10 15 20 25 30 35 40 45 50 55 60 65 70 75 80 85 90 95

GAMMA RAY CORRELATION



4550 4600 4700 4785 4786

PERCENT PER INTERVAL

10 20 30 40 50 60 70 80 90

BASE

TRACER

13%

29%

29%

21%

4550 4600 4700 4785 4786

PERCENT OF INPUT

5 10 15 20 25 30 35 40 45 50 55 60 65 70 75 80 85 90 95

GAMMA RAY CORRELATION

4550 4600 4700 4785 4786

PERCENT PER INTERVAL

10 20 30 40 50 60 70 80 90

BASE

TRACER

13%

29%

29%

21%

4550 4600 4700 4785 4786

PERCENT OF INPUT

5 10 15 20 25 30 35 40 45 50 55 60 65 70 75 80 85 90 95

GAMMA RAY CORRELATION

4550 4600 4700 4785 4786

PERCENT PER INTERVAL

10 20 30 40 50 60 70 80 90

BASE

TRACER

13%

29%

29%

21%

4550 4600 4700 4785 4786

PERCENT OF INPUT

5 10 15 20 25 30 35 40 45 50 55 60 65 70 75 80 85 90 95

GAMMA RAY CORRELATION

4550 4600 4700 4785 4786

PERCENT PER INTERVAL

10 20 30 40 50 60 70 80 90

BASE

TRACER

13%

29%

29%

21%

4550 4600 4700 4785 4786

PERCENT OF INPUT

5 10 15 20 25 30 35 40 45 50 55 60 65 70 75 80 85 90 95

GAMMA RAY CORRELATION

4550 4600 4700 4785 4786

PERCENT PER INTERVAL

10 20 30 40 50 60 70 80 90

BASE

TRACER

13%

29%

29%

21%

4550 4600 4700 4785 4786

PERCENT OF INPUT

5 10 15 20 25 30 35 40 45 50 55 60 65 70 75 80 85 90 95

GAMMA RAY CORRELATION

4550 4600 4700 4785 4786

PERCENT PER INTERVAL

10 20 30 40 50 60 70 80 90

BASE

TRACER

13%

29%

29%

21%

4550 4600 4700 4785 4786

PERCENT OF INPUT

5 10 15 20 25 30 35 40 45 50 55 60 65 70 75 80 85 90 95

GAMMA RAY CORRELATION

4550 4600 4700 4785 4786

PERCENT PER INTERVAL

10 20 30 40 50 60 70 80 90

BASE

TRACER

13%

29%

29%

21%

4550 4600 4700 4785 4786

PERCENT OF INPUT

5 10 15 20 25 30 35 40 45 50 55 60 65 70 75 80 85 90 95

GAMMA RAY CORRELATION

4550 4600 4700 4785 4786

PERCENT PER INTERVAL

10 20 30 40 50 60 70 80 90

BASE

TRACER

13%

29%

29%

21%

4550 4600 4700 4785 4786

PERCENT OF INPUT

5 10 15 20 25 30 35 40 45 50 55 60 65 70 75 80 85 90 95

GAMMA RAY CORRELATION

4550 4600 4700 4785 4786

PERCENT PER INTERVAL

10 20 30 40 50 60 70 80 90

BASE

TRACER

13%

29%

29%

21%

4550 4600 4700 4785 4786

PERCENT OF INPUT

5 10 15 20 25 30 35 40 45 50 55 60 65 70 75 80 85 90 95

GAMMA RAY CORRELATION

4550 4600 4700 4785 4786

PERCENT PER INTERVAL

10 20 30 40 50 60 70 80 90

BASE

TRACER

13%

29%

29%

21%

4550 4600 4700 4785 4786

PERCENT OF INPUT

5 10 15 20 25 30 35 40 45 50 55 60 65 70 75 80 85 90 95

GAMMA RAY CORRELATION

4550 4600 4700 4785 4786

PERCENT PER INTERVAL

10 20 30 40 50 60 70 80 90

BASE

TRACER

13%

29%

29%

21%

4550 4600 4700 4785 4786

PERCENT OF INPUT

5 10 15 20 25 30 35 40 45 50 55 60 65 70 75 80 85 90 95

GAMMA RAY CORRELATION

4550 4600 4700 4785 4786

PERCENT PER INTERVAL

10 20 30 40 50 60 70 80 90

BASE

TRACER

13%

29%

29%

21%

4550 4600 4700 4785 4786

PERCENT OF INPUT

5 10 15 20 25 30 35 40 45 50 55 60 65 70 75 80 85 90 95

GAMMA RAY CORRELATION

4550 4600 4700 4785 4786

PERCENT PER INTERVAL

10 20 30 40 50 60 70 80 90

BASE

TRACER

13%

29%

29%

21%

4550 4600 4700 4785 4786

PERCENT OF INPUT

5 10 15 20 25 30 35 40 45 50 55 60 65 70 75 80 85 90 95

GAMMA RAY CORRELATION

4550 4600 4700 4785 4786

PERCENT PER INTERVAL

10 20 30 40 50 60 70 80 90

BASE

TRACER

13%

29%

29%

21%

4550 4600 4700 4785 4786

PERCENT OF INPUT

5 10 15 20 25 30 35 40 45 50 55 60 65 70 75 80 85 90 95

GAMMA RAY CORRELATION

4550 4600 4700 4785 4786

PERCENT PER INTERVAL

10 20 30 40 50 60 70 80 90

BASE

TRACER

13%

29%

29%

21%

4550 4600 4700 4785 4786

PERCENT OF INPUT

5 10 15 20 25 30 35 40 45 50 55 60 65 70 75 80 85 90 95

GAMMA RAY CORRELATION

4550 4600 4700 4785 4786

PERCENT PER INTERVAL

10 20 30 40 50 60 70 80 90

BASE

TRACER

13%

29%

29%

21%

4550 4600 4700 4785 4786

PERCENT OF INPUT

5 10 15 20 25 30 35 40 45 50 55 60 65 70 75 80 85 90 95

GAMMA RAY CORRELATION

4550 4600 4700 4785 4786

PERCENT PER INTERVAL

10 20 30 40 50 60 70 80 90

BASE

TRACER

13%

29%

29%

21%

4550 4600 4700 4785 4786

PERCENT OF INPUT

5 10 15 20 25 30 35 40 45 50 55 60 65 70 75 80 85 90 95

GAMMA RAY CORRELATION

4550 4600 4700 4785 4786

PERCENT PER INTERVAL

10 2