

STATE OF NEW MEXICO
ENERGY AND MINERALS DEPARTMENT

OIL CONSERVATION DIVISION

P. O. BOX 2088
SANTA FE, NEW MEXICO 87501

Form C-103
Revised 10-1-78

NO. OF COPIES RECEIVED	3
DISTRIBUTION	
SANTA FE	1
FILE	1
U.S.G.S.	
LAND OFFICE	
OPERATOR	1

C. C. D.
SANTA FE OFFICE

5a. Indicate Type of Lease	
State <input type="checkbox"/>	Fee <input checked="" type="checkbox"/>
5. State Oil & Gas Lease No.	

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.
USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. <input type="checkbox"/> OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER- Dry Hole		7. Unit Agreement Name
2. Name of Operator Coronado Exploration Corp. ✓		8. Farm or Lease Name Rox
3. Address of Operator 1005 Marquette NW Albuquerque, NM 87102		9. Well No. 1
4. Location of Well UNIT LETTER C 1980 FEET FROM THE West LINE AND 060 FEET FROM THE North LINE, SECTION 31 TOWNSHIP 10S RANGE 28E NMPM.		10. Field and Pool, or Wildcat Wildcat
15. Elevation (Show whether DF, RT, GR, etc.) 3711.8 Gr.		12. County Chaves

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input checked="" type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>	

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

We propose to plug the well as follows.

- 1st plug - 30 sx at 2280' to cover Slaughter. (Dowell Class C with 2% CaCl)
- 2nd plug - 35 sx from 1619'-1519' to cover San Andres. (Dowell Class C w/ 2% CaCl)
- 3rd plug - 35 sx from 1074-974' to cover Queen. (Dowell Class C w/ 2% CaCl)
- 4th plug - 35 sx from 387-287' (Dowell Class C w/ 4% CaCl)
- 5th plug - 10 sx at surface (Dowell Class C w/ 4% CaCl)

Spaces between plugs will be filled with mud spacer.

Location will be cleaned and pits leveled. You will be notified when pads are ready for inspection. Approximate date - October 31, 1980.

* Tag Plug @ 287'-387'

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Gail Gunness TITLE Production Secretary DATE October 22 1980

APPROVED BY Mike Williams TITLE OIL AND GAS INSPECTOR DATE OCT 29 1980

CONDITIONS OF APPROVAL, IF ANY: * As Noted Above Plugging