

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPlicate*
(Other instructions on reverse side)

Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

USA NM 29820

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different formation. Use "APPLICATION FOR PERMIT" for such proposals.)

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Knierim OE Federal Com

9. WELL NO.

2

10. FIELD AND POOL, OR WILDCAT

Unit M, Sec. 26-6S-24E

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

Unit M, Sec. 26-6S-24E

12. COUNTY OR PARISH

Chaves

13. STATE

NM

1. OIL WELL ☐ GAS WELL ☒ OTHER

DEC 3 1980

2. NAME OF OPERATOR

Yates Petroleum Corporation

O.C.D.

3. ADDRESS OF OPERATOR

207 South 4th St., Artesia, NM 88210

ARTESIA, OFFICE

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*

See also space 17 below.)

At surface

660' FSL & 660' FWL

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

3914.3' GR

16.

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF ☐

FRACTURE TREAT ☐

SHOOT OR ACIDIZE ☐

REPAIR WELL ☐

(Other) ☐

PULL OR ALTER CASING ☐

MULTIPLE COMPLETE ☐

ABANDON* ☐

CHANGE PLANS ☐

SUBSEQUENT REPORT OF:

WATER SHUT-OFF ☐

FRACTURE TREATMENT ☐

SHOOTING OR ACIDIZING ☐

(Other) Production casing ☒

REPAIRING WELL ☐

ALTERING CASING ☐

ABANDONMENT* ☐

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

TD 4050'; PBTD 4009' Ran 101 joints of 4-1/2" 9.5# J-55 8rd Range 3 casing set at 4012'. Diff-fill shoe at 4012'. Cemented w/25 sacks 75-25 Poz III, .3% D-65, .6% D-112 and 5# KCL, 381 sacks 50-50 Poz III, .3% D-65, .6% D-112, 5# KCL. PD 9:45 PM 11-12-80. WOC and tested to 1500 psi, OK.

U.S. GEOLOGICAL SURVEY
ROSWELL, NEW MEXICO

18. I hereby certify that the foregoing is true and correct

SIGNED

Albert R. Hall

TITLE

Engineer

DATE Nov. 20, 1980

(This space for Federal Agency Use Only)

ACCEPTED FOR RECORD
PETER W. CHESTER

APPROVED BY
CONDITIONS OF APPROVAL, IF ANY:

NOV 28 1980

TITLE

DATE

U.S. GEOLOGICAL SURVEY
ROSWELL, NEW MEXICO

*See Instructions on Reverse Side