- 5. LOCATION AND TYPE OF WATER SUPPLY.
 - A. It is planned to drill the proposed well with a fresh water system. The water will be obtained from the ranches and will be trucked to the location.
- 6. SOURCE OF CONSTRUCTION MATERIALS.
 - A. No construction material will be used.
- 7. METHODS OF HANDLING WASTE DISPOSAL.
 - A. Drill cuttings will be disposed of in the reserve pits.
 - B. Drilling fluids will be allowed to evaporate in the reserve pits until the pits are dry.
 - C. Water produced during operations will be collected in tanks until hauled to an approved disposal system, or separate disposal application will be submitted to the USGS for appropriate approval.
 - D. Oil produced during operation will be stored in tanks until sold.
 - E. Current laws and regulations pertaining to the disposal of human waste will be complied with.
 - F. Trash, waste paper, garbage and junk will be buried in a separate trash pit and covered with a minimum of 24 inches dirt. All waste material will be contained of prevent scattering by the wind.
 - G. All trash and debris will be buried or removed from the wellsite within 30 days after finishing drilling and/or completion operations.
- 8. ANCILLARY FACILITIES.
 - A. None required.
- 9. WELLSITE LAYOUT.
 - A. Exhibit C shows the relative location and dimensions of the well pad, the reserve pits, etc, is not included as it will be a rotary tool location 100'x100'.
 - B. The location surface is on a slope so cut and fill will be needed.
 - C. The reserve pit needed will be very small.
 - D. A 400' X 400' area and road has been staked and flagged.
- 10. PLANS FOR RESTORATION OF THE SURFACE.
 - A. After finishing drilling and/or completion operations, all equipment and other material not needed for further operations will be removed. The location will be cleaned of all trash and junk to leave the wellsite in as pleasing a condition as possible.
 - B. Unguarded pits, if any, containing fluids will be fenced until they have dried and leveled.