

NM OIL CONS. COMMISSION
Drawer DD
Artesia, N.M. 88210

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

RECEIVED BY

JUN 20 1984

O. C. D.

ARTESIA, OFFICE

Form Approved.
Budget Bureau No. 42-R1424

45F

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☐ gas ☐ other ☒ DRY

2. NAME OF OPERATOR
Mesa Petroleum Co. ✓

3. ADDRESS OF OPERATOR
P.O. Box 2009 / Amarillo, Texas 79189

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: 1980' FSL & 660' FEL
AT TOP PROD. INTERVAL:
AT TOTAL DEPTH:

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

TEST WATER SHUT-OFF ☐
FRACTURE TREAT ☐
SHOOT OR ACIDIZE ☐
REPAIR WELL ☐
PULL OR ALTER CASING ☐
MULTIPLE COMPLETE ☐
CHANGE ZONES ☐
ABANDON* ☐
(other) ☐

SUBSEQUENT REPORT OF:

☐
☐
☐
☐
☐
☐
☐
☒

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Commenced P&A procedures on 1-17-83 as follows:

Set CIBP at 3510' above ABO perfs at 3560'-3675'
Set 25 sx "C" from 3510' to 3410'
Set 25 sx "C" from 1760' to 1660' 1/2 in and out of 8 5/8" csg. shoe
Set 25 sx "C" from 920' to 820' 1/2 in and out of 13 5/8" csg. shoe
Set 25 sx "C" from 120' to surface
Installed Dry Hole Marker. Well is P&A 1-17-83.

Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED R. E. Marshall TITLE COORDINATOR DATE 1-19-83

APPROVED

(This space for Federal or State office use)

APPROVED BY: (Orig. Sgd.) PETER W. CHESTER TITLE _____ DATE _____
CONDITIONS OF APPROVAL IF ANY:

XC: MMS-R (0+6), CEN RCDS, ACCTG, PROD ENG (FILE), MIDLAND, ROSWELL

*See Instructions on Reverse Side

XC: BLM-R (0+6), Regulatory 2-16-84

R. E. Marshall