

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN DUPLICATE*

(See other instructions on reverse side)

Form approved.
Budget Bureau No. 42-R355.5.**WELL COMPLETION OR RECOMPLETION REPORT AND LOG ***1a. TYPE OF WELL: OIL WELL ☐ GAS WELL ☐ DRY ☒ Other _____

b. TYPE OF COMPLETION:

NEW WELL ☐ WORK OVER ☐ DEEP-EN ☐ PLUG BACK ☐ DIFF. RESVR. ☐ Other P&A

2. NAME OF OPERATOR

Mesa Petroleum Co.

3. ADDRESS OF OPERATOR

P. O. Box 2009 / Amarillo, Texas 79189

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)

At surface 1980' FNL & 660' FWL

At top prod. interval reported below

Same

At total depth Same

14. PERMIT NO.

DATE ISSUED

RECEIVED BY

OCT 21 1983

O. C. D. J
ARTESIA, OFFICE

5. LEASE DESIGNATION AND SERIAL NO.

NM-22615

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Camack Federal

9. WELL NO.

5

10. FIELD AND POOL, OR WILDCAT

Pecos Slope Abo

11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA

Sec. 10, T5S, R24E

12. COUNTY OR PARISH
Chaves

13. STATE

New Mexico

15. DATE SPURRED

3-31-81

16. DATE T.D. REACHED

4-4-81

17. DATE COMPL. (Ready to prod.)

P&A 9-27-83

18. ELEVATIONS (DF, RKB, RT, GR, ETC.)*

3965.7' GR

19. ELEV. CASINGHEAD

-

20. TOTAL DEPTH, MD & TVD

3950'

21. PLUG, BACK T.D., MD & TVD

Surface

22. IF MULTIPLE COMPL., HOW MANY*

23. INTERVALS DRILLED BY

ROTARY TOOLS

All

CABLE TOOLS

-

24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)*

P&A

25. WAS DIRECTIONAL SURVEY MADE

No

26. TYPE ELECTRIC AND OTHER LOGS RUN

CNDL

27. WAS WELL CORED

No

28. CASING RECORD (Report all strings set in well)

CASINO SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
13 3/8"	48	878'	17 1/2"	100/100/200	
8 5/8"	24	1714'	11"	900	
4 1/2"	10.5	3879'	7 7/8"	400/200	

29. LINER RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PICKER SET (MD)

31. PERFORATION RECORD (Interval, size and number)

3672'-3680'; 3689'-3693'; 3706'-3712';

total of 21 holes, 1 JSPF

CIBP set at 3750'.

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
3672'-3712'	A/2500 gal 7 1/2% HCl + Additives 40 BS
3672'-3712'	F/30,000 gal 2% gel KCl & CO2 + 10,000# 100 mesh sand + 50,000#

33. PRODUCTION

20-40 mesh sand

DATE FIRST PRODUCTION PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump) WELL STATUS (Producing or shut-in)

P&A

DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N. FOR TEST PERIOD	OIL—BBL.	GAS—MCF.	WATER—BBL.	GAS-OIL RATIO

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)

ACCEPTED FOR RECORD

TEST WITNESSED BY

35. LIST OF ATTACHMENTS

Record of Inclination

OCT 20 1983

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED

Laura Fox for R. E. Mathis

TITLE Regulatory Coordinator
ROS WELL NEW MEXICO

DATE 10-6-83

*(See Instructions and Spaces for Additional Data on Reverse Side)

INSTRUCTIONS

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 23, below regarding separate reports for separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 35.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments. **Items 22 and 24:** If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

Item 29: "Sacks Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

Item 33: Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

37. SUMMARY OF POROUS ZONES: SHOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THEREOF; CORED INTERVALS; AND ALL DRILL-STEM TESTS, INCLUDING DEPTH INTERVAL TESTED, CUSHION USED, TIME TOOL OPEN, FLOWING AND SHUT-IN PRESSURES, AND RECOVERIES				38. GEOLOGIC MARKERS		
FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	NAME	MEAS. DEPTH	TOP TRUE VERT. DEPTH
NOT LOGGED				San Andres Glorieta Tubb Abo	371' 1302' 2836' 3471'	

MESA PETROLEUM CO.
CAMACK FEDERAL #5
1980' FNL & 660' FWL, SEC. 10, T5S, R24E
CHAVES COUNTY, NEW MEXICO

RECORD OF INCLINATION

<u>DEPTH</u>	<u>DEVIATION</u>
340'	1/2°
880'	2°
1333'	2 1/4°
1716'	2°
2152'	2 1/4°
3079'	2°
3545'	2°

Randy Z. Nordsvén
RANDY Z. NORDSVEN, REGULATORY COORDINATOR

Subscribed and sworn to before me this 6th day of October, 1983.

Laura Foy
Notary Public in and for Potter Co., TX

Commission Expires: 8/22/87