N.M.O.C.D. OGPY

SUBMIT IN ' LICATE Form approved. Budget Bureau No. 42-B1425.

HNITED STATES

(Other instructions on

60931

		ED SINILS	rrnian	1010100		30-005-00101
c/5F	DEPARTMENT	OF THE IN	IERIOR			5. LEASE DESIGNATION AND SERIAL NO.
GEOLOGICAL SURVEY						NM 14754
APPLICATION	FOR PERMIT T	O DRILL, DE	EPEN, OR	PLUG B	ACK	6. IF INDIAN, ALLOTTEE OR TRIBE NAME
1a. TYPE OF WORK	<u>-i</u>					
	LL 🛛	DEEPEN 🗌	P	LUG BA	K 🗆	7. UNIT AGREEMENT NAME
b. TYPE OF WELL	vs ⊡		SINGLE X	MULTIP	ra 🗀	S. FARM OR LEASE NAME
WELL W 2. NAME OF OPERATOR	ELL X OTHER		ZONE 🔼	ZONE	لبا	FOREMAN FEDERAL MAR S 1 14
	ETROLEUM CO /					9. WELL NO.
	ETROLEUM CO. 🗸					2
3. ADDRESS OF OPERATOR		AND TEV	10 70707			10. EIELD AND POOL, OR WILDCAT
1000_V	<u> AUGHN BUILDING/</u>	MIDLAND, IEX	AS /9/01	handa #1		ARTEMA CARIC
At surface	eport location clearly and	in accordance with	any State require	nents.	• •	WILDCAI ABO
1980' FSL & 1980' FEL						11. SEC., T., R., M., OR BLE. AND SURVEY OR AREA
At proposed prod. zon	e		17	A1.00	ng s	ut. J
	SAME		<u> </u>			SEC 8, T6S, R25E
14. DISTANCE IN MILES	AND DIRECTION FROM NEAR	EST TOWN OR POST	OFFICE*			12. COUNTY OR PARISH 13. STATE
30 MIL	ES NORTH/NORTHE	AST OF ROSWE	LL	-		CHAVES NEW MEXICO
15. DISTANCE FROM PROPO LOCATION TO NEAREST	SED*		6. NO. OF ACRES	IN LEASE	17. NO. C	OF ACRES ASSIGNED HIS WELL
PROPERTY OR LEASE I (Also to nearest drig	.ine, ft.	980'	640	,	ε_1	160
18. DISTANCE FROM PROP	OSED LOCATION*	<u>_</u>	9. PROPOSED DEPT	H	20. RGTA	BY OR CABLE TOOLS
TO NEAREST WELL, D OR APPLIED FOR, ON TH		2640'	4350'			ROTARY
21. ELEVATIONS (Show who	ether DF, RT, GR, etc.)	<u>.</u>			<u></u>	22. APPROX. DATE WORK WILL START*
4059.	4' GR					MAY 2, 1981
23.	P	ROPOSED CASING	AND CEMENTI	NG PROGR.	м	
SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOO	T SETTIN	G DEPTH		QUANTITY OF CEMENT
17 1/2"	13 3/8"	48#		800'	CIRCUL	ATE TO SURFACE
11"	8 5/8"	24#	1	1600'	SUFFIC	CIENT TO ISOLATE WATER, O&G
7 7/8"	4 1/2"	10.5#		4350' SUFFI		CIENT TO COVER ALL PAY
	i		•		•	

Propose to drill 17 1/2" surface hole to 800' or deeper on air to set 13 3/8" surface casing. Will cement to surface then reduce hole to 11" to drill to 1600'. Will set 8 5/8" casing if water zones have been encountered or omit if not. Will reduce hole to 7 7/8" and drill to total depth on air, foam, or mud as required. After log evaluation, 4 1/2" casing may be run and cemented with sufficient amounts and kinds to isolate and seal off any fresh water, oil, or gas zones encountered.

Gas Sales Are Not Dedicated.

XC: USGS (6), TLS, CEN RCDS, ACCTG, HOBBS, MEC, LAND, PARTNERS, FILE
IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive sone and proposed new productive
sone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

signed	R. P. Martin au	TITLE	REGULATORY COORDINATOR	DATE FEBRUARY 24, 1981
(This space	or Federal PPROVED	IWASS	APPROVAL DATE	
APPROVED BY	MAR 2 7 1981	TITLE		DATE
•	JAMES A. GILLHAM DISTRICT SUPERVISOR	*Can Instruction	e On Royaga Sida	

MEXICO OIL CONSERVATION COMMIS. 1 WELL LOCATION AND ACREAGE DEDICATION PLAT

All distances must be from the outer boundaries of the Section.

Operator					Lease		-		Well No.
Mesa Petroleum Co.			Foreman Fed.				2		
Unit Letter	Secti	_	Township		Ronge	c c	County	Shawar Cour	n+v
J Actual Footage Loc	gtion	8 of Well:	6 S			5 E		Chaves Cour	icy
1980		_	outh :	line and	1980	,	leet from the	East	line
Ground Level Elev.		Producing Fo			P o ol		out nom the		Dedicated Acreage:
4059.4		AB0			UNDE:	SIGNATEE	No	<u> </u>	SE/4 160 Acres
1. Outline th	1. Outline the acreage dedicated to the subject well by colored pencil or hachure marks on the plat below.								
2. If more than one lease is dedicated to the well, outline each and identify the ownership thereof (both as to working interest and royalty).									
3. If more than one lease of different ownership is dedicated to the well, have the interests of all owners been consolidated by communitization, unitization, force-pooling, etc?									
Yes		No If a	nswer is "yes;"	type of	consolid	ation		<u> </u>	
If answer this form it			owners and tra	ct descr	iptions w	hich have	actually b	een consolida	sted. (Use reverse side of
			ed to the well u	ıntil all	interests	have been	consolida	ated (by com	nunitization, unitization,
forced-pool	ling,	or otherwise	or until a non-	standard	unit, elir	ninating s	uch interes	sts, has been	approved by the Commis-
								т	
		1			i				CERTIFICATION
					1			(barabu a	and the shape shape to discover a second
			NEYO		1			i 1	ertify that the information con- ein is true and complete to the
ł		t		1. 1	,			1 1	knowledge and Helief.
		1 /		ું/શું				200	M
		1 /	9 9	E)?				Nome	The state of the s
		+	1 5 B	- 5	 -			R. E. MA	THIS
		1 /		Z / 3				Position	
		1		ンッ				REGULATO	RY COORDINATOR
		1	Fe. pac					Company MESA PET	ROLEUM CO.
		1			57°			Date FEBRUARY	24, 1981
		<u> </u>			<u> </u>	<u>-</u>			-
		1		1	1	1 1	!		
		1						I hernby	certify that the well-location
		1	-		1			[]	this plat was plotted from field
		1		φ		-1980'		1 1	ictual surveys made by me or
		1		1	M E SI	4	_		supervision, and that the same and correct to the best of my
			_		1			1 1	and belief.
		+		J-	+				
		1		986	14754		_		
		1		Ī	1			Date Surveye	d
		1			1		-		2-11-81
		1	-		U S /	F	_	Registered Pomod/or Loand	rofessional Engineer Surveyor
		1				ļ I	ı —	la	by W What
	-	7			-			Contilicate N	DONN W. WEST 676 PATRICK A. ROMERO 6668
0 330 660	90 1	320 1680 191	0 2310 2640	2000	1 500	1000	80 0	V	Ronald J. Eidson 3239

APPLICATION FOR DRILLING

MESA PETROLEUM CO.
FOREMAN FEDERAL #2
1980' FSL & 1980' FEL, SEC 8, T6S, R25E
CHAVES COUNTY, NEW MEXICO

LEASE NO: NM 14754

In conjunction with Form 9-331C, Application For Permit to Drill subject well, the following additional information is provided:

- 1. Applicable portions of the GENERAL REQUIREMENTS FOR OIL AND GAS OPERATIONS ON FEDERAL LEASES, Roswell District, Geological Survey of September 1, 1980 will be adhered to.
- 2. Geological markers are estimated as follows:

SEVEN RIVERS	SURFACE
SAN ANDRES	730'
GLORIETTA	1480'
ABO	3610'
HUECO	4260'

- 3. Hydrocarbon bearing strata may occur in the Abo formation. No fresh water is expected to be encountered below 800'.
- 4. The Casing and Blowout Preventer Program will be determined by hole conditions as encountered. Anticipate drilling with air or foam using ram type preventer and rotating head for well control. The 13 3/8" casing will be set at approximately 800' to protect any fresh water zones and cemented to the surface. The 8 5/8" casing will be set at approximately 1600' if water zones have been encountered or omitted if not and ram type preventers installed. Sufficient amounts and kinds of cement would be used to ensure any water, gas, or oil zones encountered are isolated and shut off down to the casing point if run. The 4 1/2" production casing will be set at total depth or shallower depending upon the depth of the deepest commercial hydrocarbon bearing strata encountered.
- 5. No drill stem tests or coring program is planned. The logging program may consist of a GR-CNL from surface to total depth and FDC from casing point to total depth.
- 6. Anticipated drilling time is fifteen days with completion operations to follow as soon as a completion unit is available.

MULTI-POINT SURFACE USE AND OPERATION PLAN

MESA PETROLEUM CO. FOREMAN FEDERAL #2 1980' FSL & 1980' FEL, SEC 8, T6S, R25E CHAVES COUNTY, NEW MEXICO

LEASE NO: NM 14754



This plan is submitted with the Application for Permit to Drill the above described well. The purpose of this plan is to describe the location of the proposed well, the proposed construction activities and operational plan in both the actual and post drilling-completion operations.

1. Existing Roads

- A. Exhibit I is a portion of a highway map showing the location of the proposed well as staked. The proposed well is approximately 30 miles north/northeast of Roswell, New Mexico.
- B. Directions: Travel north of Roswell on US Highway 285 for approximately 24 miles (marker 139) then turn east 8 miles then turn southeast (at bend) for 1.3 miles then turn south on lease road to the location.

2. Planned Access Road

A. Length and width: The new access road will be 12' wide (16' ROW) and approximately 100' off the road approved on the APD for the Foreman Federal #1. (See USGS records for the Roswell area).

(See Exhibit II for details).

- B. Construction: The new road will be constructed by grading and topping with compacted caliche. The surface will be crowned, with drainage on both sides. (See Exhibit III).
- C. Culverts, Gates and Cattleguards: None
- D. Cut and Fill: In order for the location to be level, approximately one foot of cut from the north side will be moved to the south side for fill.

3. Location of Existing Wells

Existing wells within a one-mile radius are depicted by Exhibit IV.

4. Location of Existing and/or Proposed Facilities

If the well proves to be commercial, the necessary production facilities, gas separation-process equipment and tank battery, will be installed on the drilling pad.

5. Location and Type of Water Supply

It is planned to drill the proposed well with air. If water is needed, it will be obtained from commercial sources and will be trucked to the wellsite over the existing roads and the proposed access road shown on Exhibits I and II or piped in by temporary line from a nearby source.

6. Source of Construction Materials

Caliche for surfacing the road and the wellsite pad will be obtained by the dirt contractor from the Federal Government or private sources. Top soil from the location will be stockpiled near the location for future rehabilitation use. No surface materials will be disturbed except for those necessary for the actual grading and leveling of the drillsite and access road. Probable pit is located: NE/4, Sec 22, T5S, R24E, Chaves County, New Mexico.

7. Methods of Handling Waste Disposal

- A. Drill cuttings will be disposed of in the reserve pits.
- B. Drilling fluids will be allowed to evaporate in the reserve pits until the pits are dry.
- C. All pits will be fenced with normal fencing material to prevent livestock from entering the area.
- D. Water produced during operations will be collected in tanks until hauled to an approved disposal system, or separate disposal application will be submitted to the USGS for approval.
- E. Current laws and regulations pertaining to the disposal of human waste will be complied with.
- F. Trash, waste paper, garbage and junk will be buried in a separate trash pit and covered with a minimum of 24 inches of dirt. All waste material will be contained to prevent scattering by the wind.
- G. All trash and debris will be buried or removed from the wellsite within 30 days after finished and/or completion operations.

8. Ancillary Facilities: None required.

9. Wellsite Layout:

- A. Exhibit V shows the relative location and dimensions of the well pad, reserve pits, and major rig components. The pad and pit area has been staked and flagged.
- B. Some leveling of the wellsite will be required. See Exhibit III for additional details.
- C. The reserve pit will be plastic lined.

10. Plans for Restoration of the Surface:

- A. After completion of drilling and/or completion operations all equipment and other material not needed for operations will be removed. Pits will be filled and location cleaned of all trash and junk to leave the wellsite in an aesthetically pleasing a condition as possible.
- B. Any unguarded pits containing fluids will be fenced until they are filled.
- C. If the proposed well is non-productive, all rehabilitation and/or vegetation requirements of the Bureau of Land Management and the United States Geological Survey will be complied with and will be accomplished as expeditiously as possible. All pits will be filled and leveled within 90 days after abandonment, if drying conditions permit.

11. Other Information:

- A. Topography: The land surface in the vicinity of the wellsite is gently sloping to the south.
- B. Soil: The topsoil at the wellsite is sandy loam.
- C. Flora and Fauna: The vegetative cover consists of Tabosa and other prairie grasses, creosote bush, yucca, cactus, prairie flowers and other miscellaneous desert growth. Wildlife in the area probably includes those typical of semi-arid desert land. The area is used for grazing.
- D. Ponds and Streams: Five Mile Draw is approximately 2 miles to the south.
- E. Residences and Other Structures: There are no residences or other structures in the vicinity of the proposed well.
- F. Land Use: Grazing.
- G. Surface Ownership: The wellsite is on Federal surface.
- H. There is no evidence of any major archaeological, historical, or cultural sites in the area. NMAS, Inc. has conducted an archaeological study of this site and provides this report to interested parties.

12. Operator's Representatives:


A. The field representatives responsible for assuring compliance with the approved surface use and operations plan are as follows:


J. Wootten P. O. Box 1756 Hobbs, New Mexico 88240 (505-393-4425) - Office (505-393-6033) - Home C. C. Wheeler 1000 Vaughn Building Midland, Texas 79701 (915-683-5391) - Office (915-683-6123) - Home

13. Certification

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drillsite and access route; that I am familiar with the conditions which presently exist; that the statements made in this plan are, to the best of my knowledge true and correct; and, that the work associated with the operations proposed herein will be performed by Mesa Petroleum Co. and its contractors and subcontractors in conformity with this plan and the terms and conditions under which it is approved.

February 24, 1981	Muchael P. Wouston
Date	Michael P. Houston





RESERVE PIT (lined)

PETROLEUM CO.
PERMIAN BASIN DIVISION

EXHIBIT V

FOREMAN FEDERAL #2