

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEYSUBMIT IN TRIPPLICATE  
(Other instructions on re-  
verse side)Form approved  
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

NM-18821

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

North Haystack Federal

9. WELL NO.

2

10. FIELD AND POOL, OR WILDCAT

Wildcat Montoya

11. SEC., T., R., M., OR BLK. AND  
SURVEY OR AREA

Sec. 26-5S-26#

12. COUNTY OR PARISH 13. STATE

Chaves

NM

## SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals.)

RECEIVED

AUG 05 1981

O. C. D.

ARTESIA OFFICE

1. OIL WELL ☐ GAS WELL ☒ OTHER

2. NAME OF OPERATOR

Read &amp; Stevens, Inc.

3. ADDRESS OF OPERATOR

P.O. Box 1518, Roswell, NM 88201

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.\*  
See also space 17 below.)  
At surface

1980' FSL &amp; 1980' FWL

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, ST, GR, etc.)

3986.4'

## 16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

## NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETION

ABANDON\*

CHANGE PLANS

## SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING

ABANDONMENT\*

(NOTE: Report results of multiple completion on Well  
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

7-9-81 Perf 4622'-4631', 9', 18 holes, .34" diam; 4647'-4658', 11', 22 holes .34" diam. PU RTTS & RBP, TIH set BP @ 4691', test BP @ 2600psi, spot 2BBLs acid across perfs, PU set RTTS @ 4546', form. broke @ 500ps rate 3 BPM @ 1350psi, ISIP 600psi. Swb down, NS, acidize w/ 2000gal 7½% morrow flo acid w/ 61,000 SCF N<sub>2</sub> & 60-7/8" balls. Flowed 2½hrs on 24/64" ch.

7-14-81 Drld out CIBP @ 4880', CIBP @ 5120' & cmt rtnr & 40' cmt @ 6570'.

7-15-81 RU Welex, perf 6628'-6642', 14', 28 holes, .34" diam. TIH w/tbg, SN & Uni-six pkr, spot 2BBLs acid across perfs, PU & cmt pkr @ 6613', form. broke @ 2000psi, start acid, pumped 4BBLs into form, reverse out. communicated w/ annulus, move pkr down 8', test, communicated.

7-17-81 RU Welex, perf 6398'-6406', 8', 16 holes, .34" diam, TIH w/RTTS & RBP. Set RBP @ 6451', test @ 3000psi, spot 1 sx sand, 2BBLs acid across perfs, set RTTS @ 6276'. Acidize w/ 1000gal-15% NE acid w/ 25 ball-sealers, slight ball action, avg rate 2.5BPM, rec 15BBLs, 34 BLTR.

18. I hereby certify that the foregoing is true and correct

SIGNED

*Burr Stables*

TITLE Drilling &amp; Production Mgr DATE 7-17-81

(This space for Federal or State use only)

APPROVED BY

PETER W. CHESTER

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

JUL 29 1981

U.S. GEOLOGICAL SURVEY  
ROSWELL, NEW MEXICO

See Instructions on Reverse Side

