

UNITED STATES DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYSUBMIT IN TRIPLICATE
(Other instructions on reverse side)Form approved.
Budget Bureau No. 42-R1424.

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

RECEIVED

1. OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input checked="" type="checkbox"/> Dry hole	5. LEASE DESIGNATION AND SERIAL NO. NM-18821
2. NAME OF OPERATOR Read & Stevens, Inc. /	6. IF INDIAN, ALLOTTEE OR TRIBE NAME -
3. ADDRESS OF OPERATOR P.O. Box 1518, Roswell, NM 88201	7. UNIT AGREEMENT NAME -
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 1980' FSL & 1980' FWL	8. FARM OR LEASE NAME North Haystack Federal
14. PERMIT NO. -	9. WELL NO. 2
15. ELEVATIONS (Show whether DF, RT, GR, etc.) 3986.4'	10. FIELD AND POOL, OR WILDCAT Wildcat <i>Montezuma</i>
	11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec. 26-5S-26E
	12. COUNTY OR PARISH Chaves
	13. STATE NM

16.

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANS

X

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

After testing all possible producing zones and finding no commercial quantities of oil or gas, we intend to plug this well as follows:

6700'-6300'	35sx Class "H" cement.
5945'-5650'	25sx Class "H" cement.
5525'-5225'	25sx Class "H" cement.
5000'-4550'	35sx Class "H" cement.
2500'	Cut off casing w/ 100' plug (25sx) half in and half out of casing stub.
1453'	100' plug (25sx) half in and half out of surface casing shoe.
surface	10 sx plug w/ dry hole marker

RECEIVED
JUL 29 1981OIL & GAS
U.S. GEOLOGICAL SURVEY
ROSWELL, NEW MEXICO

18. I hereby certify that the foregoing is true and correct

SIGNED *Bruce A. Stables*TITLE *Drilling & Production Manager* DATE *7-27-81*

(This space for Federal or State use only)

APPROVED BY *Roger A. Chapman*
CONDITIONS OF APPROVAL, IF ANY:

AUG 4 1981

TITLE _____ DATE _____

for JAMES A. GILLHAM
DISTRICT SUPERVISOR

*See Instructions on Reverse Side

