

NM-18821

N. Haystack Federal

2

Wildcat

Sec 26-5S-26E

Chaves

NM

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER	RECEIVED
2. NAME OF OPERATOR	MAY - 8 1991
3. ADDRESS OF OPERATOR	O. C. D. ARTESIA, OFFICE
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface	
14. PERMIT NO.	15. ELEVATIONS (Show whether DF, RT, GR, etc.)
	3986.4 GR

1980' FSL & 1980' FWL

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF	<input type="checkbox"/>	PULL OR ALTER CASING	<input type="checkbox"/>
FRACTURE TREAT	<input type="checkbox"/>	MULTIPLE COMPLETE	<input type="checkbox"/>
SHOOT OR ACIDIZE	<input type="checkbox"/>	ABANDON*	<input type="checkbox"/>
REPAIR WELL	<input type="checkbox"/>	CHANGE PLANS	<input type="checkbox"/>
(Other)	<input type="checkbox"/>		<input type="checkbox"/>

SUBSEQUENT REPORT OF:

WATER SHUT-OFF	<input type="checkbox"/>	REPAIRING WELL	<input type="checkbox"/>
FRACTURE TREATMENT	<input type="checkbox"/>	ALTERING CASING	<input type="checkbox"/>
SHOOTING OR ACIDIZING	<input type="checkbox"/>	ABANDONMENT*	<input checked="" type="checkbox"/>
(Other)	<input type="checkbox"/>		<input type="checkbox"/>

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Set CIBP @6,600', capped w/60' cmt.
Set CIBP @ 4,600', spot 60' cmt on top.
Csg originally reported as 5 1/2" on Sundry Notice dated 6-14-90, should be 4 1/2" OD.
Cut csg @ 2,494' and pulled.
Set 35 sk plug @ 2,544 (50' in csg stub).
Tag cmt @ 2,429 (15' of plug) pump another 35 sk plug.
Tag plug @2,330 (114' of plug) POH to 1,603', pump 35 sk plug.
Tag plug @1,519, pump 40 sk plug.
Tag plug @1,364 (155' plug).
Cut off WH, set 10 sk surface plug, cmt to surf.
Set dry hole marker.
Well P & A 4-1-91.

RECEIVED
APR 15 7 59 AM '91
BUREAU OF LAND MGT
ROSWELL RESOURCE
AREA

ID-P&A
8-21-81

18. I hereby certify that the foregoing is true and correct

SIGNED

TITLE Petroleum Engineer

DATE 4-11-91

(This space for Federal or State office use)

APPROVED BY

TITLE

CONDITIONS OF APPROVAL, IF ANY:

APPROVED
BRYAN W. CHESTER

MAY 6 1991

*See Instructions on Reverse Side

BUREAU OF LAND MANAGEMENT
ROSWELL RESOURCE AREA