ABANDON*
(other) SPUD, 13 3/8" CSG & CEMENT

REQUEST FOR APPROVAL TO: TEST WATER SHUT-OFF FRACTURE TREAT SHOOT OR ACIDIZE REPAIR WELL

PULL OR ALTER CASING MULTIPLE COMPLETE **CHANGE ZONES**

Lower Called

UNITED STATES DEPARTMENT OF THE INTERIOR **GEOLOGICAL SURVEY**

Form 9-331 Dec. 1973	100 m	Y Bud	Form Approved. Budget Bureau No. 42–R1424	
UNITED STATES DEPARTMENT OF THE INTE	RIOR N	5. LEASE M 14986		
GEOLOGICAL SURVEY		6. IF INDIAN, ALLOTTEE OR TRIBE NAME		
SUNDRY NOTICES AND REPORT (Do not use this form for proposals to drill or to deepen o	S ON WELLS	7. UNIT AGREEMENT NAME AUG ()		
reservoir. Use Form 9–331–C for such proposals.)		B. FARM OR LEASE NA ESS FEDERAL	ме <u>О. С. D.</u>	
2. NAME OF OPERATOR	3	9. WELL NO.	ARTESIA, OFFICE	
MESA PETROLEUM CO. ✓ 3. ADDRESS OF OPERATOR	• ·	10. FIELD OR WILDCAT NAME UNDESIGNATED ABO		
1000 VAUGHN BUILDING/MIDLAND, TEXAS 79701 4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.) AT SURFACE: 660' FSL & 1980' FEL AT TOP PROD. INTERVAL: AT TOTAL DEPTH:		11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA SEC 1, T6S, R24E		
		2. COUNTY OR PARISI HAVES 4. API NO.	NEW MEXICO	
16. CHECK APPROPRIATE BOX TO INDICATE N REPORT, OR OTHER DATA	NATURE OF NOTICE,	15. ELEVATIONS (SHOW DF. KDB. AND WD)		

Report results of multiple completion or zone

Holchange on Form 9-330.)

4172.2' GR

OLOGICAL SURVEY

ROSWELL, NEW MEXICO 17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

SUBSEQUENT REPORT OF:

Spudded well with 17 1/2" hole on 7-23-81 and drilled to 893'. Ran 22 jts 13 3/8", 48#, H-40 casing set at 891'. Cemented with 500 sx HLW + 1# flocele + 4% CaCl, 200 sx Thixset + 4% CaCl, and tailed in with 200 sx "C" + 2% CaCl. PD at 1:30 AM 7-24-81. Circulated 80 sx. Reduced hole to 11" and drilled ahead on 7-24-81. WOC total of 18 1/2 hours.

NOTE: Hit fresh water at 326', estimated at 2 bb1/hour and increasing to 6 bb1/ hr at 783'. Cement job witnessed by J. Wade/USGS.

XC:	USGS (3), TLS, CEN RO	CDS, ACCTG, ROSW	ELL, MEC, LAND	, PARTNERS, FILE	
Subsurfa	ce Safety Valve: Manu. and Type			Set @	Ft.
	eby certify that the foregoing is true				
SIGNED .	R. ACCEPTED FOR RECORD	TITLE REGULATORY	COORDINATOR _	JULY 27, 1981	
	ROGER A. CHAPMAN (his space for Federal or St	ate office use)		
APPROVEC CONDITIO	NS OF APANOGAL. IFA 1661	TITLE	DATE _	· · · · · · · · · · · · · · · · · · ·	
	U.S. GEOLOGICAL SURVEY ROSWELL, NEW MEXICO	*See Instructions on Re	verse Side		