



Job separation sheet

		un ya			1	
					A SANT A TEN A	
			+41. 1+4			
				100 (100 100) 100 (100 100) 100 (100 100)		
				Programs Commission (Commission Commission Commission Commission Commission Commission Commission Commission Co Commission		
				Contraction (Contraction)		
,						
	* 1				n Jakar	
					•	

NM OIL CONS. COMMISSION

Drawn 35

Artesia, NM 88210

Form 9-331 Dec. 1973

Form /	Approved	i.		
Budget	t Bureau	No.	42-R	142

UNITED STATES	Sudget Bureau No. 42-R1424
DEPARTMENT OF THE INTERIOR	5. LEASE
GEOLOGICAL SURVEY	NM 36707
GEOLOGICAL SURVEY	6. IF INDIAN, ALLOTTEE OR TRIBE NAME
CHAIDDY MOTIOES AND DESCRIPTION	
SUNDRY NOTICES AND REPORTS ON WELLS	7. UNIT AGREEMENT NAME
(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)	<u></u>
	O. FARM OR LEASE NAME
1. oil gas well other	EDDLEMAN FEDERAL
2. NAME OF OPERATOR	9. WELL NO.
MESA PETROLEUM CO. ✓	1 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3
3. ADDRESS OF OPERATOR	10. FIELD OR WILDCAT NAME
	WILDCAT PENN
1000 VAUGHN BUILDING/MIDLAND, TEXAS 79701	11. SEC., T., R., M., OR BLK. AND SURVEY OR
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)	AREA
AT SURFACE: 660' FSL & 1980' FEL	SEC 8, T7S, R22E
AT TOP PROD. INTERVAL:	12. COUNTY OR PARISH 13. STATE
AT TOTAL DEPTH: SAME	CHAVES NEW MEXICO
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE,	14. API NO.
REPORT, OR OTHER DATA	
THE STATE OF THE S	15. ELEVATIONS (SHOW DF, KDB, AND WD)
REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF:	4459.4 GR
TEST WATER SHUT-OFF	
FRACTURE TREAT	Wall and the same of the same
SHOOT OR ACIDIZE	
REPAIR WELL	(NOTE Report results of multiple completion or zone
PULL OR ALTER CASING DEPARTMENT OF 14 1	1981 change on Form 9–330.)
CHANGE ZONES	· 이 선내는 이번 이번 이번 전 보기를 보고 있다.
ARANDON+	
	MENICO
17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state including estimated date of starting any proposed work. If well is directly state of starting any proposed work.	all pertinent details, and give pertinent dates.
including estimated date of starting any proposed work. If well is dir measured and true vertical depths for all markers and zones pertinent	rectionally drilled, give subsurface locations and
•	四世리 사고 무슨 무슨 사람
Commenced P&A Operations on 10-7-81 as follo	iwe.
Set 45 sxs "C" from 2822' to 2672'	
Set 35 sx "C" from 1638'to 1538'	1983 NUV 14 1983
Set 10 sx "C" from 100' to surface	그 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그
Installed Dry Hole Marker	हॅंडर् हैं। हैं . <mark>9. c. b</mark> .
	ARTESIA, OFFICE
Well Is Plugged & Abandoned 10-8-81.	
XC: USGS (6). TIS. CEN RODS ACCTS MEC LAND DE	1997年 -
	ARTNERS, ROSWELL, FILE
Subsurface Safety Valve: Manu. and Type	Set @ Ft.
18. I hereby certify that the foregoing is true and correct	
SIGNED REGULATORY COORDIN	NATOR <sub>ATE</sub> OCTOBER 9, 1981
(This space for Federal or State of The	
(Orig. Sgd.) PETER W. CHESTER	
APPROVED BY TITLE TITLE	DATE
NOV 1 0 1983	








Job separation sheet





Job separation sheet

						•
				14		
		- 1 - 47% - 1135 	- 1월 - 1월 - 1월 - 1월 - 1일 - 1일 - 1일 - 1일	사용시 - 홍기 - 기취() - 1015 - 1015 1015		
				tida Particología		
			1 (1) (1) (1) (1) (1) (1) (1) (1) (1) (1	*I** 1 * * *		
				*		
	*					•
•	•					
					<b>X</b> .	
		₹				
	÷					