

PHONE 505/393-3561 • P. O. BIOX 1161 • 611 W. SNYDER • HOBBS, NEW MEXICO 88240

ANALYSIS CERTIFICATE

GAL/

ADDRESS: BOX 787 (TTY: STATE: APTESIA NM 88212

MOLE

ANALYSIS NUMBER : 7242

DATE OF RUN : 34/26/82

DATE SECURED

:04/24/82

SAMPLE IDENT: STEVENS DIL-MITCHELL #1
SAMPLING PRESS: SAMPLING TEMP:

Aldina Nip

******** GAS ANALYSIS ******

	PERCEN	EL ROE	
ATTROSEN CARBON DIOXIDE METHANE ETHANE PROPANE 180-BUTANE NORMAL BUTANE 180-PENTANE NORMAL PENTANE HEXANES HEPTANES FLUS TOTAL	6.4 4.6 31.6 4.2 2.6 0.2 0.1 0.1 0.1	62 58 75 57 98 06 0. 0. 0. 0. 0. 0. 0. 0.	+55 297 1 59 364 370 388
PROPANE GPM: Ethane gom:	0.45 1.29	BUTANES GPM: PENTANES PLUS (0.26 SPM: 0.29
BPECIFIC BB44 (MOLE WEIGHTS	JALO):	2.6891 17.78	
공보하는 경기 (XCL) - 기기	PRESSURE (14.576 14.650 14.730 14.735	PSIA) WET 981 978 983 983	DRY 998 995 : 2 01 : 22 1

DEANE SIMPSON

ANALYZED BY: