

UNITED STATES DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

SUBMIT IN DUPLICATE  
NM OIL COMS. COMMISSION  
Artesia, NM 88210

Form approved.  
Budget Bureau No. 42-R355.5.

5. LEASE DESIGNATION AND SERIAL NO.

NM 32322

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Miller Federal

9. WELL NO.

1

10. FIELD AND POOL OR WILDCAT

West Pecos Slope

11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA

Sec 7- T6S-R23E

12. COUNTY OR PARISH

Chaves

13. STATE

New Mexico

WELL COMPLETION OR RECOMPLETION REPORT AND LOG \*

1a. TYPE OF WELL: OIL WELL ☐ GAS WELL ☒ DRY ☐ OTHER ☐

b. TYPE OF COMPLETION: NEW WELL ☒ WORK OVER ☐ DEEP-EN ☐ PLUG BACK ☐ DIFF. RESVR. ☐ OTHER ☐

2. NAME OF OPERATOR

Transwestern Gas Supply Co

3. ADDRESS OF OPERATOR

P.O. Box 2521; Houston, Texas 77252

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)

At surface 1980' FNL & 660' FEL

At top prod. interval reported below Same

At total depth Same

14. PERMIT NO.

DATE ISSUED

15. DATE, SPUDDED

12/15/82

16. DATE T.D. REACHED

12/20/82

17. DATE COMPL. (Ready to prod.)

1/23/83

18. ELEVATIONS (DF, REB, RT, GR, ETC.)\*

4186.72 GL

19. ELEV. CASINGHEAD

Same

20. TOTAL DEPTH, MD & TVD

3550'

21. PLUG, BACK T.D., MD & TVD

3170'

22. IF MULTIPLE COMPL., HOW MANY\*

23. INTERVALS DRILLED BY

ROTARY TOOLS

Rotary

CABLE TOOLS

24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)\*

2998-3102' (Abo)

25. WAS DIRECTIONAL SURVEY MADE

No

26. TYPE ELECTRIC AND OTHER LOGS RUN

DLL-RXO, CDL-CNL, CBL, Laser Log

27. WAS WELL CORED

No

28. CASING RECORD (Report all strings set in well)

| CASING SIZE | WEIGHT, LB./FT. | DEPTH SET (MD) | HOLE SIZE | CEMENTING RECORD           | AMOUNT PULLED |
|-------------|-----------------|----------------|-----------|----------------------------|---------------|
| 13 3/8      | 48              | 60             | 17 1/2    | grouted to surf            | None          |
| 7 5/8       | 26.40           | 1408           | 9 7/8     | 700 sx, tailed in w/150 sx | None          |
| 4 1/2       | 10.5            | 3319           | 6 3/4     | 595 sx                     | None          |

29. LINER RECORD

| SIZE | TOP (MD) | BOTTOM (MD) | SACKS CEMENT* | SCREEN (MD) | SIZE  | DEPTH SET (MD) | PACKER SET (MD) |
|------|----------|-------------|---------------|-------------|-------|----------------|-----------------|
|      |          |             |               |             | 2 3/8 | 2680           | None            |

31. PERFORATION RECORD (Interval, size and number)  
2998-99; 3000,01,02,03,04,05,06,07;3092,03,09;3100,01,02. 3 1/8" gun. 16 holes

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

| DEPTH INTERVAL (MD) | AMOUNT AND KIND OF MATERIAL USED              |
|---------------------|-----------------------------------------------|
| 2863-3110'          | 1848 bbls x-link gel;<br>162,000 # 12-20 sand |

33.\* PRODUCTION

| DATE FIRST PRODUCTION | PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump) | WELL STATUS (Producing or shut-in) |
|-----------------------|----------------------------------------------------------------------|------------------------------------|
| SI                    | Flowing                                                              | SI                                 |

| DATE OF TEST | HOURS TESTED | CHOKE SIZE | PROD'N. FOR TEST PERIOD | OIL—BBL. | GAS—MCF. | WATER—BBL. | GAS-OIL RATIO |
|--------------|--------------|------------|-------------------------|----------|----------|------------|---------------|
| 1/28/82      | 6            | 5.5/64     | →                       | 0        | 3.25     | 0          | N.A.          |

| FLOW. TUBING PRESS. | CASING PRESSURE | CALCULATED 24-HOUR RATE | OIL—BBL. | GAS—MCF. | WATER—BBL. | ACCOMPANYING DATA (CORR.) (ORIG. SGD.) |
|---------------------|-----------------|-------------------------|----------|----------|------------|----------------------------------------|
| 460                 | 570             | →                       | 0        |          |            | DAVID R. GLASS                         |

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)

Vented

35. LIST OF ATTACHMENTS

CAOF Graph, C-122 F, Sample Analysis, Analysis Certificate, Pressure Charts & Graph

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED *Ronnie Greenwinkler*

TITLE Product Engineer Asst

DATE 3/1/83

MINERALS MGMT. SERVICE

\*(See Instructions and Spaces for Reverse Side)

# INSTRUCTIONS

**General:** This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 35.

**Item 4:** If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

**Item 18:** Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments. **Items 22 and 24:** If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

**Item 29: "Sacks Cement":** Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

**Item 33:** Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

| 37. SUMMARY OF POROUS ZONES:<br>SHOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THEREOF; CORED INTERVALS; AND ALL DRILL-STEM TESTS, INCLUDING<br>DEPTH INTERVAL TESTED, CUSHION USED, TIME TOOL OPEN, FLOWING AND SHUT-IN PRESSURES, AND RECOVERIES |      |        |                                         | 38. GEOLOGIC MARKERS |             |                  |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|--------|-----------------------------------------|----------------------|-------------|------------------|
| FORMATION                                                                                                                                                                                                                                             | TOP  | BOTTOM | DESCRIPTION, CONTENTS, ETC.             | NAME                 | MEAS. DEPTH | TRUE VERT. DEPTH |
|                                                                                                                                                                                                                                                       | 0    | 1800   | Surface sands & clay                    | Tubb                 | 2384        |                  |
|                                                                                                                                                                                                                                                       | 1800 | 2000   | Silstone                                | Drinkard             | 2645        |                  |
|                                                                                                                                                                                                                                                       | 2000 | 2360   | Anhydrite & dolomite                    | Abo                  | 2936        |                  |
|                                                                                                                                                                                                                                                       | 2360 | 2760   | Anhydrite & silstone                    |                      |             |                  |
|                                                                                                                                                                                                                                                       | 2760 | 2830   | Salt                                    |                      |             |                  |
|                                                                                                                                                                                                                                                       | 2830 | 3220   | Anhydrite, dolomite, shale, & sandstone |                      |             |                  |
|                                                                                                                                                                                                                                                       | 3220 | 3550   | Shale                                   |                      |             |                  |