

RECEIVED BY

JAN 16 1985

O. C. D.

ARTESIA, OFFICE

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

SUNDARY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil well ☐ gas well ☒ other

2. NAME OF OPERATOR

Mercury Exploration Company ✓

3. ADDRESS OF OPERATOR

1619 Pennsylvania Ave., Fort Worth, Tex. 76104

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)

AT SURFACE: 990' FNL & 660' FWL

AT TOP PROD. INTERVAL: Section 21-65-23-E

AT TOTAL DEPTH: Same

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

TEST WATER SHUT-OFF ☐  
FRACTURE TREAT ☐  
SHOOT OR ACIDIZE ☐  
REPAIR WELL ☐  
PULL OR ALTER CASING ☐  
MULTIPLE COMPLETE ☐  
CHANGE ZONES ☐  
ABANDON\* ☐  
(other) ☐

SUBSEQUENT REPORT OF:

☐  
☒  
☐  
☐  
☐  
☐  
☐  
☐  
☐  
☐

Build surface facilities & lay pipe lines.

5. LEASE

NM 32324

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME  
M & M FEDERAL

9. WELL NO. 3

10. FIELD OR WILDCAT NAME

ABO: W. P. Carr Hope 11-1-84

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA  
21-65-23-E

12. COUNTY OR PARISH  
Chavis

13. STATE  
New Mexico

14. API NO.

15. ELEVATIONS (SHOW DF, KDB, AND WD)  
4117 GL 4125KB

(NOTE: Report results of multiple completion or zone change on Form 9-330)

DEC 26 1984

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

11-28-84: Set tanks & separation equipment for well on drilling location pad. Also set separate meter run, gas measuring equipment. Have installation ready, to tie in to Transwestern's 6" pipeline 2640' south. Transwestern is setting a Meter House approximately 100' southeast of meter 1731 on the 6" line which is parallel to a lease road already existing. We plan to run gas line as straight as possible to this Meter House from our #3 location using a 2" steel line buried 12" underground after doing an archeological survey. Will paint all equipment according to BLM rules.


Subsurface Safety Valve: Manu. and Type \_\_\_\_\_ Set @ \_\_\_\_\_ Ft.


18. I hereby certify that the foregoing is true and correct

SIGNED [Signature] TITLE Production Sup. DATE 12-18-84

(This space for Federal or State office use)

APPROVED BY S/Phil Kirk TITLE Area Manager DATE 1-15-85  
CONDITIONS OF APPROVAL, IF ANY:





Mapped, edited, and published by the Geological Survey

Control by USGS and USC&GS

Topography by photogrammetric methods from aerial photographs taken 1966. Field checked 1967

Polyconic projection. 1927 North American datum  
10,000-foot grid based on New Mexico coordinate system,  
east zone

1000-meter Universal Transverse Mercator grid ticks,  
zone 13, shown in blue


Fine red dashed lines indicate selected fence lines

#### ROAD CLASSIFICATION

Light-duty ————— Unimproved dirt - - - - -

MESA SW N. MEX.

N3345 W10437.5/7.5



UTM GRID AND 1967 MAGN.  
DECLINATION AT CENTER

