

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYNM OIL CONS. COMMISSION
Artesia, NM 88210Form approved.
Budget Bureau No. 42-R355.5.

5. LEASE DESIGNATION AND SERIAL NO.

NM 9982

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Teckla MD Federal

9. WELL NO.

4-Y

10. FIELD AND POOL, OR WILDCAT

Pecos Slope Abo

11. SEC., T., R., M., OR BLOCK AND SURVEY
OR AREA

Unit L, Sec. 13-T6S-R25E

12. COUNTY OR
PARISH

Chaves

13. STATE

NM

1a. TYPE OF WELL:

OIL
WELL ☐GAS
WELL ☒DRY ☐Other ☐

b. TYPE OF COMPLETION:

NEW
WELL ☒WORK
OVER ☐DEEP-
EN ☐PLUG
BACK ☐DIFF.
RESVR. ☐Other ☐

RECEIVED

MAR 21 1983

O.C.D.

ARTESIA, OFFICE

2. NAME OF OPERATOR

Yates Petroleum Corporation

3. ADDRESS OF OPERATOR

207 South 4th St., Artesia, NM 88210

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)

At surface 1980 FSL & 760 FWL, Sec. 13-T6S-R25E

At top prod. interval reported below

At total depth

14. PERMIT NO.

DATE ISSUED

15. DATE STUDDED

2-13-83

16. DATE T.D. REACHED

2-27-83

17. DATE COMPL. (Ready to prod.)

3-8-83

18. ELEVATIONS (DF, RKB, RT, GR, ETC.)*

3804' GR

19. ELEV. CASINGHEAD

20. TOTAL DEPTH, MD & TVD

4350'

21. PLUG, BACK T.D., MD & TVD

4269'

22. IF MULTIPLE COMPL.,
HOW MANY*23. INTERVALS
DRILLED BY

ROTARY TOOLS

CABLE TOOLS

0-4350'

24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)*

3727-3992' Abo

25. WAS DIRECTIONAL
SURVEY MADE

No

26. TYPE ELECTRIC AND OTHER LOGS RUN

CNL/FDC; DLL

27. WAS WELL CORED

No

28. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
10-3/4"	40.5#	900'	14-3/4"	700	
7"	20#	1560'	7-7/8"	1300	
4-1/2"	9.5#	4350'	6-1/4"	375	

Post ID-2
3-25-83
Camp & BK

29. LINER RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
					2-3/8"	3663'	3663'

31. PERFORATION RECORD (Interval, size and number)

3727-3992' w/16 .42" holes

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
3727-3992'	w/2000 g. 7 1/2% acid & ball sealers. SF w/40000g. gel KCL wtr, 70000# 20/40 sd.

33.* PRODUCTION

DATE FIRST PRODUCTION		PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump)				WELL STATUS (Producing or shut-in)	
3-8-83		Flowing				SIWOPLC	
DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N. FOR TEST PERIOD	OIL—BBL.	GAS—MCF.	WATER—BBL.	GAS-OIL RATIO
3-8-83	3	40/64"	→	-	316	-	-
FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL—BBL.	GAS—MCF.	WATER—BBL.	OIL GRAVITY-API (CORR.)	
240	PKR	→	-	2525	-	-	

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)

Vented - Will be sold

35. LIST OF ATTACHMENTS

Deviation Survey

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED

TITLE

MAR 10 1983 Supervisor

TEST WITNESSED FOR RECORD

Bill Hansen

(ORIG. SGD) DAVID R. GLASS

MAR 17 1983

MINERALS MANAGEMENT SERVICE
ROSWELL, NEW MEXICO

*(See Instructions and Spaces for Additional Data on Reverse Side)

MINERALS MGMT. SERVICE
ROSWELL, NEW MEXICO

INSTRUCTIONS

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on Items 22 and 24, and 33, below regarding separate reports for separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 33.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments.

Items 22 and 24: If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

Item 29: "Nicks Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

Item 33: Submit a separate completion report on this form for each interval to be separately produced. (See instruction for Items 22 and 24 above.)

37. SUMMARY OF POHOLS ZONES: SHOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THEREOF; COMED INTERVALS; AND ALL DRILL-STEM TESTS, INCLUDING DEPTH INTERVAL TESTED, CUSHION USED, TIME TOOL OPEN, FLOWING AND SHUT-IN PRESSURES, AND RECOVERIES				38. GEOLOGIC MARKERS		
FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	NAME	MEAS. DEPTH	TRUE VERT. DEPTH
				San Andres Glorieta Abo	538 1586 3673	

ARTESIA FISHING TOOL COMPANY

P.O. BOX 647 PHONE (505) 746-1111

ARTESIA, NEW MEXICO 88210

RECEIVED

MAR 15 1983

O. C. D.
ARTESIA, OFFICE

February 28, 1983

Yates Petroleum Corporation ✓
207 South Fourth Street
Artesia, NM 88210

Re: Tekla MD Federal #4-Y
1980' FSL & 760' FWL
Sec. 13, T6S, R25E
Chaves County, New Mexico

Gentlemen:

The following is a Deviation Survey for the above captioned well.

DEPTH	DEVIATION
500'	1/4°
950'	1/4°
1440'	1/4°
1972'	1/12°
2504'	1/4°
3000'	1/2°
3500'	1/2°
4000'	3/4°
4350'	3/4°

Very truly yours,



B. N. Muncy Jr.
Secretary

STATE OF NEW MEXICO
COUNTY OF EDDY

§
§

The foregoing was acknowledged before me this 28th day of February, 1983.

