

NM OIL CONS. COM. STATES
DEPARTMENT OF THE INTERIOR
Artesia, NM 88210
GEOLOGICAL SURVEY

SUBMIT IN DUPL E*

(See other in-
structions on
reverse side)Form approved.
Budget Bureau No. 42-R355.5.

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1a. TYPE OF WELL: OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> DRY <input type="checkbox"/> Other <input type="checkbox"/>		APR 15 1983		5. LEASE DESIGNATION AND SERIAL NO. NM 39127	
b. TYPE OF COMPLETION: NEW WELL <input checked="" type="checkbox"/> WORK OVER <input type="checkbox"/> DEEP-EN <input type="checkbox"/> PLUG BACK <input type="checkbox"/> DIFF. RESVR. <input type="checkbox"/> Other <input type="checkbox"/>		OIL & GAS MINERALS MGMT. SERVICE ROSWELL, NEW MEXICO		8. IF INDIAN, ALLOTTEE OR TRIBE NAME	
2. NAME OF OPERATOR Yates Petroleum Corporation		RECEIVED APR 21 1983 O. C. D. ARTESIA, OFFICE		7. UNIT AGREEMENT NAME	
3. ADDRESS OF OPERATOR 207 South 4th St., Artesia, NM 88210				8. FARM OR LEASE NAME Doris RI Federal	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)* At surface 660 FNL & 1980 FEL, Sec. 27-T5S-R25E At top prod. interval reported below At total depth		14. PERMIT NO. DATE ISSUED ARTESIA, OFFICE		9. WELL NO. 3	
15. DATE SPUEDD 3-15-83		16. DATE T.D. REACHED 3-23-83		10. FIELD AND POOL, OR WILDCAT Pecos Slope Abo	
17. DATE COMPL. (Ready to prod.) 4-9-83		18. ELEVATIONS (DF, RKB, RT, GR, ETC.)* 3689' JGR		11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA Unit B, Sec. 27-T5S-R25E	
19. ELEV. CASINGHEAD		20. TOTAL DEPTH, MD & TVD 4250'		12. COUNTY OR PARISH Chaves	
21. PLUG, BACK T.D., MD & TVD 4214'		22. IF MULTIPLE COMPL., HOW MANY*		13. STATE NM	
23. INTERVALS DRILLED BY 0-4250'		24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)* 3751-3898' Abo		25. WAS DIRECTIONAL SURVEY MADE No	
26. TYPE ELECTRIC AND OTHER LOGS RUN CNL/FDC; DLL		27. WAS WELL CORED No			
28. CASING RECORD (Report all strings set in well)					
CASING SIZE		WEIGHT, LB./FT.		DEPTH SET (MD)	
20"				50'	
10-3/4"		40.5#		930'	
4-1/2"		9.5#		4250'	
HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED	
14-3/4"		650		Post FD-2 4-29-83 Lump + AR	
7-7/8"		850			
29. LINER RECORD					
SIZE		TOP (MD)		BOTTOM (MD)	
SACKS CEMENT*		SCREEN (MD)			
30. TUBING RECORD					
SIZE		DEPTH SET (MD)		PACKER SET (MD)	
2-3/8"		3726'		3726'	
31. PERFORATION RECORD (Interval, size and number)					
3751-3898' w/20 .50" holes					
32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.					
DEPTH INTERVAL (MD)		AMOUNT AND KIND OF MATERIAL USED			
3751-3898'		w/1250 g. 7 1/2% acid + balls. SF			
		w/25000g. gel KCL wtr, 35000#			
		20/40 sd.			
33. PRODUCTION					
DATE FIRST PRODUCTION 4-6-83		PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump) Flowing			WELL STATUS (Producing or shut-in) SIWOPLC
DATE OF TEST 4-9-83		HOURS TESTED 6		CHOKE SIZE 3/16"	
PROD'N. FOR TEST PERIOD		OIL—BBL.		GAS—MCF.	
		-		44	
WATER—BBL.		GAS—MCF.		OIL GRAVITY-API (CORR.)	
-		175		-	
34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.) Vented - Will be sold					
35. LIST OF ATTACHMENTS Deviation Survey					
36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records					
SIGNED [Signature]		TITLE Production Supervisor		DATE 4-11-83	
ROSWELL, NEW MEXICO					

* (See Instructions and Spaces for Additional Data on Reverse Side)

INSTRUCTIONS

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 35.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.


Item 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments.

Items 22 and 24: If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

Item 29: "Sacks Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

Item 33: Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

37. SUMMARY OF POROSITY ZONES: SHOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THEREOF; CORRELATION INTERVALS; AND ALL DRILL-STEM TESTS, INCLUDING DEPTH INTERVAL TESTED, CUSHION USED, TIME TOOL OPEN, FLOWING AND SHUT-IN PRESSURES, AND RECOVERIES			38. GEOLOGIC MARKERS			
FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	NAME	MEAS. DEPTH	TOP FEET DEPTH
				San Andres Glorieta Abo	625 1638 3684	



L & M DRILLING, INC. - Oil Well Drilling Contractors

P. O. BOX 672

ARTESIA, NEW MEXICO 88210

RECEIVED

APR 15 1983

O. C. D.
ARTESIA, OFFICE

March 31, 1983

Yates Petroleum Corporation✓
207 South Fourth Street
Artesia, NM 88210

Re: Doris RI #3
660' FNL & 1980' FEL
Sec. 27, T5S, R25E
Chaves County, New Mexico

Gentlemen:

The following is a Deviation Survey for the above captioned well.

DEPTH	DEVIATION
526'	1/4°
930'	1/4°
1514'	1/4°
2013'	1/4°
2542'	1/4°
3075'	1/2°
3609'	1/2°
4250'	1/2°

Very truly yours,

B. N. Muncy Jr.
President

STATE OF NEW MEXICO
COUNTY OF EDDY

§
§

The foregoing was acknowledged before me this 31st day of March, 1983.

