

Submit 3 Copies To Appropriate District  
Office  
District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
811 South First, Artesia, NM 88210  
District III  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV  
2040 South Pacheco, Santa Fe, NM 87505

State of New Mexico  
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION  
2040 South Pacheco  
Santa Fe, NM 87505

Form C-103  
Revised March 25, 1999

158  
WELL API NO.  
30005-62069

5. Indicate Type of Lease  
STATE ☐ FEE ☒

6. State Oil & Gas Lease No. ☒

7. Lease Name or Unit Agreement Name:

Twin Lakes San Andres Unit

7. Well No.

64

8. Pool name or Wildcat

Twin Lakes; San Andres (Assoc)

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well ☒ Oil Well ☐ Gas Well ☐ Other ☐ Injection

2. Name of Operator  
Concho Oil & Gas Corp.

3. Address of Operator  
110 W. Louisiana Ste 410; Midland, Tx 79701

4. Well Location

Unit Letter E : 1650 Feet from the North line and 1190 feet from the West line

Section 1 Township 9S Range 28E NMPM Chaves County

10. Elevation (Show whether DR, RKB, RT, GR, etc.)  
3939.9 GR

11. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒

TEMPORARILY ABANDON ☐ CHANGE PLANS ☒

PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐

COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐

CASING TEST AND CEMENT JOB ☐

OTHER: ☐

12. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompilation.

**Concho Oil & Gas Corp. respectfully requests approval to plug and abandon the TLSAU #64 well according to the following procedure:**

1. Notify NMOCD Artesia 24 hrs prior to commencement of procedure.
2. Set CIBP @ ~~2040~~ w/ 35' cmt on top.
3. Circ hole w/ mud. 2501
4. Cut csg @ 1915' & POOH.
5. Set 100' cmt plug @ 1865-1965'. WOC. Tag.
6. Set 100' cmt plug @ 1450-1550'.
7. Set 100' cmt plug @ 800-900'.
8. Circ cmt from 220' to surface.
9. Cut off wellhead & install dry hole marker.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE [Signature] TITLE Production Analyst DATE 9-28-01

Type or print name Terri Stathem Telephone No. 915/683-7443

(This space for State use)

APPROVED BY [Signature] TITLE Field Rep ID DATE 10-10-01

Conditions of approval, if any:

RECEIVED  
OCD ARTESIA



Operator CONCRETE  
Well Twin Lakes SA Uni # 64  
Unit E Section 1 Township 1 Range 28  
API # 30-005-62069

- Salt gel mud consisting of 10# brine with 25# of gel per barrel must be placed between each plug
- Install Dry Hole Marker

\* Notify OCD 24 hrs. prior to any work done

