

NM OF NS. COMMISSION
Drawer DD
Artesia, NM 88210
UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or produce from a different reservoir. Use Form 9-331-C for such proposals.)

1. oil well ☒ gas well ☐ other ☐

2. NAME OF OPERATOR

DEPCO, INC. ✓

3. ADDRESS OF OPERATOR

800 Central, Odessa, Texas 79761

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.) I - 1980' FSL & 760 FSL, Sec 19, T5S

AT SURFACE:

R=25E

AT TOP PROD. INTERVAL:

AT TOTAL DEPTH:

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

SUBSEQUENT REPORT OF:

TEST WATER SHUT-OFF ☐

FRACTURE TREAT ☐

SHOOT OR ACIDIZE ☐

REPAIR WELL ☐

PULL OR ALTER CASING ☐

MULTIPLE COMPLETE ☐

CHANGE ZONES ☐

ABANDON* ☐

(other) Spud, Core, & Sat Csg.

5. LEASE

NM 36408

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Rone Federal

9. WELL NO.

14

10. FIELD OR WILDCAT NAME

Undesignated San Andres

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

Sec. 19, 5, 25

12. COUNTY OR PARISH

Chaves

13. STATE

New Mexico

14. API NO.

15. ELEVATIONS (SHOW DF, KDB, AND WD)

3841 CR

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

2-7-84: Spud @ 9:00 p.m. 2-7-84.

2-8-84: Drld 12 1/4" hole to 926'. Ran 22 jts. 8 5/8" 24# J-55 csg. set @ 925'. Cmtd w/350 sxs Lite w/2% CaCl & 1/4# Flocele p/sx, followed w/200 sxs Class "C" w/2% CaCl. Circ 50 sxs. WOC. Tested csg & BOP to 1000# for 30 min. Tested OK.

2-10-84: Drld 7 7/8" hole to 1014'. Core from 1014' -1042'. Drlg 7 7/8" hole to 1225'. Core from 1225'-1280'. Drld 7 7/8" hole to 1350' TD.

2-11-84: Ran 34 jts. 10.50# J-55 csg. Set @ 1349'. Cmtd w/250 sxs Class "C" w/50-50 Pozmlx, 2% CaCl, .3 of 1% Halid 4, .3 of 1% CFR-2. Circ 5 sxs. Plug down @ 8:45 a.m. 12-12-84. Released rig @ 9:00 a.m. 2-12-84.

Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED R. L. Denney R. L. Denney TITLE Chief Clerk DATE 2-17-84

ACCEPTED FOR PECC (This space for Federal or State office use)

APPROVED BY PETER W. CHISTER TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:

MAY 8 1984

Drawn

Artesia, NM 88210

UNITED STATES

DEPARTMENT OF THE INTERIOR

GEOLOGICAL SURVEY

RECEIVED BY

FEB 08 1984

O. C. D.

ARTESIA OFFICE

Form Approved.
Budget Bureau No. 42-R1424

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☒ well gas ☐ well other ☐
2. NAME OF OPERATOR
DEPCO, Inc.
3. ADDRESS OF OPERATOR
800 Central, Odessa, TX 79761
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
T-1980 FSL & 760 FSL, Sec 19, T5S, R25E
AT SURFACE:
AT TOP PROD. INTERVAL:
AT TOTAL DEPTH:

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF:

- | | | |
|--|--------------------------|--------------------------|
| TEST WATER SHUT-OFF | ☐ | ☐ |
| FRACTURE TREAT | ☐ | ☐ |
| SHOOT OR ACIDIZE | ☐ | ☐ |
| REPAIR WELL | ☐ | ☐ |
| PULL OR ALTER CASING | ☐ | ☐ |
| MULTIPLE COMPLETE | ☐ | ☐ |
| CHANGE ZONES | ☐ | ☐ |
| ABANDON* | ☐ | ☐ |
| (other) Change size of surface hole | | |

5. LEASE
NM 36408
6. IF INDIAN, ALLOTTEE OR TRIBE NAME
7. UNIT AGREEMENT NAME
8. FARM OR LEASE NAME
Rose Federal
9. WELL NO.
14
10. FIELD OR WILDCAT NAME
Undesignated San Andres
11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
Sec 19, 5, 25
12. COUNTY OR PARISH
Chaves
13. STATE
New Mexico
14. API NO.
15. ELEVATIONS (SHOW DF, KDB, AND WD)
3841 GR

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

We plan to change the size of the surface hole drilled from 11" to 12 1/4".

Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED R.L. Deane **R.L. Deane** TITLE **Chief Clerk** DATE **1-31-84**

(This space for Federal or State office use)

ACCEPTED FOR RECORD

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:

FEB 7 1984

Instructions

General: This form is designed for submitting proposals to perform certain well operations, and reports of such operations when completed, as indicated, on Federal and Indian lands pursuant to applicable Federal law and regulations, and, if approved or accepted by any State, on all lands in such State, pursuant to applicable State law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 17: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by local Federal and/or State offices. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones, or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to top of any left in the hole; method of closing top of well; and date well site conditioned for final inspection looking to approval of the abandonment.

