

NEW MEXICO OIL CONSERVATION COMMISSION  
DRAWER DD  
ARTESIA, NEW MEXICO

FIELD REPORT FOR CEMENTING OF WELLS

Operator <u>YPC</u>		Lease <u>RIVER BRIDGE UX ST.</u>		Well # <u>2</u>	
Location of Well	Unit <u>L</u>	Section <u>2</u>	Township <u>9</u>	Range <u>25</u>	County <u>CHAVES</u>
Drilling Contractor	<u>N/A</u>		Type of Equipment <u>ROT.</u>		

**\* WITNESS**

Size of Hole	Size of Casing	Weight Per Foot	New or Used	Depth	Sacks Cemen
<u>* 14 3/4</u>	<u>10 3/4</u>	<u>40.5 #</u>	<u>NEW</u>	<u>850</u>	<u>Circ</u>
<u>7 7/8</u>	<u>4 1/2</u>	<u>9.5 #</u>	<u>"</u>	<u>TD</u>	<u>350 Sx</u>

Casing Data:

Surface 24 joints of 10 3/4 inch 40.5 # Grade J-55  
Yes (Approved) (Rejected)

Inspected by BW Weaver date 2-1-84

Cementing Program

Size of hole 14 3/4 Size of Casing 10 3/4 Sacks cement required  

Type of Shoe used Tex-Rot Float collar used Insert Btm 3 jts welded yes

TD of hole 850 Set 854 Feet of 10 3/4 Inch 40.5 # Grade J-55

New-~~used~~ csg. @ 854 with 300 sacks neat cement around shoe  
+ 400 sax Pace Setter lite additives 3% CC

Plug down @ 5:15 (AM) (PM) Date 2-2-84

Cement circulated yes No. of Sacks 25

Cemented by Western Witnessed by BW Weaver

Temp. Survey ran @   (AM) (PM) Date   top cement @  

Casing test @   (AM) (PM) Date  

Method Used   Witnessed by  

Checked for shut off @   (AM) (PM) Date  

Method used   Witnessed by  

Remarks: Last Drilling Break @ 647