NM OIL CONS. COMMTTSION

UNITED STATES Artesia, NM 88/310 DEARRISMESSAT OF THE INTERIOR

reverse side)

V.I.F.	form approved.	
_	Budget Bureau No. 42-R	355.5.
other in-		
tions on		

S. FARM OR LEASE NAME

LEASE	DESIGNATION	AND	SERIAL	NO
	7			
3.7	V 1/00			

1	$\alpha \in \mathbb{R}$	_		NM 14904
WELL CONIP	LETIANIONER	ECOMPLETION	REPORT AND LOG*	6. IF INDIAN, ALLOTTEE OR TRIBE NAME
TYPE OF WELL.		GAS WELL DRY	Other	7. UNIT AGREEMENT NAME
TYPE OF COMPLET	MON:		E LAND 4	

18. 1112 01	WELL	WELL Z	DRY	Other
b. TYPE OF COMPLETION: NEW WORK OVER OVER	DEEP-	PLUG BACK	DIFF. RESYR.	SINE COLH
2. NAME OF OPERATOR				8 0-1-11-11-17-8×
Yates Petroleum	Corpora	tion	2 S	
3. ADDRESS OF OPERATOR				3

207 South 4th St., Artesia, NM 88210 4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)

660 FNL & 1980 FWL, Sec. 34-T5S-R24E

At top prod. interval reported below

At total depth

Monaghan OY Federal 9. WELL NO. 11

> 10. FIELD AND POOL, OR WILDCAT Pecos Slope Abo

11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA

Unit C. Sec. 34-T5S-R24E

			14	, PERMIT NO.	DATE ISSUED	12. COUNTY O	OR 13. STATE
						Chaves	NM
15. DATE SPUDDED	16. DA	TE T.D. REACHED	17. DATE COM	PL. (Ready to prod.)	18. ELEVATIONS (DF	, REB, RT, GR, ETC.)*	19. ELEV. CASINGHEAD
3-21-84		3-29-84	4-7-	84	4020.	1' GR	
20. TOTAL DEPTH, MD	& TVD	21. PLUG, BACK T	.D., MD & TVD	22. IF MULTIPLE CO		RVALS ROTARY TOOL	LS CABLE TOOLS
4350'		4299 '				→ 0-4350'	
24. PRODUCING INTER	RVAL(S).	OF THIS COMPLET	TON-TOP, BOTT	TOM, NAME (MD AND	(VD) *		25. WAS DIRECTIONAL

3680½-3816' Abo

SURVEY MADE

26. TYPE ELECTRIC AND OTHER LOGS RUN CNL/FDC; DLL 27. WAS WELL CORED No

No

28.		CASING RECO	RD (Report all strings	s set in well)	
CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
10-3/4"	40.5#	1000'	14-3/4"	700	
4-1/2"	9.5#	4350	7-7/8"	900	

29.		LINER RECORD)		30.	TUBING RECORD	
SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
					2-3/8"	3660'	3660'
		1					

31. PERFORATION RECOED (Interval, size and number) 3680½-3816' w/14 .42" Holes

ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC. DEPTH INTERVAL (MD) AMOUNT AND KIND OF MATERIAL USED 3680¹5-3816' $v/2000 \text{ g. } 7\frac{1}{2}\% \text{ acid + ball}$ SF w/40000g. gel sealers. KCL wtr, 70000# 20/40 sd.

						 	
33.*			PRO	DUCTION			
date first product 4-7-84	PRODUC		owing, gas lift, powing	oumping—size and t	type of pump)	shu	STATUS (Producing or st-in)
4-7-84	HOURS TESTED	1/2"	PROD'N. FOR TEST PERIOD	OIL—BBL.	GAS—MCF. 440	WATER—BBI	· · · · · · · · · · · · · · · · · · ·
FLOW. TUBING PRESS.	Pkr	CALCULATED 24-HOUR RATE	OIL—BBL.	GAS—MCF. 3525	WATER	—BBL.	OIL GRAVITY-API (CORR.)
34. DISPOSITION OF G	Vented - Wi			ACCEPTED TO	POR RECORD	Bill H	
35 LIST OF ATTACH	Deviation S	_		APR 1	1 1984		
36. I hereby certify	that the foregoing	<u> </u>	•	•		. 1	records 4-9-84

INSTRUCTIONS

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any nevessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions. If not filled prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments

should be listed on this form, see item 35.

14cm 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments. Items 22 and 24: If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

Item 29: "Sacks Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

Hem 33: Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

37. SUMMARY OF POROUS ZONES: SHOW ALL IMPORTANT ZONES OF DEETH INTERVAL TESTED, CUSH	HION USED, TIME TOOL OF:	IMARY OF POROUS ZONES; SOLUTION CUSTY AND CONTENTS THEREOF; CORED INTERVALS; AND ALL DRILL-STEM TESTS, INCLUDING DEPTH INTERVALS; AND ALL DRILL-STEM TESTS, INCLUDING DEPTH INTERVALS; AND RECOVERIES	38. GEOL	GEOLOGIC MARKERS
FORMATION TOP	MOTTOM	DESCRIPTION, CONTENTS, ETC.		чог
			NAME	MEAS, DEPTH TRUE VERT, DEPTH
			San Andres	560
			Glorieta	1570
			Fullerton	2990
	_		Abo	3623