

Submit 3 Copies To Appropriate District Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 South First, Artesia, NM 87210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION

1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-103
Revised March 25, 1999

WELL API NO. 30-005-62154

5. Indicate Type of Lease
STATE ☐ FEE ☐

6. State Oil & Gas Lease No.
NM 18489

7. Lease Name or Unit Agreement Name:
Isler Pennzoil Federal

8. Well No. 3

9. Pool name or Wildcat
Pecos Slope - Abo

10. Elevation (Show whether DR, RKB, RT, GR, etc.)
GR 3696'

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:
Oil Well ☐ Gas Well ☒ Other

2. Name of Operator
Petroleum Development Corporation

3. Address of Operator
4113 Eubank NE, Suite 400, Albuquerque, NM 87111

4. Well Location
Unit Letter E : 1980 feet from the north line and 660 feet from the west line
Section 3 Township 7S Range 26E NMPM County Chaves

11. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐

TEMPORARILY ABANDON ☐ CHANGE PLANS ☐

PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐

COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☒

CASING TEST AND CEMENT JOB ☐

OTHER: ☐

12. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

- 2/20/02 MIRUPU, ND wellhead, NU BOP
- Set CIBP @ 4338', bailed 35' cement on top of CIBP, tagged cement @ 4300'
- Circulated casing w/9# mud
- Perforated @ 2765', 2 JSPF, set RTTS pkr @ 2715' and pumped 30 sks "C" + 2% CaCl2
- TOOH, set tubing @ 900', pumped 10 sks "C" + 2% CaCl2
- TOOH, ND BOP, TIH w/2 jts 2 3/8" tubing and pump 10 sks "C" + 2% CaCl2 surface plug
- Install dry hole marker

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Mark Young TITLE Production Manager DATE 2/25/02

Type or print name Mark Young Telephone No. 505-293-4044
(This space for State use)

APPROVED BY [Signature] TITLE Field Rep DATE MAR 21 2002
Conditions of approval, if any: