-	U/& M
	IS. COMMISSIOF
Form 9-331 Drawer DD	Form Approved. Budget Bureau No. 42–R1424
Dec. 1973 Artesia, I UNITED STATES	
	5. LEASE NM-13978
DEPARTMENT OF THE INTERIOR	
GEOLOGICAL SURVEY	6. IF INDIAN, ALLOTTEE OR TRIBE NAME
	S 7. UNIT AGREEMENT NAME RECEIVED BY
SUNDRY NOTICES AND REPORTS ON WELL	
(Do not use this form for proposals to drill or to deepen or plug back to a di reservoir. Use Form 9-331-C for such proposals.)	
	Leenan Fed.
1. oil well gas well other	9. WELLINO. O. C. D.
2. NAME OF OPERATOR McClellan Oil Corporation	10. FIELD OR WILDCAT NAME
3. ADDRESS OF OPERATOR	Pecos Slope Abo
P.O. Drawer 730, Roswell, NM 88201	11. SEC., T., R., M., OR BLK. AND SURVEY OR
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See span	
below)	Sec. 12-T9S-R25E
AT SURFACE: 1650' FSL & 1980' FWL	12. COUNTY OR PARISH 13. STATE
AT TOP PROD. INTERVAL:	Chaves NM
AT TOTAL DEPTH:	14. API NO.
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NO	ITICE,
REPORT, OR OTHER DATA	15. ELEVATIONS (SHOW DF, KDB, AND WD)
	3664' G.L.
REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT O)F:
TEST WATER SHUT-OFF	
FRACTURE TREAT	
REPAIR WELL	(NOTE: Report results of multiple completion or zone
PULL OR ALTER CASING	change on Form 9–330.)
CHANGE ZONES	
(other) Cement & Casing	

- 17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*
 - 6/7/84: TD well at 4505'. Ran Dresser's CNL, LDT, DLL logs.

,

Layed down pipe. Ran 107 joints of $4-\frac{1}{2}$ ", 10.5# casing. Cemented with Western using 375 sx 50/50 poz "C" with additives. Plug down at 2:30. Released rig. 6/8/84:

Subsurface Safety Valve: Manu. and Type	Set @	Ft.
18. I hereby certify that the foregoing is true and correct		
SIGNED 212 TATA 2000 TITLE Production Engineerte	6/8/84	
PETER W. CHESTER his space for Federal or State office use)		
APPROVED BY CONDITIONS OF APPROVALUE ATY2 1984		<u> </u>
See Instructions on Reverse Side		