

# INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, Items 30 through 34 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

## INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

### Southeastern New Mexico

T. Anhy \_\_\_\_\_ T. Canyon 6604  
T. Salt \_\_\_\_\_ T. Strawn \_\_\_\_\_  
T. Salt \_\_\_\_\_ T. Atoka \_\_\_\_\_  
T. Yates \_\_\_\_\_ T. Miss \_\_\_\_\_  
T. 7 Rivers \_\_\_\_\_ T. Devonian \_\_\_\_\_  
T. Queen \_\_\_\_\_ T. Silurian \_\_\_\_\_  
T. Grayburg \_\_\_\_\_ T. Montoya \_\_\_\_\_  
T. San Andres 2052 T. Simpson \_\_\_\_\_  
T. Glorieta 3296 T. McKee \_\_\_\_\_  
T. Paddock \_\_\_\_\_ T. Ellenburger \_\_\_\_\_  
T. Blinbry \_\_\_\_\_ T. Gr. Wash \_\_\_\_\_  
T. Tubb 4708 T. Granite \_\_\_\_\_  
T. Drinkard \_\_\_\_\_ T. Delaware Sand \_\_\_\_\_  
T. Abo 5413 T. Bone Springs \_\_\_\_\_  
T. Wolfcamp 6174 T. Permo-Penn 6770  
T. Penn. \_\_\_\_\_ T. Fusselman 6849  
T. Cisco (Bough C) \_\_\_\_\_ T. \_\_\_\_\_

### Northwestern New Mexico

T. Ojo Alamo \_\_\_\_\_ T. Penn. "B" \_\_\_\_\_  
T. Kirtland-Fruitland \_\_\_\_\_ T. Penn. "C" \_\_\_\_\_  
T. Pictured Cliffs \_\_\_\_\_ T. Penn. "D" \_\_\_\_\_  
T. Cliff House \_\_\_\_\_ T. Leadville \_\_\_\_\_  
T. Menefee \_\_\_\_\_ T. Madison \_\_\_\_\_  
T. Point Lookout \_\_\_\_\_ T. Elbert \_\_\_\_\_  
T. Mancos \_\_\_\_\_ T. McCracken \_\_\_\_\_  
T. Gallup \_\_\_\_\_ T. Ignacio Qtzite \_\_\_\_\_  
Base Greenhorn \_\_\_\_\_ T. Granite \_\_\_\_\_  
T. Dakota \_\_\_\_\_ T. \_\_\_\_\_  
T. Morrison \_\_\_\_\_ T. \_\_\_\_\_  
T. Todilto \_\_\_\_\_ T. \_\_\_\_\_  
T. Entrada \_\_\_\_\_ T. \_\_\_\_\_  
T. Wingate \_\_\_\_\_ T. \_\_\_\_\_  
T. Chinle \_\_\_\_\_ T. \_\_\_\_\_  
T. Permian \_\_\_\_\_ T. \_\_\_\_\_  
T. Penn. "A" \_\_\_\_\_ T. \_\_\_\_\_

## OIL OR GAS SANDS OR ZONES

No. 1, from 6852 to 6864 No. 4, from \_\_\_\_\_ to \_\_\_\_\_  
No. 2, from \_\_\_\_\_ to \_\_\_\_\_ No. 5, from \_\_\_\_\_ to \_\_\_\_\_  
No. 3, from \_\_\_\_\_ to \_\_\_\_\_ No. 6, from \_\_\_\_\_ to \_\_\_\_\_

## IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from \_\_\_\_\_ to \_\_\_\_\_ feet  
No. 2, from \_\_\_\_\_ to \_\_\_\_\_ feet  
No. 3, from \_\_\_\_\_ to \_\_\_\_\_ feet  
No. 4, from \_\_\_\_\_ to \_\_\_\_\_ feet

## FORMATION RECORD (Attach additional sheets if necessary)

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
2052	3296	1244	Anhydrite, Limestone, Dolo				
3296	4708	1412	Sandstone, Dolo, Anhydrite				
4708	5413	705	Sandstone, Anhydrite				
5413	6174	761	Red Shale				
6174	6604	430	Limestone				
6604	6770	166	Limestone				
6770	6849	79	Limestone				
6849	7491	642	Dolomite				