			ينه ه /	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	
Submit 3 Copies To Appropriate District	State of N	New Me	xico	- c1>h	Form C-103
Office <u>District I</u>	Energy, Minerals and Natural Resources			U	Revised March 25, 1999
1625 N. French Dr., Hobbs, NM 88240 District II			WELL API NO. 30-005-62162		
811 South First, Artesia, NM 88210	OIL CONSERVATION DIVISION				
District III 1000 Rio Brazos Rd., Aztec, NM 87410 1000 Rio Brazos Rd., Aztec, NM 87410				5. Indicate Type STATE	of Lease FEE X
District IV Santa Fe, NM 8/505					Jas Lease No.
1220 S. St. Francis Dr., Santa Fe, NM 87505					
SUNDRY NOTICES AND REPORTS ON WELLS 7. Lease Name or Unit Agreement Na					
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH				_	
PROPOSALS.)				Byers ZV	
1. Type of Well: Oil Well Gas Well X	Other				
2. Name of Operator		·		7. Well No.	
Yates Petroleum Corpo	ration		and the second s	#1	
3. Address of Operator		9E	The A	8. Pool name or	Wildcat
105 S. 4 th Street Artes	sia, NM 88210	d_{LM}	ARTESIA	Undesigna	ated Wolfcamp
4. Well Location					
Unit Letter N: 6	60 feet from the So	uth	line and1980	feet from the	West line
Section 8	Township8SRa10.Elevation (Show while	inge 26			County
		3699'		.)	
11. Check A	ppropriate Box to Indi			Report or Other	Data
NOTICE OF IN	TENTION TO:			SEQUENT RE	
PERFORM REMEDIAL WORK	PLUG AND ABANDON		REMEDIAL WOR		ALTERING
					CASING X
	CHANGE PLANS		COMMENCE DRI		PLUG AND ABANDONMENT
PULL OR ALTER CASING	MULTIPLE COMPLETION		CASING TEST AN CEMENT JOB		
			CEMENT JUB		
OTHER:			OTHER: Recomp	letion – perforate, a	cidize and frac X
Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of					
starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompilation.					
11/30/00 – TIH and tag CIBP at 5425'.					
12/1-12/2/00 – Drill out CIBP. Tag cement retainer at 5817'. Drill out retainer and cement to 5885'. Clean out					
to PBID at 6030'.					
12/5/00 – Perforate Ordovician 5834-5836', 8 holes and 5838-5842', 16 holes, .41" holes. Acidize perfs 5834-5842' with 500 gals 20% IC HCL.					
12/8/00 - Acidize perfs 5834-5842' with 3000 gals 20% IC HCL.					
12/14/00 – Perforate Penn 5298-5304', 36 holes; 5460-5476', 96 holes; 5514-5522', 48 holes; 5574-5586', 72 holes					
and 5702-5712', 60 holes, .41" holes.					
Acidize perfs 5702-5712' with 1000 gals 7.5% IC HCL. Acidize perfs 5574-5586' with 1200 gals 7.5% IC HCL.					
Acidize perfs 5460-5522' with 2400 gals 7.5% IC HCL. Acidize perfs 5298-5304' with 600 gals 7.5% IC HCL. 1/4/01 – Frac Penn perfs 5298-5712' with 115,250 gals WF 140 70Q CO2 foam carrying 150,000# 20/40 Jordan					
sand and 4250# 100 mesh sand.					
See Attached					
I hereby certify that the information above is true and complete to the best of my knowledge and belief.					
SIGNATURE	* *			-	
SIGNATURE <u>Harring Technician</u> DATE January 8, 2002					
Type or print name Susan He	rpin			Telephone	No. 505-748-1471
	NAL SIGNED BY TIM W			reiepitolie	110. JUJ-740-1471
DIST	NCT II SHPSEMIAGA				JAN 1 4 2002
APPPROVED BY	T	TITLE			DATE

{

1