INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-diffied or despended well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, Items 30 through 34 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Hule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Northwestem New Mexico

Southoastern New Mexico	
T. Salt T. Strawn B. Salt T. Atoka T. Yates T. Miss T. Yates T. Miss T. Zueen T. Silurian T. Grayburg T. Montoya T. Grayburg T. Montoya T. Grayburg T. Montoya T. San Andres 431 T. San Andres 1570 T. Glorieta 1570 T. Blinebry T. Ellenburger T. Blinebry T. Granite T. Tubb T. Granite T. Drinkard 3715 T. Wolfcamp T. T. Pean T. T. Pean T.	T. Ojo Alamo T. Penn. "B" T. Kirtland Fruitland T. Penn. "C" T. Pictured Cliffs T. Penn. "D" T. Cliff House T. Leadville T. Menefee T. Madison T. Point Lookout T. Elbert T. Gallup T. Ignacio Qtzte Base Greenhorn T. Granite T. Norrison T. T. Noilto T. T. Norrison T. T. Chinle T. T. Ohnele T. T. Penn. "D" T. GAS SANDS OR ZONES T.
01L UK No. 1, fromto	GAS SANDS OK ZONES No. 4, from

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

...-

No. 1. 1		to	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
		tofeet.	
No. 2, 1	ron	to	
No. 3, 1	(rom		
No. 4,	fromFORMATIO	tofeet. N RECORD (Attach additional sheets if necessary)

From	To	Thickness in Feet	_ Formation	From	To	Thickness in Feet	Formation
650 2 2780 3 3449 4	650 2780 3449 4122 4300	650 2130 669 673 178	Surface, Redbeds Anhydrite Anhydrite, Salt Anhydrite, Shale Shale				