

NEW MEXICO OIL CONSERVATION COMMISSION
DRAWER DD
ARTESIA, NEW MEXICO

FIELD REPORT FOR CEMENTING OF WELLS

Exp. 7-10-85

Operator <u>Petro. Development Corp</u>		Lease <u>Mary K</u>		Well # <u>1</u>	
Location of Well	Unit <u>D</u>	Section <u>29</u>	Township <u>10</u>	Range <u>25</u>	County <u>Chaves</u>
Drilling Contractor	<u>Grande Drilg Corp</u>		Type of Equipment <u>Rotary</u>		

APPROVED CASING PROGRAM

Size of Hole	Size of Casing	Weight Per Foot	New or Used	Depth	Sacks Cement
<u>12 1/4</u>	<u>8 5/8</u>	<u>24</u>	<u>new</u>	<u>900</u>	<u>Circ</u>
<u>7 7/8</u>	<u>4 1/2</u>	<u>10.5</u>		<u>4200</u>	<u>300</u>

Casing Data:

Surface 28 joints of 8 5/8 inch 24 # Grade J-55
yes (Approved) (Rejected)

Inspected by BW Weaver date _____

Cementing Program

Size of hole 12 1/4 Size of Casing 8 5/8 Sacks cement required 200 175

Type of Shoe used TK At Float collar used Insert Btm 3 jts welded yes

TD of hole 812 Set 817 Feet of 8 5/8 Inch 24 # Grade J-55

New-used csg. @ 817 with 175 sacks neat cement around shoe

+ 200 sax New Co lite additives

Plug down @ 9:00 (AM) (PM) Date 1-23-85

Cement circulated yes No. of Sacks 80

Cemented by Hewco Witnessed by BW Weaver

Temp. Survey ran @ _____ (AM) (PM) Date _____ top cement @ _____

Casing test @ _____ (AM) (PM) Date _____

Method Used _____ Witnessed by _____

Checked for shut off @ _____ (AM) (PM) Date _____

Method used _____ Witnessed by _____

Remarks: _____

