	TMENT YL	CONSERVAT	ION DIVISIO) `	Form C-101	~ - • € < .36
-0. 07 (0710 ALCOND	 	SANTA FE, NEW MEXICO 87501			Revised 10-	
DISTRIBUTION SANTA FE	S/				5A. Indicate	Type of Loase
FILE L U.S.G.S. 2		J	AN 14 1985	I	.5. State Off	6 Gas Louco No.
LAND OFFICE			O. C. D.		LG-2622	
APPLICATION	LEOR PERMIT TO	D DRILL, DEEPER				
ype of Work					7. Unit Agre	ement Name
DRILL X		DEEPEN	P	LUG BACK	8. Farm or L	
	OTHER		SINGLE	MULTIPLE		"ABR" St.
nie of Operator	UTIER			ZONE L_J	9. Well No.	
Yates Petroleu	m Corporation					Pool, or Wildcat
•	rth Street. Ar	tesia, <u>New Mex</u> i	.co 88210	· · · · · · · · · · · · · · · · · · ·	Und.	ecos Slope A
cation of Well UNIT LETTER	Δ		PEET FROM THE NO	rth LINE	<u>IIIIII</u>	
660' FELT FROM T	Post	0.0	00		1111113	hillillill.
т моят тэт ⁽¹⁰⁰⁾	HE East L	INE OF SEC. 30	TWP. 95 ACE.	24E NMPM	12. County	httiller
	LLLLLLLLL	ANN			Chaves	Miller,
	HHHHH		HHHHHH	HHHH	HHHH	
		ittittittitt	19. Proposed Depth	19A. Formatio	•	20. Retary or C.T.
evations (Show whether Dr. h		IIIIIIIII	4350'	Abo		Rotary
3554.7'GL		d & Status Plug. Bond Blanket	21B. Drilling Contrac not desig		22. Approx. ASAP	Date Work will sto
		PROPOSED CASING A	ND CEMENT PROGRA		L	
SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOO	T SETTING DE	PTH SACKS OF	F CEMENT	EST. TOP
2 1/4	8 5/8''	24#J-55	825 '	650 s	x	circulated
7 7/8	4 1/2"	9.5#	TD	350 s	X	
			1			
proximately 825' b shut off gravel ntermediate casing alculated to tie i asing will be run	of surface ca and caving. (g will be run pack into the and cemented	sing will be se F <u>f needed (los</u> to 1500' and ce surface casing with adequate o	et and cement <u>eirculation)</u> mented with e J If commerci	circulated <u>8 5/8"</u> nough cemen al, product:		. •
oproximately 825' o shut off gravel atermediate casing alculated to tie l asing will be run timulated as neede	of surface can and caving. (g will be run back into the and cemented ed for product	sing will be se <u>If needed (los</u> to 1500' and ce <u>surface casing</u> with adequate of ion.	et and cement <u>eirculation</u>) mented with e J If commerci cover, perfora	circulated 85/8" nough cemen al, product: ted and	ion	. •
oproximately 825' o shut off gravel intermediate casing alculated to tie l asing will be run timulated as neede (II) PROGRAM: FW ge	of surface ca and caving. (g will be run back into the and cemented ed for product el/LCM to 825'	sing will be se F <u>f_needed (los</u> to 1500 ' and ce surface casing with adequate of ion. , KCL & starch	et and cement <u>eirculation)</u> mented with e J If commerci cover, perfora to 3500', Bri	circulated 85/8" nough cemen al, product ted and ne & KCL wa	ion	•
pproximately 825' o shut off gravel intermediate casing alculated to tie l asing will be run timulated as neede UD PROGRAM: FW ge	of surface ca and caving. (g will be run back into the and cemented ed for product el/LCM to 825'	sing will be se <u>If needed (los</u> to 1500' and ce <u>surface casing</u> with adequate of ion.	et and cement <u>eirculation)</u> mented with e If commerci cover, perfora to 3500', Bri fiset and test	circulated 8 5/8" nough cemen al, product: ted and ne & KCL wa ed daily.	ion ter to TD	- ·
pproximately 825' o shut off gravel intermediate casing alculated to tie i asing will be run timulated as neede UD PROGRAM: FW ge OP PROGRAM: BOP's	of surface ca and caving. (g will be run back into the and cemented ed for product el/LCM to 825'	sing will be se F <u>f_needed (los</u> to 1500 ' and ce surface casing with adequate of ion. , KCL & starch	et and cement <u>eirculation)</u> mented with e If commerci cover, perfora to 3500', Bri fiset and test	circulated 8 5/8" nough cemen al, product: ted and ne & KCL wa ed daily.	ion ter to TD	
pproximately 825' o shut off gravel intermediate casing alculated to tie i asing will be run timulated as neede UD PROGRAM: FW ge OP PROGRAM: BOP's	of surface ca and caving. (g will be run back into the and cemented ed for product el/LCM to 825'	sing will be se F <u>f_needed (los</u> to 1500 ' and ce surface casing with adequate of ion. , KCL & starch	et and cement <u>eirculation)</u> mented with e If commerci cover, perfora to 3500', Bri fiset and test	circulated 8 5/8" nough cemen al, product: ted and ne & KCL wa ed daily.	ion ter to TD	
pproximately S25' o shut off gravel intermediate casing alculated to the f asing will be run timulated as neede UD PROGRAM: FW ge OP PROGRAM: FW ge AS NOT DEDICATED	of surface ca and caving. (<u>g will be run</u> pack into the and cemented ed for product el/ICM to 825' s will be inst	sing will be se F <u>f_needed (los</u> to 1500 ' and ce surface casing with adequate of ion. , KCL & starch	et and cement <u>eirculation</u>) <u>mented with e</u>) If commerci cover, perfora to 3500', Bri fiset and test APPROVAL PERMIT N UNLESS	circulated 8.5/8" nough cemen al, product ted and ne & KCL wa ed daily. VALID FOR / EXPIRES DRILLING UN	ion ter to TD <u>Ø</u> DAYS <u>6 - 8 5</u> DERWAY /	AFE 1-18-85
OD DROGRAM: BOD'S AS NOT DEDICATED	of surface ca and caving. (<u>g will be run</u> pack into the and cemented ed for product el/LCM to 825' s will be inst	sing will be se F <u>f needed (los</u> to 1500' and ce surface casing with adequate o ion. , KCL & starch alled at the or PROPOSAL IN TO DELECE	et and cement <u>eirculation</u>) <u>mented with e</u>) If commerci cover, perfora to 3500', Bri fiset and test APPROVAL PERMIT I UNLESS	circulated 8.5/8" nough cemen al, product ted and ne & KCL wa ed daily. VALID FOR / EXPIRES DRILLING UN	ion ter to TD <u>Ø</u> DAYS <u>6 - 8 5</u> DERWAY /	AFE 1-18-85
DPROGRAM: FW ge OP PROGRAM: FW ge OP PROGRAM: FW ge AS NOT DEDICATED	of surface ca and caving. (<u>g will be run</u> ack into the and cemented ed for product el/LCM to 825' s will be inst	sing will be se I <u>f needed (los</u> to 1500' and ce surface casing with adequate o ion. , KCL & starch alled at the or PROPOSAL 19 TO DEEPEN applete to the best of my	et and cement <u>eirculation</u>) <u>mented with e</u>) If commerci cover, perfora to 3500', Bri fiset and test APPROVAL PERMIT I UNLESS	circulated 8 5/8" nough cemen al, product: ted and ne & KCL wa ed daily. VALID FOR / EXPIRES DRILLING UN	ion ter to TD <u>80</u> DAYS <u>6-85</u> DERWAY DERWAY	APT N-18-85 APT N-18-85
pproximately S25' o shut off gravel intermediate casing alculated to the f asing will be run timulated as neede UD PROGRAM: FW ge OP PROGRAM: FW ge OP PROGRAM: BOP's AS NOT DEDICATED	of surface ca and caving. (<u>will be run</u> ack into the and cemented ed for product el/LCM to 825' s will be inst	sing will be set If needed (los) to 1500' and ce surface casing with adequate of ion. , KCL & starch alled at the or PROPOSAL IN TO DEEPEN plete to the best of my Regular	et and cement <u>eirculation</u>) <u>mented with e</u>) If commerci cover, perfora to 3500', Bri fiset and test APPROVAL PERMIT I UNLESS	circulated 8 5/8" nough cemen al, product: ted and ne & KCL wa ed daily. VALID FOR / EXPIRES DRILLING UN	ion ter to TD <u>80</u> DAYS <u>6-85</u> DERWAY DERWAY	APT N-18-85 APT N-18-85
pproximately S25' o shut off gravel intermediate casing alculated to the h asing will be run timulated as needed UD PROGRAM: FW ge OP PROGRAM: FW ge AS NOT DEDICATED	of surface ca and caving. (<u>g will be run</u> ack into the and cemented ed for product el/LCM to 825' s will be inst procenam, if any. above is true and con	sing will be set Inceded (loss to 1500' and con- surface casing with adequate of ion. , KCL & starch alled at the of PROPOSAL IN TO DELECE PROPOSAL IN TO DELECE	et and cement <u>eirculation</u>) <u>mented with e</u>) If commerci cover, perfora to 3500', Bri fiset and test APPROVAL PERMIT I UNLESS	circulated 8 5/8" nough cemen al, product: ted and ne & KCL wa ed daily. VALID FOR / EXPIRES DRILLING UN	ion ter to TD <u><u><u></u></u> <u><u></u> <u></u> <u></u> <u></u> <u></u> <u></u> <u></u> <u></u> <u></u> <u></u> <u></u></u></u>	4) 1, 198
pproximately 825' o shut off gravel intermediate casing alculated to the f asing will be run timulated as needed (II) PROGRAM: FW ge OD DROGRAM: FW ge OD DROGRAM: BOD's AS NOT DEDICATED (This space for Si	of surface ca and caving. (<u>g will be run</u> pack into the and cemented ed for product el/LCM to 825' s will be inst procenam, if ANY. above is true and con cate Use) Ori les	sing will be set If needed (los) to 1500' and co surface casing with adequate of ion. , KCL & starch alled at the of PROPOSAL IN TO DEEPEN Applete to the best of my Regul ginal Signed By Slie A. Clements	et and cement <u>eirculation</u>) <u>mented with e</u>) If commerci cover, perfora to 3500', Bri fiset and test APPROVAL PERMIT I UNLESS	circulated 8 5/8" nough cemen al, product: ted and ne & KCL wa ed daily. VALID FOR / EXPIRES DRILLING UN	ion ter to TD <u><u><u></u></u> <u><u></u> <u></u> <u></u> <u></u> <u></u> <u></u> <u></u> <u></u> <u></u> <u></u> <u></u></u></u>	APT N-18-85 APT N-18-85
pproximately S25' o shut off gravel intermediate casing alculated to the f asing will be run timulated as neede UD PROGRAM: FW ge OP PROGRAM: FW ge OP PROGRAM: BOP's AS NOT DEDICATED	of surface ca and caving. (gwill be run back into the and cemented ed for product el/LCM to 825' s will be inst PROSED PROGRAM: 17 ANY. Above 10 true and con ate Use) Ori Les	sing will be set Inceded (loss to 1500' and con- surface casing with adequate of ion. , KCL & starch alled at the of PROPOSAL IN TO DELECE PROPOSAL IN TO DELECE	et and cement <u>eirculation</u>) <u>mented with e</u>) If commerci cover, perfora to 3500', Bri fiset and test APPROVAL PERMIT I UNLESS	circulated 8 5/8" nough cemen al, product: ted and ne & KCL wa ed daily. VALID FOR / EXPIRES DRILLING UN	ion ter to TD <u><u><u></u></u> <u><u></u> <u></u> <u></u> <u></u> <u></u> <u></u> <u></u> <u></u> <u></u> <u></u> <u></u></u></u>	4) 1, 198

EW MEXICO OIL CONSERVATION COMMISSION WELL LOCATION AND ACREAGE DEDICATION PLAT

		AEXICO OIL CONSE			Form C-102 Supersedes C-128 Effective 1-1-65
	All dist	ances must be from the o	uter boundaries	of the Section.	
·	eun Corporation		vest "ABR"		Well No. 1
	tion Township 36 95	Ra	ige 24 <u>F</u>	County Chaves	
669' fee	et from the North	line and 660'	fe	eet from the East	line
Scound Lyvel Elev. 3554.7' GL	Producing Formation Abo	Poot	South Peco	s Slope A	Dedicated Acreage: 160 Acres
 2. If more than interest and reinterest an	oyalty). ne lease of different or nunitization, unitization No If answer is ' no?' list the owners ar cessary.) vill be assigned to the v	to the well, outlin wnership is dedicate force-pooling.etc? 'yes,'' type of consol d tract descriptions	e each and id ed to the well lidation which have a ts have been	entify the ownershi , have the interests actually been conso	p thereof (both as to working of all owners been consoli- lidated. (Use reverse side of communitization, unitization, een approved by the Commis-
		Y.I.	, o , e , e , e , e , e , e , e , e , e	660' tained best of y/2 Name C-1.150 Fosition D & Compan	ΔG-T.
				shown notes under is tru knowl Date Sur Register	HER.SCHEL red Molepsichal JEDNieSer .and Striveyor 3640

500

0

EXHIBIT B





J.