


UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT



Form approved.
Budget Bureau No. 1004-0135
Expires August 31, 1985

Drawer DD

Artesia, NM 88210

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT" for such proposals.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>	7. UNIT AGREEMENT NAME
2. NAME OF OPERATOR CIBOLA ENERGY CORPORATION	8. FARM OR LEASE NAME ACEITE NEGRA
3. ADDRESS OF OPERATOR P.O. BOX 2684 ROSWELL, NM 88202	9. WELL NO. 4
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.) At surface 330' ^{FSL} FEL and 940' ^{FEL} FSL	10. FIELD AND POOL, OR WILDCAT. <i>Wildcat Duran</i>
14. PERMIT NO.	11. SEC., T., E., M., OR BLK. AND SURVEY OR AREA Sec 12 T9S R27E
15. ELEVATIONS (Show whether DF, RT, CR, or other) 3880.2	12. COUNTY OR PARISH CHAVES
	13. STATE NM

RECEIVED
MAY - 8 1991
O. C. D.
ARTESIA, OFFICE

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) <u>Re-Cement job</u>	<input checked="" type="checkbox"/>
(Other) <input type="checkbox"/>		(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)	

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

- 1) Drilled out cement after squeeze job. (Perforations from 6298 to 6515 squeezed with 200 sacks of premium plus cement containing 10 lb. per sack microbond and 5 lb. per sack of salt. Squeezed in 170 sacks of cement and flowed approximately 30 sacks to pit. Halliburton).
- 2) Ran Depth log and determined well drilled out to 6506.5 ft.
- 3) Perforated well at 6490.5 ft. at 180 degrees and 6498.5 ft. at 0 degrees. Used hydrolic jet technique supplied by Penetrators, Inc. Perforations supposed to reach up to 10 ft. in formation and therefore beyond both borehole cement problems and cement damage

18. I hereby certify that the foregoing is true and correct

SIGNED *Antonio J. Magallon*

TITLE Production Clerk

DATE 04/24/91

(This space for Federal or State office use)

APPROVED BY _____
CONDITIONS OF APPROVAL, IF ANY:

TITLE _____

*See Instructions on Reverse Side

