

STATE OF NEW MEXICO
ENERGY AND MINERALS DEPARTMENT

OIL CONSERVATION DIVISION
P. O. BOX 2088
SANTA FE, NEW MEXICO 87501

RECEIVED BY

JUN 05 1985

Form C-105
Revised 10-1-78

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	☒
FILE	☒
U.S.G.S.	☒
LAND OFFICE	☒
OTHER	☒

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

5. Indicate Type of Lease	State ☐	Fee ☒
6. State Oil & Gas Lease No.		

1. TYPE OF WELL	OIL WELL ☒	GAS WELL ☐	DRY ☐	OTHER ☐
-----------------	--	-----------------------------------	------------------------------	--------------------------------

2. TYPE OF COMPLETION	NEW WELL ☒	WORK OVER ☐	DEEPEN ☐	PLUG BACK ☐	DIFF. RESVR. ☐	OTHER ☐
-----------------------	--	------------------------------------	---------------------------------	------------------------------------	---------------------------------------	--------------------------------

3. Name of Operator
Stevens Operating Corporation

4. Address of Operator
P. O. Box 2203, Roswell, New Mexico 88201

5. Location of Well

7. Unit Agreement Name

8. Farm or Lease Name

O'Brien "P"

9. Well No.

#3

10. Field and Pool, or Wildcat

Red Lake Ridge

San Andres

12. County

Chaves

UNIT LETTER E LOCATED 1650 FEET FROM THE North LINE AND 660 FEET FROM

West LINE OF SEC. 28 TWP. 8S RGE. 29E NMPM

11. Date Spudded 5/16/85 16. Date T.D. Reached 5/21/85 17. Date Compl. (Ready to Prod.) 5/30/85 18. Elevations (DF, RKB, RT, GR, etc.) 3923 GR 19. Elev. Casinghead 3923 GR

20. Total Depth 2920' 21. Plug Back T.D. 22. If Multiple Compl., How Many 23. Intervals Drilled By Rotary Tools 0-TD Cable Tools

24. Producing Interval(s), of this completion - Top, Bottom, Name 2834½ - 2864½ San Andres 25. Was Directional Survey Made No

26. Type Electric and Other Logs Run CDL-CN-GR, BHC/AL-GR, MLL-DLL-GR 27. Was Well Cored No

28. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
8 5/8	24#	410	12 1/4	250 sxs Class "C"	
5 1/2	14#	2920	7 7/8	175 sxs self stress	

29. LINER RECORD

SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET
					2 7/8	2930	

30. TUBING RECORD

SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET
					2 7/8	2930	

31. Perforation Record (Interval, size and number)

2834½, 35, 40, 40½, 41, 48, 48½, 49, 54½, 55, 55½, 57½, 58, 58½, 59, 59½, 62½, 63, 63½, 64, 64½ (21 shots)

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL 2834½-2864½ AMOUNT AND KIND MATERIAL USED 8000 gals 28% acid, 36 NCB

33. PRODUCTION

34. Date First Production 5/31/85 Production Method (Flowing, gas lift, pumping - Size and type pump) Pumping Well Status (Prod. or Shut-in) Producing

35. Date of Test 6/1/85 Hours Tested 24 Choke Size 23/64 Prod'n. For Test Period 86 Oil - Bbl. 86 Gas - MCF ---- Water - Bbl. 100 Gas - Oil Ratio ----

36. Flow Tubing Press. 100# Casing Pressure 100# Calculated 24-Hour Rate 86 Oil - Bbl. 86 Gas - MCF ---- Water - Bbl. 100 Oil Gravity - API (Corr.) ----

37. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold Test Witnessed By Al Cho

38. List of Attachments CDL-CN-GR, BHC/AL-GR, MLL-DLL-GR

I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief.

SIGNED [Signature] TITLE Production Controller DATE 6/4/85

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, Items 30 through 34 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

Southcentral New Mexico

Northwestern New Mexico

T. Ojo Alamo _____	T. Penn. "B" _____
T. Kirtland-Fruitland _____	T. Penn. "C" _____
T. Pictured Cliffs _____	T. Penn. "D" _____
T. Cliff House _____	T. Leadville _____
T. Menefee _____	T. Madison _____
T. Point Lookout _____	T. Elbert _____
T. Mancos _____	T. McCracken _____
T. Gallup _____	T. Ignacio Qtzte _____
Base Greenhorn _____	T. Granite _____
T. Dakota _____	T. _____
T. Morrison _____	T. _____
T. Todilto _____	T. _____
T. Entrada _____	T. _____
T. Wingate _____	T. _____
T. Chinle _____	T. _____
T. Permian _____	T. _____
T. Penn. "A" _____	T. _____

No. 1, from 2834½ to 2864½ No. 4, from _____ to _____
 No. 2, from _____ to _____ No. 5, from _____ to _____
 No. 3, from _____ to _____ No. 6, from _____ to _____

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from to feet

No. 2, from to feet

No. 3, from to feet

No. 4, from to feet

FORMATION RECORD (Attach additional sheets if necessary)

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	2192	2192	Red beds, Anhy				
2192	2920	728	LS, Dolo., Anhy. & Salt				

DESERT DRILLING, INC.
P.O. Box 146
Hobbs, New Mexico 88240

RECEIVED BY

MAY 31 1985

O. C. D.
ARTESIA, OFFICE

WELL NAME AND NUMBER Stevens - Obrien P # 3

INCLINATION RECORD

Depth	Deviation
385	$\frac{1}{2}^{\circ}$
747	$\frac{1}{2}^{\circ}$
1721	$3\frac{3}{4}^{\circ}$
2198	1°
2629	$\frac{1}{2}^{\circ}$
2880	$3\frac{3}{4}^{\circ}$

Signature Rhonda Cheatham

State of New Mexico
County of Lea

SWORN AND SUBSCRIBED TO BEFORE ME
BY Rhonda Cheatham

This 23 Day of May
19 85.

Karen Head
Notary Public

