

STATE OF NEW MEXICO
ENERGY AND MINERALS DEPARTMENT

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	<input checked="" type="checkbox"/>
FILE	<input checked="" type="checkbox"/>
U.S.G.S.	<input checked="" type="checkbox"/>
LAND OFFICE	<input checked="" type="checkbox"/>
OPERATOR	<input checked="" type="checkbox"/>

OIL CONSERVATION DIVISION
RECEIVED BY P. O. BOX 2088
SANTA FE, NEW MEXICO 87501
OCT 2 - 1985
O. C. D.
ARTESIA, OFFICE

Form C-103
Revised 10-1-78

5a. Indicate Type of Lease
State ☐ Fee ☒
5. State Oil & Gas Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.
USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>	7. Unit Agreement Name
2. Name of Operator Cibola Energy Corporation ✓	8. Farm or Lease Name Mona
3. Address of Operator P. O. Box 1668, Albuquerque, New Mexico 87103	9. Well No. 3
4. Location of Well UNIT LETTER C 330 FEET FROM THE North LINE AND 1650 FEET FROM THE West LINE, SECTION 7 TOWNSHIP 10S RANGE 28E NMPM.	10. Field and Pool, or Wildcat Race Track San Andre
15. Elevation (Show whether DF, RT, GR, etc.) 3836.9	12. County Chaves

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	CASING TEST AND CEMENT JOBS <input checked="" type="checkbox"/>
OTHER <input type="checkbox"/>	OTHER <input type="checkbox"/>
PLUG AND ABANDON <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
CHANGE PLANS <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

9/26/85 Ran 320' of 8 5/8" 23# casing, texas pattern guide shoe and insert float. Cemented with 200 sx Class C cement with 2% CaCl2. Bump plug to 750#. Held pressure 30 min. Cmt did not circulate. Temperature survey showed top of cement at 150'. Ran 1" tubing to 125'. Pumped 75 sx Class C cement w/2% CaCl2. Circulate 6 sx to surface.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED <u>Karen Ayer</u>	TITLE <u>Drilling Secretary</u>	DATE <u>9/30/85</u>
APPROVED BY <u>Les A. Clements</u>	TITLE <u>Supervisor District 11</u>	DATE <u>OCT 4 1985</u>

CONDITIONS OF APPROVAL, IF ANY: