

UNITED STATES  
DEPARTMENT OF THE INTERIOR

GEOLOGICAL SURVEY

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK  
DRILL ☒ DEEPEN ☐ PLUG BACK ☐

b. TYPE OF WELL  
OIL WELL ☐ GAS WELL ☒ OTHER ☐ SINGLE ZONE ☒ MULTIPLE ZONE ☐

2. NAME OF OPERATOR  
McKay Oil Corporation

3. ADDRESS OF OPERATOR  
P.O. Box 2014, Roswell, New Mexico 88202

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)  
At surface 952FEL & 2310FSL  
At proposed prod. zone same

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE  
28 Miles Northwest of Roswell, NM

15. DISTANCE FROM PROPOSED LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT.  
(Also to nearest drilg. unit line, if any) 952'

16. NO. OF ACRES IN LEASE 2560.0

17. NO. OF ACRES ASSIGNED TO THIS WELL 160.0

18. DISTANCE FROM PROPOSED LOCATION TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT. 1 mile

19. PROPOSED DEPTH 3,400'

20. ROTARY OR CABLE TOOL 1 Rotary

21. ELEVATIONS (Show whether DF, RT, GR, etc.) 4248' GL

22. APPROX. DATE WORK WILL START ASAP

PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
12 1/4"	8 5/8"	24.0 J-55	900±	850 cf cement circulated
7 7/8"	4 1/2"	9.5 J-55	TD	1200 cf cement including 480 cf to tie in 4 1/2" to 8 5/8" from 1500' to 900'.

We propose to drill and test the Abo formation. Approximately 900' of surface casing will be set and cemented to surface. If commercial, 4 1/2" production casing will be run and cemented with adequate cover, perforated and stimulated as needed for production.

MUD PROGRAM: See Supplemental Drilling Data Which is Attached.

BOP PROGRAM: BOP will be installed on 8 5/8" casing and tested daily.

Gas is not dedicated.

Posted ID-1  
NL, API  
1-16-87

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

Signed [Signature] TITLE Landman DATE 12-24-86  
(This space for Federal or State office use)

PERMIT NO. \_\_\_\_\_ APPROVAL DATE \_\_\_\_\_

APPROVED BY S/Homer Meyer, Acting TITLE Area Manager DATE DEC 31 1986  
CONDITIONS OF APPROVAL, IF ANY:

APPROVAL OF THIS APPLICATION DOES NOT WARRANT OR CERTIFY THAT THE APPLICANT HOLDS LEGAL OR EQUITABLE TITLE TO THOSE RIGHTS IN THE SUBJECT LEASE WHICH WOULD ENTITLE THE APPLICANT TO CONDUCT OPERATIONS THEREON.

[illegible]

All distances must be from the outer boundaries of the Section.


Operator McKay Oil Corp. ✓		Lease Remmele Federal Com.		Well No. #13
Unit Letter I	Section 27	Township 6 South	Range 22 East	County Chaves
Actual Postage Location of Well: 952 feet from the East line and 2130 feet from the South line				
Ground Level Elev. 4248	Producing Formation Abo	Pool W. Pecos Slope Abo	Dedicated Acreage: 160 Acres	

1. Outline the acreage dedicated to the subject well by colored pencil or hatchure marks on the plat below.
2. If more than one lease is dedicated to the well, outline each and identify the ownership thereof (both as to working interest and royalty).
3. If more than one lease of different ownership is dedicated to the well, have the interests of all owners been consolidated by communitization, unitization, force-pooling, etc?

☐ Yes ☐ No If answer is "yes," type of consolidation \_\_\_\_\_

If answer is "no," list the owners and tract descriptions which have actually been consolidated. (Use reverse side of this form if necessary.) \_\_\_\_\_

No allowable will be assigned to the well until all interests have been consolidated (by communitization, unitization, forced-pooling, or otherwise) or until a non-standard unit, eliminating such interests, has been approved by the Division.




CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief.


Name  
Sam L. Shackelford  
Position  
Agent  
Company  
McKay Oil Corp.  
Date  
12-24-86

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my knowledge and belief.

Date Surveyed  
December 20, 1986  
Registered Professional Engineer and/or Land Surveyor  
John D. Jaques, P.E. & L.S.  
Certificate No. 6290



MCKAY OIL CORPORATION  
Remmele Federal Comm. #13  
NE/4SE/4 Sec. 27-6S-22E  
Chaves County, New Mexico



BOP DIAGRAM

3000# Working Pressure  
Rams Operated Daily

SUPPLEMENTAL DRILLING DATA

McKAY OIL CORPORATION  
Remmele Federal Comm. #13  
NE/4SE/4 Sec. 27-6S-22E  
Chaves County, N.M.

NM 36195



The following items supplement Form 9-331C in accordance with instructions contained in NTL-6.

1. SURFACE FORMATION: San Andres
2. ESTIMATED TOPS OF GEOLOGIC MARKERS:


Yeso	- 804
Tubb	- 2365'
Abo	- 3065'
3. ESTIMATED DEPTHS TO WATER, OIL OR GAS FORMATION:

Fresh water	- In surface formations above 600'
Gas	- In Abo formation below 3065'
4. PROPOSED CASING PROGRAM: See Form 9-331C
5. PRESSURE CONTROL EQUIPMENT: Blowout preventer stack will consist of at least a double-ram blowout preventer rated to 3000#WP. A sketch of the BOP is attached.
6. CIRCULATING MEDIUM:

0'- 700'	Lime and gel, spud mud, viscosity 32 to 34 seconds.
700'- 2965	Fresh water
2965'- TD	Start mudding up at 2965'; viscosity 36 to 38 seconds; water loss 10 cc or less; 3-5% Diesel; 2 KCL

Mud additives will be used to control water loss.
7. AUXILIARY EQUIPMENT: full-opening drill string safety valve fit the drill string in use, will be kept on the rig floor at all times.

MCKAY OIL CORPORATION  
 Remmele Federal Comm. #13  
 NE/4SE/4 Sec. 27-6S-22E  
 Chaves County, New Mexico



New Access ———

Existing Access ---

Exhibit B

(ROCK HOUSE CANYON)  
 NEW WELLS

530

MCKAY OIL CORPORATION  
Remmele Federal Comm. #13  
NE/4SE/4 Sec. 27-6S-22E  
Chaves County, New Mexico

