

Confidential
UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

Drawer DD
Artesia, NM 88
SUBMIT IN DUPLICATE

Form approved.
Budget Bureau No. 1004-0137
Expires August 31, 1985

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1a. TYPE OF WELL: OIL WELL ☐ GAS WELL ☒ DRY ☐ Other ☐
b. TYPE OF COMPLETION: NEW WELL ☒ WORK OVER ☐ DEEP-EN ☐ PLUG BACK ☐ DIFF. RESVR. ☐ Other ☐

2. NAME OF OPERATOR
McKay Oil Corporation

3. ADDRESS OF OPERATOR
Post Office Box 2014, Roswell, New Mexico 88201

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)*
At surface 1980' FSL & 660' FWL

At top prod. interval reported below
At total depth

14. PERMIT NO. DATE ISSUED
O. C. D. ARTESIA, OFFICE

15. DATE SPUDDED 3-18-87 16. DATE T.D. REACHED 3-26-87 17. DATE COMPL. (Ready to prod.) 5-1-87 18. ELEVATIONS (DF, RKB, RT, GR, ETC.)* 3758' GR

20. TOTAL DEPTH, MD & TVD 4128.0 21. PLUG BACK T.D., MD & TVD 4404.75 22. IF MULTIPLE COMPL., HOW MANY* 23. INTERVALS DRILLED BY All

24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)*
4128.0 - 4404.75 Abo

26. TYPE ELECTRIC AND OTHER LOGS RUN
CNL/LDL; DLL/MSFL; EPL; Cyberlook; PRL; CBL

CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
8 5/8"	23#	827'	12 1/4"	360 sxs & 200 sxs.	55 sxs.
4 1/2"	10.5#	4575'	7 7/8"	325 sxs. Top of 4 1/2 cmt. w/250 sxs.	

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)

31. PERFORATION RECORD (Interval, size and number)
4128-4138 (21)
4203.5-4208 (4) 0.35"
4286.5-4295.5 (7) 2 shots per ft.
4301.0-43.7 (9)
4391-4404.75 (12)

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.
DEPTH INTERVAL (MD) AMOUNT AND KIND OF MATERIAL USED
4128-4317 3500 gals 7 1/2% Abo Acid
42000 gals. 40# Linear gel
21750# 20/40 & 35000 12/20 sd.
4391-4404.75 1500 gals 7 1/2% Abo Acid, 25000 gals

33.* PRODUCTION 30# XL gel, 14500# 20/40 & 18000 12/20 sd.
DATE FIRST PRODUCTION SI PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump) WELL STATUS (Producing or shut-in) SI

DATE OF TEST 5-4-87 HOURS TESTED 4 CHOKER SIZE PRODN. FOR TEST PERIOD OIL—BBL. GAS—MCF. WATER—BBL. CARBON RATIO
FLOW. TUBING PRESS. CASING PRESSURE CALCULATED 24-HOUR RATE OIL—BBL. GAS—MCF. WATER—BBL. GRAVITY-API (CORR.)

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)
SI

35. LIST OF ATTACHMENTS
C-122; Deviation Survey; 2 copies of logs


36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records.

SIGNED *Theresa Rodriguez* TITLE Production Analyst

DATE 7-6-87

*(See Instructions and Spaces for Additional Data on Reverse Side)

37. SUMMARY OF POROUS ZONES: (Show all important zones of porosity and contents thereof; cored intervals; and all drill-stem, tests, including depth interval tested, cushion used, flowing and shut-in pressures, and recoveries);					38. GEOLOGIC MARKERS		
FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.		NAME	MEAS. DEPTH	TOP TRUE VERT. DEPTH
					Abo	4019 (-251)	



LESLIE K. EVERTSON - ROSWELL
KENNETH D. REYNOLDS - ARTESIA

WEK DRILLING CO., INC. OIL WELL DRILLING CONTRACTORS

P. O. BOX 1498 ROSWELL, NEW MEXICO 88201


TELEPHONES: ARTESIA 505/746-6757

ROSWELL 505/623-5070

NOV 08 '88

O. C. D.
ARTESIA, OFFICE

April 9, 1987



McKay Oil Corporation
PO Box 2014
Roswell, NM 88201

Ref: #1 Pecos Federal

Gentlemen:

The following is a Deviation Survey on the above well located in
Chaves County, New Mexico.

466' - 1/2°	3166' - 1/2°
928' - 1/2°	3525' - 1/2°
1389' - 1/2°	3746' - 1/2°
1878' - 1/2°	4240' - 1/2°
2246' - 1/2°	4700' - 1/2° T.D.
2706' - 3/4°	

Sincerely,

WEK DRILLING CO., INC.

Arnold Newkirk

STATE OF NEW MEXICO)

COUNTY OF CHAVES)

The foregoing was acknowledged before me this 9TH day
of April 1987 by Arnold Newkirk.

MY COMMISSION EXPIRES:

Notary Public

5-4-87