

UN ED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
NM Oil Cons. Commission
Drawn by
Artesia, NM 88210

Form approved.
Budget Bureau No. 1004-4
Expires August 31, 1985

clsf

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT" for such proposals.)

RECEIVED

OCT 05 '87

1. ☐ OIL WELL ☒ GAS WELL ☒ OTHER Plugback and test Glorieta
2. NAME OF OPERATOR Yates Petroleum Corporation ✓
3. ADDRESS OF OPERATOR 105 South 4th ST., Artesia, NM 88210
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*
See also space 17 below.)
At surface
1980' FNL & 1980' FWL
14. PERMIT NO. 15. ELEVATIONS (Show whether DF, RT, GR, etc.)
4094.4' GR

O. C. D.
ARTESIA, OFFICE

5. LEASE DESIGNATION AND SERIAL NM 30738
6. IF INDIAN, ALLOTTEE OR TRIBE NAME
7. UNIT AGREEMENT NAME North Chaves Unit
8. FARM OR LEASE NAME North Chaves Unit
9. WELL NO. 1
10. FIELD AND POOL OR WILDCAT Wildcat
11. SEC., T., R., M., OR BLE. AND SURVEY OR AREA Unit F, Sec. 26-T5S-R23E
12. COUNTY OR PARISH Chaves
13. STATE NM

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

PULL OR ALTER CASING

FRACTURE TREAT

MULTIPLE COMPLETE

SHOOT OR ACIDIZE

ABANDON*

REPAIR WELL

CHANGE PLANS

(Other)

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

REPAIRING WELL

FRACTURE TREATMENT

ALTERING CASING

SHOOTING OR ACIDIZING

ABANDONMENT*


(Other)

Plugback, perforate, treat

(Note: Report results of multiple completion on Unit Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Verbal permission obtained from Peter Chester, BLM, Roswell, NM by Tim Bussell, YPC, to plugback as follows:
Plug #1 4686-4586' w/35 sx Class "C" with 2% CaCl (yield 1.32, weight 14.8).
Plug #2 3382-3282' w/35 sx Class "C" with 2% CaCl (yield 1.32, weight 14.8).
Plug #3 1320-1220' w/60 sx Class "C" with 2% CaCl (yield 1.32, weight 14.8).
WIH to tag plug at 1120'. Tagged at 1236'. Spot additional 25 sx Class "C" with 2% CaCl. WOC. Tagged at 1203'. WIH with bit and drill collar. Dressed plug off at 1220' and displaced casing with fresh water.
9-17-87. WIH and perforated as follows: 1106-10' (5 holes) and 1116-20' (5 holes)
9-21-87. Acidized perforations 1106-10' and 1116-20' w/1500 gals 7-1/2% NEFE acid and 12 ball sealers.



18. I hereby certify that the foregoing is true and correct

SIGNED Peter W. Chester

TITLE Production Supervisor

DATE 9-22-87

(This space for Federal or State office use)

APPROVED BY

TITLE

CONDITIONS OF APPROVAL, IF ANY:

DATE APPROVED
PETER W. CHESTER

OCT 2 1987

*See Instructions on Reverse Side