

Submit to Appropriate
District Office
State Lease - 6 copies
Fee Lease - 5 copies
DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

Energy, Minerals and Natural Resources Department

Revised 1-1-89

OIL CONSERVATION DIVISION

P.O. Box 2088
Santa Fe, New Mexico 87504-2088

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

MAR 16 '90

WELL API NO.
30-005-62584

5. Indicate Type of Lease
STATE ☐ FEE ☒

6. State Oil & Gas Lease No.

7. Lease Name or Unit Agreement Name
Plains 30

8. Well No.
1

9. Pool name or Wildcat
Racetrack 5A

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1a. Type of Well:
OIL WELL ☒ GAS WELL ☐ DRY ☒ OTHER ☐ OFFICE

b. Type of Completion:
NEW WELL ☐ WORK OVER ☐ DEEPEN ☐ PLUG BACK ☐ DIFF RESVR ☐ OTHER ☐

2. Name of Operator
Cibola Energy Corporation

3. Address of Operator
P O Box 1668; Albuquerque, NM 87103

4. Well Location
Unit Letter C : 330 Feet From The NORTH Line and 1650 Feet From The WEST Line
Section 30 Township 10S Range 28E NMPM Chaves County

10. Date Spudded 1/22/88
11. Date T.D. Reached 2/20/88
12. Date Compl. (Ready to Prod.)
13. Elevations (DFA RKB, RT, GR, etc.) 3741.1
14. Elev. Casinghead

15. Total Depth 2311
16. Plug Back T.D. N/A
17. If Multiple Compl. How Many Zones? N/A
18. Intervals Drilled By Rotary Tools ALL Cable Tools

19. Producing Interval(s), of this completion - Top, Bottom, Name
NONE
20. Was Directional Survey Made YES

21. Type Electric and Other Logs Run
CNL-FD & Dual Laterolog
22. Was Well Cored NO

CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT LB/FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
8-5/8	24lb	300 ft.	12 1/2"	200 sacks	?
			7-7/8"	None	Part ID-2
					3-23-90
					1x ft

LINER RECORD NONE					TUBING RECORD NONE		
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET

26. Perforation record (interval, size, and number)
NONE

27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.
DEPTH INTERVAL AMOUNT AND KIND MATERIAL USED
NONE NONE

PRODUCTION

28. Date First Production
Production Method (Flowing, gas lift, pumping - Size and type pump)
Well Status (Prod. or Shut-in)

Date of Test Hours Tested Choke Size Prod'n For Test Period Oil - Bbl. Gas - MCF Water - Bbl. Gas - Oil Ratio

Flow Tubing Press. Casing Pressure Calculated 24-Hour Rate Oil - Bbl. Gas - MCF Water - Bbl. Oil Gravity - API - (Corr.)

29. Disposition of Gas (Sold, used for fuel, vented, etc.)
Test Witnessed By

30. List Attachments

31. I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief

Signature Harvey E. Yates, Jr. Printed Name Harvey E. Yates, Jr. Title President Date 3/9/90

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, Items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico

Northwestern New Mexico

T. Anhy _____	T. Canyon _____	T. Ojo Alamo _____	T. Penn. "B" _____
T. Salt _____	T. Strawn _____	T. Kirtland-Fruitland _____	T. Penn. "C" _____
B. Salt _____	T. Atoka _____	T. Pictured Cliffs _____	T. Penn. "D" _____
T. Yates 250 _____	T. Miss _____	T. Cliff House _____	T. Leadville _____
T. 7 Rivers _____	T. Devonian _____	T. Menefee _____	T. Madison _____
T. Queen 988 _____	T. Silurian _____	T. Point Lookout _____	T. Elbert _____
T. Grayburg _____	T. Montoya _____	T. Mancos _____	T. McCracken _____
T. San Andres 1572 _____	T. Simpson _____	T. Gallup _____	T. Ignacio Otzte _____
T. Chiswick Slaughter 2162 _____	T. McKee _____	Base Greenhorn _____	T. Granite _____
T. Paddock _____	T. Ellenburger _____	T. Dakota _____	T. _____
T. Blinebry _____	T. Gr. Wash _____	T. Morrison _____	T. _____
T. Tubb _____	T. Delaware Sand _____	T. Todilto _____	T. _____
T. Drinkard _____	T. Bone Springs _____	T. Entrada _____	T. _____
T. Abo _____	T. _____	T. Wingate _____	T. _____
T. Wolfcamp _____	T. _____	T. Chinle _____	T. _____
T. Penn _____	T. _____	T. Permian _____	T. _____
T. Cisco (Bough C) _____	T. _____	T. Penn "A" _____	T. _____

OIL OR GAS SANDS OR ZONES

No. 1, from to
No. 2, from to
No. 3, from to
No. 4, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from..... to..... feet.....
No. 2, from..... to..... feet.....
No. 3, from..... to..... feet.....

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness in Feet	Lithology	From	To	Thickness in Feet	Lithology
270	1500	1230	Redbeds				
1500	2162	662	Anhydrite & Lime Trace Dolomite				
2162			Dolomite (Top Slaughter)				

RECEIVED

WELL NAME AND NUMBER Plains 30 #1 MAR 16 '90
LOCATION Sec. 30, T10-S R28-E, 330' FNL & 1650' FWL O. C. D.
OPERATOR Cibola Energy Corporation ARRESIA, OFFICE
DRILLING CONTRACTOR United Drilling, Inc.

The undersigned hereby certifies that he is an authorized representative of the drilling contractor who drilled the above described well and has conducted deviation tests and obtained the following results:

<u>Degrees @ Depth</u>	<u>Degrees @ Depth</u>	<u>Degrees @ Depth</u>
<u>1/4° 305'</u>	<u> </u>	<u> </u>
<u>1/2° 571'</u>	<u> </u>	<u> </u>
<u>1/2° 1050'</u>	<u> </u>	<u> </u>
<u>3/4° 1473'</u>	<u> </u>	<u> </u>
<u>3/4° 1894'</u>	<u> </u>	<u> </u>
<u>3/4° 2280'</u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>

Drilling Contractor United Drilling, Inc.

By: G. M. Gibbs

Title: Business Manager

Subscribed and sworn to before me this 3rd day of March,
19 88

Kenneth L. Lindsey
Notary Public

My Commision Expires: 9-25-91

Chavez County New Mexico