

OIL CONSERVATION DIVISION

P. O. BOX 2088

SANTA FE, NEW MEXICO 87501

RECEIVED

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

Form C-105
Revised 10-1-78

API #30-005-62595

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	☒
FILE	☒
U.S.G.S.	☒
LAND OFFICE	☒
OPERATOR	☒

5a. Indicate Type of Lease
State ☒ Fee ☐
5. State Oil & Gas Lease No.
LG 9805

a. TYPE OF WELL

OIL WELL ☐ GAS WELL ☒ DRY ☐ OTHER ☐ O. C. D.

b. TYPE OF COMPLETION

NEW WELL ☒ WORK OVER ☐ DEEPEN ☐ PLUG BACK ☐ DIFF. RESVR. ☐ OTHER ☐ TITE HOLE

Name of Operator

Yates Petroleum Corporation

Address of Operator

105 South 4th St., Artesia, NM 88210

Location of Well

NIT LETTER K LOCATED 1980 FEET FROM THE South LINE AND 1980 FEET FROM

NE West LINE OF SEC. 25 TWP. 9S RGE. 26E NMPM

5. Date Spudded 7-10-88 16. Date T.D. Reached 7-26-88 17. Date Compl. (Ready to Prod.) 8-3-88

18. Elevations (DF, RKB, RT, GR, etc.) 3810.6' GR 19. Elev. Casinghead

20. Total Depth

6300'

21. Plug Back T.D.

6246'

22. If Multiple Compl., How Many

23. Intervals Drilled By Rotary Tools X

Cable Tools

24. Producing Interval(s), of this completion - Top, Bottom, Name

5920-6030' Ordovician

25. Type Electric and Other Logs Run

DLL/MSFL; LDT/CNL

25. Was Directional Survey Made

No

27. Was Well Cored

NO

26. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
20"		40'	26"	Redi-Mix	
8-5/8"	24#	1155'	12-1/4"	675 sx	
5-1/2"	15.5#	6300'	7-7/8"	350 sx	

29. LINER RECORD

SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET
					2-7/8"	5825'	5825'

31. Perforation Record (Interval, size and number)

5920-6030' w/440 .42" Holes (4 SPF)

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED
5920-6030'	Natural

33. PRODUCTION

Date First Production	Production Method (Flowing, gas lift, pumping -- Size and type pump)	Well Status (Prod. or Shut-in)
8-3-88	Flowing	SIWOPLC
Date of Test	Hours Tested	Choke Size
8-3-88	2	20/64"
Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate
1140 psi	PKR	
Oil - Bbl.	Gas - MCF	Water - Bbl.
-	234	-
Oil - Bbl.	Gas - MCF	Water - Bbl.
-	2800	-
Oil Gravity - API (Corr.)		
-		

34. Disposition of Gas (Sold, used for fuel, vented, etc.)

Vented - Will be sold

Test Witnessed By
Bill Hansen

35. List of Attachments

Deviation Survey, Logs

36. I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief.

SIGNATURE *John A. D. D. D.*

TITLE Production Supervisor

DATE 8-4-88

INSTRUCTIONS

This form is to be filled with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radioactivity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depth shall also be reported. For multiple completions, Items 30 through 34 shall be reported for each zone. The form is to be filled in quadruplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico

Northwestern New Mexico

T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn. "B"
T. Salt	T. Strawn	T. Kirtland-Fruitland	T. Penn. "C"
B. Salt	T. Atoka	T. Pictured Cliffs	T. Penn. "D"
T. Yates	T. Miss	T. Cliff House	T. Leadville
T. 7 Rivers	T. Devonian	T. Menefee	T. Madison
T. Queen	T. Silurian	T. Point Lookout	T. Elbert
T. Grayburg	T. Montoya	T. Mancos	T. McCracken
T. San Andres 1183	T. Simpson	T. Gallup	T. Ignacio Qtzite
T. Glorieta 2301	T. McKee	Base Greenhorn	T. Granite
T. Packer YESO 2370	T. Ellenburger	T. Dakota	T.
T. Elinebry	T. Gr. Wash	T. Morrison	T.
T. Tubb	T. Granite	T. Todillo	T.
T. Drinkard	T. Delaware Sand	T. Entrada	T.
T. Abo 4542	T. Bone Springs	T. Wingate	T.
T. Wolfcamp 5207	T. Precambrian 6192	T. Chinle	T.
T. Penn. C1 5830	T. Ordovician 5904	T. Permian	T.
T. Cisco (Dough C) 5732	T.	T. Penn. "A"	T.

OIL OR GAS SANDS OR ZONES

No. 1, from.....to.....	No. 4, from.....to.....
No. 2, from.....to.....	No. 5, from.....to.....
No. 3, from.....to.....	No. 6, from.....to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....	feet
No. 2, from.....to.....	feet
No. 3, from.....to.....	feet
No. 4, from.....to.....	feet

FORMATION RECORD (Attach additional sheets if necessary)

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	80	80	Surface, Rock				
80	1205	1125	Anhy				
1205	1786	581	Anhy, Dolo				
1786	2232	446	LS, Dolo				
2232	2500	268	SS, Dolo, Anhy				
2500	2700	200	SS, LS, Dolo, Anhy, Sh				
2700	3272	572	SS, Dolo, Anhy, Sh				
3272	3462	190	Dolo, Sh, Anhy				
3462	3828	366	Dolo, Anhy				
3828	4140	312	Dolo, Sd, Anhy, Sh				
4140	4566	426	Dolo, Anhy, Sh				
4566	5184	618	Shale				
5184	5808	624	Sh, Lm				
5808	5940	132	Sh, LS, Sd				
5940	6200	260	Dolo				
6200	6300	100	Otz				

PRINTING INC.

P. O. BOX 717

EL PASO, NEW MEXICO 79909

(505) 837-8218

RECEIVED

AUG 09 '88

O. C. D.
ARTESIA, OFFICE

August 1, 1988

John C. Linn Company
P.O. Box 114
Artesia, New Mexico 88210

John C. Linn "A" State #1

Artesia Survey

Length	Direction
147'	3/4°
141.5'	1°
143.2'	3/4°
145.0'	3/4°
146.1'	1°
147.0'	3/4°
147.2'	1°
148.0'	1°
148.3'	3/4°
148.1'	1°
148'	3/4°
148.2'	1°
148.9'	1 1/2°
149.0'	1 1/2°


M. J. Linn
Artesia

Witnessed and sworn before me on this 1st day of August, 1988.


Gary S. Brink
San Juan County, New Mexico
My Commission Expires August 15, 1989