

C/SF

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil well  gas well  other

2. NAME OF OPERATOR  
Phillips Petroleum Company

3. ADDRESS OF OPERATOR  
4001 Penbrook St., Odessa, Texas 79762

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)  
AT SURFACE: 660' FN & 1980' FW lines Sec. 4  
AT TOP PROD. INTERVAL:  
AT TOTAL DEPTH:

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:	SUBSEQUENT REPORT OF:
TEST WATER SHUT-OFF <input type="checkbox"/>	<input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	<input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	<input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	<input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	<input type="checkbox"/>
MULTIPLE COMPLETE <input type="checkbox"/>	<input type="checkbox"/>
CHANGE ZONES <input type="checkbox"/>	<input type="checkbox"/>
ABANDON* <input type="checkbox"/>	<input type="checkbox"/>
(other) Spud well and set conductor pipe	

RECEIVED BY  
FEB 26 1986  
O. C. D.  
ARTESIA, OFFICE

5. LEASE  
NM-34229

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME  
Sunland Park Unit

9. WELL NO.  
1

10. FIELD OR WILDCAT NAME  
Wildcat-Elfenburger Gas

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA  
Sec. 4, T-27-S, R-1-E


12. COUNTY OR PARISH  
Dona Ana

13. STATE  
New Mexico

14. API NO.  
30-013-20006

15. ELEVATIONS (SHOW DF, KDB, AND WD)  
4185.9' (Unprepared) GL

(NOTE: For a list of multiple completion or zone change on Form 9-330)



17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

\*CONFIDENTIAL PRIVILEGED REPORT\*

- 1/27/85 Set 40' of 40" conductor & cmtd. to bottom of cellar w/Ready mix.
- 1/28/85-2/6/85 Move in and rig up Parker drilling rig. Mix spud mud.
- 2/7/85 Spud 17 1/2" hole 2/7/85. Ream w/26" & 36" hole opener to 735'.
- 2/10/85 Ran 18 jts., 730', of 30" X 1" 309#/ft. grade B pipe with Drill Quip H-60 connectors. Set @ 730'.
- 2/11/85 Cemented w/1000 sacks Class "C" w/2% CaCl. Displaced with 4 1/2 bbls. mud. Circ. 115 sacks. Job complete @ 9:10 a.m. 2/11/85. WOC 27 1/2 hrs.
- 2/12/85 Pick up 14 3/4" bit and commence drilling.

Subsurface Safety Valve: Manu. and Type \_\_\_\_\_ Set @ \_\_\_\_\_ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED [Signature] TITLE \_\_\_\_\_ DATE 2/14/85

W. J. Mueller Telephone (915) 367-1257 (McLemore)

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_

CONDITIONS OF APPROVAL IF ANY:

ACCEPTED FOR RECORD  
PETER W. CHESTER  
FEB 21 1985  
BUREAU OF LAND MANAGEMENT  
ROSWELL RESOURCE AREA

Instructions on Reverse Side