

NUMBER OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
TRANSPORTER	OIL
	GAS
PRORATION OFFICE	
OPERATOR	

Checked by AB
(Form C-101)

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

RECEIVED

MAY 17 1961

WELL RECORD

D. C. C.
ARTESIA, OFFICE

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in **QUINTUPLICATE** If State Land submit 6 Copies

AREA 640 ACRES
LOCATE WELL CORRECTLY

E. P. Campbell

Liberman

(Company or Operator)

(Lease)

Well No. **1**, in **NE** ¼ of **NW** ¼, of Sec. **7**, T. **23S**, R. **15E**, NMPM.

Wildcat

Otero

Well is **660** feet from **North** line and **1908** feet from **West** line

of Section **7** If State Land the Oil and Gas Lease No. is **08 5960**

Drilling Commenced **May 31, 1960** Drilling was Completed **January 4, 1961**

Name of Drilling Contractor **E. P. Campbell Drilling Company**

Address **1603 Broadway, Lubbock, Texas**

Elevation above sea level at Top of Tubing Head..... The information given is to be kept confidential until....., 19.....

OIL SANDS OR ZONES

No. 1, from.....to..... No. 4, from.....to.....
 No. 2, from.....to..... No. 5, from.....to.....
 No. 3, from.....to..... No. 6, from.....to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from **1448** to **1490** feet. **Fresh water**
 No. 2, from **1962** to **1570** feet. **Fresh water**
 No. 3, from **2360** to **2480** feet. **Sulphur water**
 No. 4, from.....to.....feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
13-3/8"	48	New	33'	-			Conductor
10-3/4"	40	New	195'	Texas pattern			Surface
7"	24	Used	1510'	" "			Water shut off
5-1/2"	14	Used	2279				Water shut off

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. BAGS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
13-1/2	13-3/8	33	25	Dumped		
12	10-3/4	195	50	"		

RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

Result of Production Stimulation.....

.....Depth Cleaned Out.....

LOG OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Rotary tools were used from 195 feet to 618 feet, and from _____ feet to _____ feet.
 Cable tools were used from 0 feet to 195 feet, and from 618 feet to 2700 feet.

PRODUCTION

Put to Producing _____, 19_____

OIL WELL: The production during the first 24 hours was _____ barrels of liquid of which _____% was oil; _____% was emulsion; _____% water; and _____% was sediment. A.P.I. Gravity _____

GAS WELL: The production during the first 24 hours was _____ M.C.F. plus _____ barrels of liquid Hydrocarbon. Shut in Pressure _____ lbs.

Length of Time Shut in _____

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico

Northwestern New Mexico

- | | | |
|------------------------------|---------------------|----------------------------|
| T. Anhy..... | T. Devonian..... | T. Ojo Alamo..... |
| T. Salt..... | T. Silurian..... | T. Kirtland-Fruitland..... |
| B. Salt..... | T. Montoya..... | T. Farmington..... |
| T. Yates..... | T. Simpson..... | T. Pictured Cliffs..... |
| T. 7 Rivers..... | T. McKee..... | T. Menefee..... |
| T. Queen..... | T. Ellenburger..... | T. Point Lookout..... |
| T. Grayburg..... | T. Gr. Wash..... | T. Mancos..... |
| T. San Andres Surface | T. Granite..... | T. Dakota..... |
| T. Glorieta 715 | T. | T. Morrison..... |
| T. Drinkard 1810 | T. | T. Penn..... |
| T. Tubbs..... | T. | T. |
| T. Abo 2175 | T. | T. |
| T. Penn..... | T. | T. |
| T. Miss..... | T. | T. |

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	715	715	San Andres lime				
715	800	85	Hondo sand				
800	1525	725	Yeso sand, lime & dolomite				
1525	1810	285	Yeso anhydrite & dolomite				
1810	2175	365	Lower Yeso sand & anhydrite				
2175	2480	305	Abo red shale & dolomite				
2480	2640	160	Nuaco lime & shale				
2640	2686	46	Pennsylv red shale				
2686	2700	14	Proterozoic gabbro				
	2700'	TD					

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Date May 15, 1961

Company or Operator E. P. Campbell Drilg. Co. Address 2127 San Mateo NE, Albuquerque, N. M.

Name Bob Donegan Position or Title Geologist